| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | 2-Butanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW01 | Ethanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW01 | Methanol | 25-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW01 | Anionic Surfactants | 25-Jan-12 | 0.01 U mg/L | | | | | |
| HW01 | Heterotrophic Plate Count | 25-Jan-12 | R cfu/1mL | | | | | |
| HW01 | Total Coliform Bacteria | 25-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW01 | Ethane | 25-Jan-12 | 350 ug/L | | | | | |
| HW01 | Ethene | 25-Jan-12 | 1.1 U ug/L | | | | | |
| HW01 | Methane | 25-Jan-12 | 12000 ug/L | 28000 ug/L | | | | |
| HW01 | 2-Butoxyethanol | 25-Jan-12 | 10 U ug/L | | | | | |
| HW01 | 2-Methoxyethanol | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW01 | 2-Methoxyethanol | 25-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW01 | Diethylene glycol | 25-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW01 | Diethylene Glycol | 25-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW01 | Ethanol, 2-ethoxy- | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW01 | Ethanol, 2-methoxy- | 25-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW01 | Ethylene glycol | 25-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW01 | Tetraethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW01 | Triethylene glycol | 25-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW01 | Triethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW01 | Bromide | 25-Jan-12 | 0.5 U mg/L | | | | | |
| HW01 | Chloride | 25-Jan-12 | 4.36 mg/L | | | 250 mg/L | | 250 mg/L |
| HW01 | Fluoride | 25-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW01 | Sulfate | 25-Jan-12 | 5.49 mg/L | | | 250 mg/L | | 250 mg/L |
| HW01 | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW01-F | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW01 | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW01-F | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW01 | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW01-F | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW01 | Arsenic | 25-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW01-F | Arsenic | 25-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW01 | Barium | 25-Jan-12 | 304 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW01-F | Barium | 25-Jan-12 | 316 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW01 | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01-F | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW01 | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW01-F | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW01 | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW01-F | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW01 | Calcium | 25-Jan-12 | 7890 ug/L | | | | | |
| HW01-F | Calcium | 25-Jan-12 | 8210 ug/L | | | | | |
| HW01 | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW01-F | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW01 | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW01-F | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW01 | Copper | 25-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW01-F | Copper | 25-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW01 | Iron | 25-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW01-F | Iron | 25-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW01 | Lead | 25-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW01-F | Lead | 25-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW01 | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW01-F | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW01 | Magnesium | 25-Jan-12 | 3640 ug/L | | | | | |
| HW01-F | Magnesium | 25-Jan-12 | 3760 ug/L | | | | | |
| HW01 | Manganese | 25-Jan-12 | 2.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW01-F | Manganese | 25-Jan-12 | 1.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW01 | Nickel | 25-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW01-F | Nickel | 25-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW01 | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW01-F | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW01 | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW01-F | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW01 | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW01-F | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW01 | Sodium | 25-Jan-12 | 18100 ug/L | 20000 ug/L | | | | |
| HW01-F | Sodium | 25-Jan-12 | 19100 ug/L | 20000 ug/L | | | | |
| HW01 | Strontium | 25-Jan-12 | 655 ug/L | 9300 ug/L | | | | |
| HW01-F | Strontium | 25-Jan-12 | 694 ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW01-F | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW01 | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW01-F | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW01 | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW01-F | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW01 | Uranium | 25-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW01-F | Uranium | 25-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW01 | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW01-F | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW01 | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW01-F | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW01 | Oil and Grease | 25-Jan-12 | 5.4 UJ mg/L | | | | | |
| HW01 | Total Dissolved Solids | 25-Jan-12 | 16 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW01 | Total Suspended Solids | 25-Jan-12 | 10 U mg/L | | | | | |
| HW01 | 1-Methylnaphthalene | 25-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW01 | Acenaphthene | 25-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW01 | Acenaphthylene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Acetophenone | 25-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW01 | Anthracene | 25-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW01 | Atrazine | 25-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW01 | Benzo(a)anthracene | 25-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW01 | Benzo(a)pyrene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW01 | Biphenyl | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Bromophenyl-4 Phenyl Ether | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Butylbenzyl phthalate | 25-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW01 | Caprolactam | 25-Jan-12 | 1.32 J ug/L | 7700 ug/L | | | | |
| HW01 | Carbazole | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Chlorobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW01 | Chloronaphthalene-2 | 25-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW01 | Chlorophenol-2 | 25-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW01 | Chlorophenyl-4 phenyl ether | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Chrysene | 25-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW01 | Cresol, parachloro meta- | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Cresol-4,6-dinitro-ortho | 25-Jan-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | Cresol-o | 25-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW01 | Cresol-p | 25-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW01 | Dibenz(a,h)anthracene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW01 | Dibenzofuran | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Dichlorobenzidine-3,3' | 25-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW01 | Dichlorophenol-2,4 | 25-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW01 | Dimethylphenol, 2,4- | 25-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW01 | Dinitrophenol-2,4 | 25-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW01 | Dinitrotoluene-2,4 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Dinitrotoluene-2,6 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Ether, bis(2-chloroethyl) | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW01 | Ether-bis(2-chloroisopropyl) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Fluoranthene | 25-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW01 | Fluoranthene benzo(k) | 25-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW01 | Fluoranthene-benzo(b) | 25-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW01 | Fluorene | 25-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW01 | Hexachlorobenzene | 25-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW01 | Hexachlorobutadiene | 25-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW01 | Hexachlorobutadiene | 25-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW01 | Hexachlorocyclopentadiene | 25-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW01 | Hexachloroethane | 25-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW01 | Isophorone | 25-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW01 | Methane, bis(2-chloroethoxy) | 25-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW01 | Methylnaphthalene-2 | 25-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW01 | Naphthalene | 25-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW01 | Naphthalene | 25-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW01 | Nitroaniline, ortho | 25-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW01 | Nitroaniline-3 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Nitrobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW01 | Nitrobenzene | 25-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW01 | Nitrophenol-2 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Nitrophenol-4 | 25-Jan-12 | 10 U ug/L | | | | | |
| HW01 | Nitrosodimethylamine-n | 25-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW01 | Nitrosodiphenylamine-n | 25-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW01 | Pentachlorophenol | 25-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | Perylene-benzo(ghi) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Phenanthrene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Phenol | 25-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW01 | Phthalate, bis(2-ethylhexyl) (DEHP) | 25-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW01 | Phthalate, Dimethyl | 25-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW01 | Phthalate, di-n-butyl- | 25-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW01 | Phthalate, di-n-octyl | 25-Jan-12 | 5 U ug/L | | | | | |
| HW01 | Phthalate-diethyl | 25-Jan-12 | 0.029 J ug/L | 11000 ug/L | | | | |
| HW01 | Propylamine,n-nitroso di-n- | 25-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW01 | Pyrene | 25-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW01 | Pyrene-indeno(1,2,3-cd) | 25-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW01 | Tetrachlorobenzene, 1,2,4,5- | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW01 | Tetrachlorophenol, 2,3,4,6- | 25-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW01 | Trichlorophenol-2,4,5 | 25-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW01 | Trichlorophenol-2,4,6 | 25-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW01 | TPH - Diesel Range Organics | 25-Jan-12 | 250 U ug/L | | | | | |
| HW01 | TPH - Gasoline Range Organics | 25-Jan-12 | 50 U ug/L | | | | | |
| HW01 | TPH - Oil Range Organics | 25-Jan-12 | 1000 U ug/L | | | | | |
| HW01 | 1,2-Dibromo-3-chloropropane (DBCP) | 25-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW01 | 4-Methyl-2-pentanone | 25-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW01 | Acetone | 25-Jan-12 | 2 U ug/L | | | | | |
| HW01 | Benzene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW01 | Bromobenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Bromoform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW01 | Butylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Butylbenzene, sec- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Butylbenzene, tert- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Carbon disulfide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Carbon Tetrachloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW01 | Chlorobenzene | 25-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW01 | Chlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Chloroethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Chloroform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW01 | Chlorotoluene | 25-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW01 | Chlorotoluene-p | 25-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | Cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dibromochloromethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW01 | Dibromoethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW01 | Dibromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichlorobenzene-1,2 | 25-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW01 | Dichlorobenzene-1,3 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichlorobenzene-1,4 | 25-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW01 | Dichlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW01 | Dichlorodifluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichloroethane-1,1 | 25-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW01 | Dichloroethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW01 | Dichloroethene-1,2 trans | 25-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW01 | Dichloroethylene-1,1 | 25-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW01 | Dichloroethylene-1,2 cis | 25-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW01 | Dichloropropane, 1,2- | 25-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW01 | Dichloropropane, 1,3- | 25-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW01 | Dichloropropane, 2,2- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichloropropene, 1,1- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichloropropene, 1,3 cis- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Dichloropropene, 1,3 trans- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Ethylbenzene | 25-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW01 | Freon 113 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Hexanone, 2- | 25-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW01 | Isopropylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Isopropylbenzene-4,methyl-1 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | m,p-Xylene | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW01 | Methyl acetate | 25-Jan-12 | 0.3 J ug/L | | | | | |
| HW01 | Methyl bromide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Methyl chloride | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Methyl cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Methyl ethyl ketone | 25-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW01 | Methyl tertiary butyl ether (MTBE) | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Methylene chloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW01 | Propylbenzene-n | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Styrene | 25-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW01 | Tetrachloroethane, 1,1,1,2- | 25-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW01 | Tetrachloroethane, 1,1,2,2- | 25-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW01 | Tetrachloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW01 | Toluene | 25-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW01 | Trichlorobenzene-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW01 | Trichlorobenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW01 | Trichloroethane-1,1,1 | 25-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW01 | Trichloroethane-1,1,2 | 25-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW01 | Trichloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW01 | Trichlorofluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Trichloropropane-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW01 | Trimethylbenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW01 | Trimethylbenzene-1,3,5 | 25-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW01 | Vinyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW01 | Vinyl chloride | 25-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW01 | Xylene-o | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW01 | Nitrogen, Nitrite + Nitrate | 25-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW01 | Total Nitrogen | 25-Jan-12 | 1 U mg/L | | | | | |
| HW01 | Total Phosphorus as P | 25-Jan-12 | 0.05 U mg/L | | | | | |
| HW02 | 2-Butanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02z | 2-Butanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02 | Ethanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02z | Ethanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02 | Methanol | 25-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW02z | Methanol | 25-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW02 | Anionic Surfactants | 25-Jan-12 | 0.01 U mg/L | | | | | |
| HW02z | Anionic Surfactants | 25-Jan-12 | 0.01 U mg/L | | | | | |
| HW02 | Fecal Coliform Bacteria | 25-Jan-12 | 0 Absent | 0.0001 | | | | |
| HW02 | Heterotrophic Plate Count | 25-Jan-12 | R cfu/1mL | | | | | |
| HW02z | Heterotrophic Plate Count | 25-Jan-12 | R cfu/1mL | | | | | |
| HW02 | Total Coliform Bacteria | 25-Jan-12 | 82 cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW02z | Total Coliform Bacteria | 25-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW02 | Ethane | 25-Jan-12 | 500 ug/L | | | | | |
| HW02z | Ethane | 25-Jan-12 | 570 ug/L | | | | | |
| HW02 | Ethene | 25-Jan-12 | 1.1 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Ethene | 25-Jan-12 | 1.1 U ug/L | | | | | |
| HW02 | Methane | 25-Jan-12 | 18000 ug/L | 28000 ug/L | | | | |
| HW02z | Methane | 25-Jan-12 | 13000 ug/L | 28000 ug/L | | | | |
| HW02 | 2-Butoxyethanol | 25-Jan-12 | 10 U ug/L | | | | | |
| HW02z | 2-Butoxyethanol | 25-Jan-12 | 10 U ug/L | | | | | |
| HW02 | 2-Methoxyethanol | 25-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW02 | 2-Methoxyethanol | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02z | 2-Methoxyethanol | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02z | 2-Methoxyethanol | 25-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW02 | Diethylene Glycol | 25-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW02 | Diethylene glycol | 25-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW02z | Diethylene Glycol | 25-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW02z | Diethylene glycol | 25-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW02 | Ethanol, 2-ethoxy- | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02z | Ethanol, 2-ethoxy- | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW02 | Ethanol, 2-methoxy- | 25-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW02z | Ethanol, 2-methoxy- | 25-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW02 | Ethylene glycol | 25-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW02z | Ethylene glycol | 25-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW02 | Tetraethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW02z | Tetraethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW02 | Triethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW02 | Triethylene glycol | 25-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW02z | Triethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW02z | Triethylene glycol | 25-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW02 | Bromide | 25-Jan-12 | 0.5 U mg/L | | | | | |
| HW02z | Bromide | 25-Jan-12 | 0.5 U mg/L | | | | | |
| HW02 | Chloride | 25-Jan-12 | 3.93 mg/L | | | 250 mg/L | | 250 mg/L |
| HW02z | Chloride | 25-Jan-12 | 3.99 mg/L | | | 250 mg/L | | 250 mg/L |
| HW02 | Fluoride | 25-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW02z | Fluoride | 25-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW02 | Sulfate | 25-Jan-12 | 8.85 mg/L | | | 250 mg/L | | 250 mg/L |
| HW02z | Sulfate | 25-Jan-12 | 9.02 mg/L | | | 250 mg/L | | 250 mg/L |
| HW02 | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW02-F | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW02z-F | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW02 | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW02-F | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW02z | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW02z-F | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW02 | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW02-F | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW02z | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW02z-F | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW02 | Arsenic | 25-Jan-12 | 4 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW02-F | Arsenic | 25-Jan-12 | 2.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW02z | Arsenic | 25-Jan-12 | 3.2 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW02z-F | Arsenic | 25-Jan-12 | 2.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW02 | Barium | 25-Jan-12 | 267 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW02-F | Barium | 25-Jan-12 | 257 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW02z | Barium | 25-Jan-12 | 275 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW02z-F | Barium | 25-Jan-12 | 263 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW02 | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW02-F | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW02z | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW02z-F | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW02 | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW02-F | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW02z | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW02z-F | Boron | 25-Jan-12 | 58.8 ug/L | 3100 ug/L | | | | |
| HW02 | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW02-F | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW02z | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW02z-F | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW02 | Calcium | 25-Jan-12 | 30900 ug/L | | | | | |
| HW02-F | Calcium | 25-Jan-12 | 31400 ug/L | | | | | |
| HW02z | Calcium | 25-Jan-12 | 31700 ug/L | | | | | |
| HW02z-F | Calcium | 25-Jan-12 | 32100 ug/L | | | | | |
| HW02 | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02-F | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW02z | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW02z-F | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW02 | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW02-F | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW02z | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW02z-F | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW02 | Copper | 25-Jan-12 | 3.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW02-F | Copper | 25-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW02z | Copper | 25-Jan-12 | 2.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW02z-F | Copper | 25-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW02 | Iron | 25-Jan-12 | 1580 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW02-F | Iron | 25-Jan-12 | 140 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW02z | Iron | 25-Jan-12 | 1620 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW02z-F | Iron | 25-Jan-12 | 122 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW02 | Lead | 25-Jan-12 | 1.9 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW02-F | Lead | 25-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW02z | Lead | 25-Jan-12 | 1.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW02z-F | Lead | 25-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW02 | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW02-F | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW02z | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW02z-F | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW02 | Magnesium | 25-Jan-12 | 5560 ug/L | | | | | |
| HW02-F | Magnesium | 25-Jan-12 | 5610 ug/L | | | | | |
| HW02z | Magnesium | 25-Jan-12 | 5730 ug/L | | | | | |
| HW02z-F | Magnesium | 25-Jan-12 | 5750 ug/L | | | | | |
| HW02 | Manganese | 25-Jan-12 | 112 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW02-F | Manganese | 25-Jan-12 | 105 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW02z | Manganese | 25-Jan-12 | 78.7 J ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW02z-F | Manganese | 25-Jan-12 | 102 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW02 | Nickel | 25-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW02-F | Nickel | 25-Jan-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW02z | Nickel | 25-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW02z-F | Nickel | 25-Jan-12 | 1.1 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02 | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW02-F | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW02z | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW02z-F | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW02 | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW02-F | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW02z | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW02z-F | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW02 | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW02-F | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW02z | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW02z-F | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW02 | Sodium | 25-Jan-12 | 15700 ug/L | 20000 ug/L | | | | |
| HW02-F | Sodium | 25-Jan-12 | 16000 ug/L | 20000 ug/L | | | | |
| HW02z | Sodium | 25-Jan-12 | 15900 ug/L | 20000 ug/L | | | | |
| HW02z-F | Sodium | 25-Jan-12 | 16200 ug/L | 20000 ug/L | | | | |
| HW02 | Strontium | 25-Jan-12 | 658 ug/L | 9300 ug/L | | | | |
| HW02-F | Strontium | 25-Jan-12 | 669 ug/L | 9300 ug/L | | | | |
| HW02z | Strontium | 25-Jan-12 | 661 ug/L | 9300 ug/L | | | | |
| HW02z-F | Strontium | 25-Jan-12 | 677 ug/L | 9300 ug/L | | | | |
| HW02 | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW02-F | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW02z | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW02z-F | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW02 | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW02-F | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW02z | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW02z-F | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW02 | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW02-F | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW02z | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW02z-F | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW02 | Uranium | 25-Jan-12 | 4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW02-F | Uranium | 25-Jan-12 | 3.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW02z | Uranium | 25-Jan-12 | 2.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z-F | Uranium | 25-Jan-12 | 3.8 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW02 | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02-F | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02z | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02z-F | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW02 | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW02-F | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW02z | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW02z-F | Zinc | 25-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW02 | Oil and Grease | 25-Jan-12 | 5.4 UJ mg/L | | | | | |
| HW02z | Oil and Grease | 25-Jan-12 | 5.6 UJ mg/L | | | | | |
| HW02 | Total Dissolved Solids | 25-Jan-12 | 95 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW02z | Total Dissolved Solids | 25-Jan-12 | 85 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW02 | Total Suspended Solids | 25-Jan-12 | 10 U mg/L | | | | | |
| HW02z | Total Suspended Solids | 25-Jan-12 | 10 U mg/L | | | | | |
| HW02 | 1-Methylnaphthalene | 25-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW02z | 1-Methylnaphthalene | 25-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW02 | Acenaphthene | 25-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW02z | Acenaphthene | 25-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW02 | Acenaphthylene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Acenaphthylene | 25-Jan-12 | 0.013 J ug/L | | | | | |
| HW02 | Acetophenone | 25-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW02z | Acetophenone | 25-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW02 | Anthracene | 25-Jan-12 | 0.181 J ug/L | 1300 ug/L | | | | |
| HW02z | Anthracene | 25-Jan-12 | 0.231 J ug/L | 1300 ug/L | | | | |
| HW02 | Atrazine | 25-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW02z | Atrazine | 25-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW02 | Benzo(a)anthracene | 25-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW02z | Benzo(a)anthracene | 25-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW02 | Benzo(a)pyrene | 25-Jan-12 | 0.16 J ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW02z | Benzo(a)pyrene | 25-Jan-12 | 0.196 J ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW02 | Biphenyl | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Biphenyl | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02 | Bromophenyl-4 Phenyl Ether | 25-Jan-12 | 0.133 J ug/L | | | | | |
| HW02z | Bromophenyl-4 Phenyl Ether | 25-Jan-12 | 0.179 J ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02 | Butylbenzyl phthalate | 25-Jan-12 | 0.246 J ug/L | 1400 ug/L | | | | |
| HW02z | Butylbenzyl phthalate | 25-Jan-12 | 0.351 J ug/L | 1400 ug/L | | | | |
| HW02 | Caprolactam | 25-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW02z | Caprolactam | 25-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW02 | Carbazole | 25-Jan-12 | 0.095 J ug/L | | | | | |
| HW02z | Carbazole | 25-Jan-12 | 0.287 J ug/L | | | | | |
| HW02 | Chlorobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW02z | Chlorobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW02 | Chloronaphthalene-2 | 25-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW02z | Chloronaphthalene-2 | 25-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW02 | Chlorophenol-2 | 25-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW02z | Chlorophenol-2 | 25-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW02 | Chlorophenyl-4 phenyl ether | 25-Jan-12 | 0.078 J ug/L | | | | | |
| HW02z | Chlorophenyl-4 phenyl ether | 25-Jan-12 | 0.096 J ug/L | | | | | |
| HW02 | Chrysene | 25-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW02z | Chrysene | 25-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW02 | Cresol, parachloro meta- | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Cresol, parachloro meta- | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02 | Cresol-4,6-dinitro-ortho | 25-Jan-12 | 10 U ug/L | | | | | |
| HW02z | Cresol-4,6-dinitro-ortho | 25-Jan-12 | 10 U ug/L | | | | | |
| HW02 | Cresol-o | 25-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW02z | Cresol-o | 25-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW02 | Cresol-p | 25-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW02z | Cresol-p | 25-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW02 | Dibenz(a,h)anthracene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW02z | Dibenz(a,h)anthracene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW02 | Dibenzofuran | 25-Jan-12 | 0.031 J ug/L | | | | | |
| HW02z | Dibenzofuran | 25-Jan-12 | 0.038 J ug/L | | | | | |
| HW02 | Dichlorobenzidine-3,3' | 25-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW02z | Dichlorobenzidine-3,3' | 25-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW02 | Dichlorophenol-2,4 | 25-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW02z | Dichlorophenol-2,4 | 25-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW02 | Dimethylphenol, 2,4- | 25-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW02z | Dimethylphenol, 2,4- | 25-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW02 | Dinitrophenol-2,4 | 25-Jan-12 | 5 U ug/L | 30 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Dinitrophenol-2,4 | 25-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW02 | Dinitrotoluene-2,4 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Dinitrotoluene-2,4 | 25-Jan-12 | 0.13 J ug/L | | | | | |
| HW02 | Dinitrotoluene-2,6 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Dinitrotoluene-2,6 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02 | Ether, bis(2-chloroethyl) | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW02z | Ether, bis(2-chloroethyl) | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW02 | Ether-bis(2-chloroisopropyl) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Ether-bis(2-chloroisopropyl) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02 | Fluoranthene | 25-Jan-12 | 0.198 J ug/L | 630 ug/L | | | | |
| HW02z | Fluoranthene | 25-Jan-12 | 0.268 J ug/L | 630 ug/L | | | | |
| HW02 | Fluoranthene benzo(k) | 25-Jan-12 | 0.283 J ug/L | 29 ug/L | | | | |
| HW02z | Fluoranthene benzo(k) | 25-Jan-12 | 0.317 J ug/L | 29 ug/L | | | | |
| HW02 | Fluoranthene-benzo(b) | 25-Jan-12 | 0.125 J ug/L | 5.6 ug/L | | | | |
| HW02z | Fluoranthene-benzo(b) | 25-Jan-12 | 0.15 J ug/L | 5.6 ug/L | | | | |
| HW02 | Fluorene | 25-Jan-12 | 0.077 J ug/L | 220 ug/L | | | | |
| HW02z | Fluorene | 25-Jan-12 | 0.098 J ug/L | 220 ug/L | | | | |
| HW02 | Hexachlorobenzene | 25-Jan-12 | 0.2 J ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW02z | Hexachlorobenzene | 25-Jan-12 | 0.217 J ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW02 | Hexachlorobutadiene | 25-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW02 | Hexachlorobutadiene | 25-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW02z | Hexachlorobutadiene | 25-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW02z | Hexachlorobutadiene | 25-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW02 | Hexachlorocyclopentadiene | 25-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW02z | Hexachlorocyclopentadiene | 25-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW02 | Hexachloroethane | 25-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW02z | Hexachloroethane | 25-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW02 | Isophorone | 25-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW02z | Isophorone | 25-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW02 | Methane, bis(2-chloroethoxy) | 25-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW02z | Methane, bis(2-chloroethoxy) | 25-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW02 | Methylnaphthalene-2 | 25-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW02z | Methylnaphthalene-2 | 25-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW02 | Naphthalene | 25-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW02 | Naphthalene | 25-Jan-12 | 5 U ug/L | 14 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Naphthalene | 25-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW02z | Naphthalene | 25-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW02 | Nitroaniline, ortho | 25-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW02z | Nitroaniline, ortho | 25-Jan-12 | 0.074 J ug/L | 150 ug/L | | | | |
| HW02 | Nitroaniline-3 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Nitroaniline-3 | 25-Jan-12 | 0.119 J ug/L | | | | | |
| HW02 | Nitrobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW02z | Nitrobenzenamine-4 | 25-Jan-12 | 0.166 J ug/L | 61 ug/L | | | | |
| HW02 | Nitrobenzene | 25-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW02z | Nitrobenzene | 25-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW02 | Nitrophenol-2 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Nitrophenol-2 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02 | Nitrophenol-4 | 25-Jan-12 | 10 U ug/L | | | | | |
| HW02z | Nitrophenol-4 | 25-Jan-12 | 0.136 J ug/L | | | | | |
| HW02 | Nitrosodimethylamine-n | 25-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW02z | Nitrosodimethylamine-n | 25-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW02 | Nitrosodiphenylamine-n | 25-Jan-12 | 0.034 J ug/L | 1000 ug/L | | | | |
| HW02z | Nitrosodiphenylamine-n | 25-Jan-12 | 0.171 J ug/L | 1000 ug/L | | | | |
| HW02 | Pentachlorophenol | 25-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW02z | Pentachlorophenol | 25-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW02 | Perylene-benzo(ghi) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Perylene-benzo(ghi) | 25-Jan-12 | 0.211 J ug/L | | | | | |
| HW02 | Phenanthrene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW02z | Phenanthrene | 25-Jan-12 | 0.234 J ug/L | | | | | |
| HW02 | Phenol | 25-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW02z | Phenol | 25-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW02 | Phthalate, bis(2-ethylhexyl) (DEHP) | 25-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW02z | Phthalate, bis(2-ethylhexyl) (DEHP) | 25-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW02 | Phthalate, Dimethyl | 25-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW02z | Phthalate, Dimethyl | 25-Jan-12 | 0.149 J ug/L | 1400 ug/L | | | | |
| HW02 | Phthalate, di-n-butyl- | 25-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW02z | Phthalate, di-n-butyl- | 25-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW02 | Phthalate, di-n-octyl | 25-Jan-12 | 0.193 J ug/L | | | | | |
| HW02z | Phthalate, di-n-octyl | 25-Jan-12 | 0.281 J ug/L | | | | | |
| HW02 | Phthalate-diethyl | 25-Jan-12 | 0.02 J ug/L | 11000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Phthalate-diethyl | 25-Jan-12 | 0.257 J ug/L | 11000 ug/L | | | | |
| HW02 | Propylamine,n-nitroso di-n- | 25-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW02z | Propylamine,n-nitroso di-n- | 25-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW02 | Pyrene | 25-Jan-12 | 0.183 J ug/L | 87 ug/L | | | | |
| HW02z | Pyrene | 25-Jan-12 | 0.257 J ug/L | 87 ug/L | | | | |
| HW02 | Pyrene-indeno(1,2,3-cd) | 25-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW02z | Pyrene-indeno(1,2,3-cd) | 25-Jan-12 | 0.205 J ug/L | 3 ug/L | | | | |
| HW02 | Tetrachlorobenzene, 1,2,4,5- | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW02z | Tetrachlorobenzene, 1,2,4,5- | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW02 | Tetrachlorophenol, 2,3,4,6- | 25-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW02z | Tetrachlorophenol, 2,3,4,6- | 25-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW02 | Trichlorophenol-2,4,5 | 25-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW02z | Trichlorophenol-2,4,5 | 25-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW02 | Trichlorophenol-2,4,6 | 25-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW02z | Trichlorophenol-2,4,6 | 25-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW02 | TPH - Diesel Range Organics | 25-Jan-12 | 250 U ug/L | | | | | |
| HW02z | TPH - Diesel Range Organics | 25-Jan-12 | 250 U ug/L | | | | | |
| HW02 | TPH - Gasoline Range Organics | 25-Jan-12 | 50 U ug/L | | | | | |
| HW02z | TPH - Gasoline Range Organics | 25-Jan-12 | 50 U ug/L | | | | | |
| HW02 | TPH - Oil Range Organics | 25-Jan-12 | 1000 U ug/L | | | | | |
| HW02z | TPH - Oil Range Organics | 25-Jan-12 | 1000 U ug/L | | | | | |
| HW02 | 1,2-Dibromo-3-chloropropane (DBCP) | 25-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW02z | 1,2-Dibromo-3-chloropropane (DBCP) | 25-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW02 | 4-Methyl-2-pentanone | 25-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW02z | 4-Methyl-2-pentanone | 25-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW02 | Acetone | 25-Jan-12 | 2 U ug/L | | | | | |
| HW02z | Acetone | 25-Jan-12 | 2 U ug/L | | | | | |
| HW02 | Benzene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02z | Benzene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02 | Bromobenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Bromobenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Bromoform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02z | Bromoform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02 | Butylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Butylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02 | Butylbenzene, sec- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Butylbenzene, sec- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Butylbenzene, tert- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Butylbenzene, tert- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Carbon disulfide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Carbon disulfide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Carbon Tetrachloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02z | Carbon Tetrachloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02 | Chlorobenzene | 25-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW02z | Chlorobenzene | 25-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW02 | Chlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Chlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Chloroethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Chloroethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Chloroform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02z | Chloroform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02 | Chlorotoluene | 25-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW02z | Chlorotoluene | 25-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW02 | Chlorotoluene-p | 25-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW02z | Chlorotoluene-p | 25-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW02 | Cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dibromochloromethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02z | Dibromochloromethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02 | Dibromoethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW02z | Dibromoethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW02 | Dibromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dibromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichlorobenzene-1,2 | 25-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW02z | Dichlorobenzene-1,2 | 25-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW02 | Dichlorobenzene-1,3 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichlorobenzene-1,3 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichlorobenzene-1,4 | 25-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW02z | Dichlorobenzene-1,4 | 25-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW02 | Dichlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Dichlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW02 | Dichlorodifluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichlorodifluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichloroethane-1,1 | 25-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW02z | Dichloroethane-1,1 | 25-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW02 | Dichloroethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW02z | Dichloroethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW02 | Dichloroethene-1,2 trans | 25-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW02z | Dichloroethene-1,2 trans | 25-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW02 | Dichloroethylene-1,1 | 25-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW02z | Dichloroethylene-1,1 | 25-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW02 | Dichloroethylene-1,2 cis | 25-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW02z | Dichloroethylene-1,2 cis | 25-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW02 | Dichloropropane, 1,2- | 25-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW02z | Dichloropropane, 1,2- | 25-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW02 | Dichloropropane, 1,3- | 25-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW02z | Dichloropropane, 1,3- | 25-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW02 | Dichloropropane, 2,2- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichloropropane, 2,2- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichloropropene, 1,1- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichloropropene, 1,1- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichloropropene, 1,3 cis- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichloropropene, 1,3 cis- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Dichloropropene, 1,3 trans- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Dichloropropene, 1,3 trans- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Ethylbenzene | 25-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW02z | Ethylbenzene | 25-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW02 | Freon 113 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Freon 113 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Hexanone, 2- | 25-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW02z | Hexanone, 2- | 25-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW02 | Isopropylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Isopropylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Isopropylbenzene-4,methyl-1 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Isopropylbenzene-4,methyl-1 | 25-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02 | m,p-Xylene | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW02z | m,p-Xylene | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW02 | Methyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Methyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Methyl bromide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Methyl bromide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Methyl chloride | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Methyl chloride | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Methyl cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Methyl cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Methyl ethyl ketone | 25-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW02z | Methyl ethyl ketone | 25-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW02 | Methyl tertiary butyl ether (MTBE) | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Methyl tertiary butyl ether (MTBE) | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Methylene chloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02z | Methylene chloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02 | Propylbenzene-n | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Propylbenzene-n | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Styrene | 25-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW02z | Styrene | 25-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW02 | Tetrachloroethane, 1,1,1,2- | 25-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW02z | Tetrachloroethane, 1,1,1,2- | 25-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW02 | Tetrachloroethane, 1,1,2,2- | 25-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW02z | Tetrachloroethane, 1,1,2,2- | 25-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW02 | Tetrachloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02z | Tetrachloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02 | Toluene | 25-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW02z | Toluene | 25-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW02 | Trichlorobenzene-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW02z | Trichlorobenzene-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW02 | Trichlorobenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW02z | Trichlorobenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW02 | Trichloroethane-1,1,1 | 25-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW02z | Trichloroethane-1,1,1 | 25-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW02 | Trichloroethane-1,1,2 | 25-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW02z | Trichloroethane-1,1,2 | 25-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW02 | Trichloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02z | Trichloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW02 | Trichlorofluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Trichlorofluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Trichloropropane-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW02z | Trichloropropane-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW02 | Trimethylbenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW02z | Trimethylbenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW02 | Trimethylbenzene-1,3,5 | 25-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW02z | Trimethylbenzene-1,3,5 | 25-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW02 | Vinyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02z | Vinyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW02 | Vinyl chloride | 25-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW02z | Vinyl chloride | 25-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW02 | Xylene-o | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW02z | Xylene-o | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW02 | Nitrogen, Nitrite + Nitrate | 25-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW02z | Nitrogen, Nitrite + Nitrate | 25-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW02 | Total Nitrogen | 25-Jan-12 | 1 U mg/L | | | | | |
| HW02z | Total Nitrogen | 25-Jan-12 | 1 U mg/L | | | | | |
| HW02 | Total Phosphorus as P | 25-Jan-12 | 0.05 U mg/L | | | | | |
| HW02z | Total Phosphorus as P | 25-Jan-12 | 0.05 U mg/L | | | | | |
| HW03 | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW03z | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW03 | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03z | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03 | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03z | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03 | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03z | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW03 | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW03z | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW03 | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |
| HW03z | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW03z | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW03 | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW03z | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW03 | Ethane | 14-Feb-12 | 430 ug/L | | | | | |
| HW03z | Ethane | 14-Feb-12 | 930 ug/L | | | | | |
| HW03 | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW03z | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW03 | Methane | 14-Feb-12 | 15000 ug/L | 28000 ug/L | | | | |
| HW03z | Methane | 14-Feb-12 | 28000 ug/L | 28000 ug/L | | | | |
| HW03 | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW03z | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW03 | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW03 | 2-Methoxyethanol | 14-Feb-12 | 60 U ug/l | 78 ug/L | | | | |
| HW03z | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW03z | 2-Methoxyethanol | 14-Feb-12 | 60 U ug/l | 78 ug/L | | | | |
| HW03 | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03z | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03 | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW03z | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW03 | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03z | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03 | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03z | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW03 | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |
| HW03z | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |
| HW03 | Chloride | 14-Feb-12 | 5.36 mg/L | | | 250 mg/L | | 250 mg/L |
| HW03z | Chloride | 14-Feb-12 | 5.36 mg/L | | | 250 mg/L | | 250 mg/L |
| HW03 | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW03z | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW03 | Sulfate | 14-Feb-12 | 4.82 mg/L | | | 250 mg/L | | 250 mg/L |
| HW03z | Sulfate | 14-Feb-12 | 4.8 mg/L | | | 250 mg/L | | 250 mg/L |
| HW03 | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW03-F | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW03z | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z-F | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW03 | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW03-F | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW03z | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW03z-F | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW03 | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW03-F | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW03z | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW03z-F | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW03 | Arsenic | 14-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW03-F | Arsenic | 14-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW03z | Arsenic | 14-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW03z-F | Arsenic | 14-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW03 | Barium | 14-Feb-12 | 821 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW03-F | Barium | 14-Feb-12 | 825 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW03z | Barium | 14-Feb-12 | 823 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW03z-F | Barium | 14-Feb-12 | 832 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW03 | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW03-F | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW03z | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW03z-F | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW03 | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW03-F | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW03z | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW03z-F | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW03 | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW03-F | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW03z | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW03z-F | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW03 | Calcium | 14-Feb-12 | 29000 ug/L | | | | | |
| HW03-F | Calcium | 14-Feb-12 | 29200 ug/L | | | | | |
| HW03z | Calcium | 14-Feb-12 | 29200 ug/L | | | | | |
| HW03z-F | Calcium | 14-Feb-12 | 29700 ug/L | | | | | |
| HW03 | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW03-F | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW03z-F | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW03 | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW03-F | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW03z | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW03z-F | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW03 | Copper | 14-Feb-12 | 5.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW03-F | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW03z | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW03z-F | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW03 | Iron | 14-Feb-12 | 711 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW03-F | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW03z | Iron | 14-Feb-12 | 708 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW03z-F | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW03 | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW03-F | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW03z | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW03z-F | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW03 | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW03-F | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW03z | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW03z-F | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW03 | Magnesium | 14-Feb-12 | 8070 ug/L | | | | | |
| HW03-F | Magnesium | 14-Feb-12 | 8140 ug/L | | | | | |
| HW03z | Magnesium | 14-Feb-12 | 8100 ug/L | | | | | |
| HW03z-F | Magnesium | 14-Feb-12 | 8160 ug/L | | | | | |
| HW03 | Manganese | 14-Feb-12 | 72 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW03-F | Manganese | 14-Feb-12 | 72.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW03z | Manganese | 14-Feb-12 | 72.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW03z-F | Manganese | 14-Feb-12 | 69.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW03 | Nickel | 14-Feb-12 | 1.8 J ug/L | 300 ug/L | | | | |
| HW03-F | Nickel | 14-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW03z | Nickel | 14-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW03z-F | Nickel | 14-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW03 | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03-F | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW03z | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW03z-F | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW03 | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW03-F | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW03z | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW03z-F | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW03 | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW03-F | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW03z | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW03z-F | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW03 | Sodium | 14-Feb-12 | 14500 ug/L | 20000 ug/L | | | | |
| HW03-F | Sodium | 14-Feb-12 | 14700 ug/L | 20000 ug/L | | | | |
| HW03z | Sodium | 14-Feb-12 | 14700 ug/L | 20000 ug/L | | | | |
| HW03z-F | Sodium | 14-Feb-12 | 15000 ug/L | 20000 ug/L | | | | |
| HW03 | Strontium | 14-Feb-12 | 936 ug/L | 9300 ug/L | | | | |
| HW03-F | Strontium | 14-Feb-12 | 945 ug/L | 9300 ug/L | | | | |
| HW03z | Strontium | 14-Feb-12 | 945 ug/L | 9300 ug/L | | | | |
| HW03z-F | Strontium | 14-Feb-12 | 961 ug/L | 9300 ug/L | | | | |
| HW03 | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW03-F | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW03z | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW03z-F | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW03 | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW03-F | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW03z | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW03z-F | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW03 | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW03-F | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW03z | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW03z-F | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW03 | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW03-F | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW03z | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW03z-F | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW03-F | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW03z | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW03z-F | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW03 | Zinc | 14-Feb-12 | 46.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW03-F | Zinc | 14-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW03z | Zinc | 14-Feb-12 | 38.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW03z-F | Zinc | 14-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW03 | Oil and Grease | 14-Feb-12 | 5.1 UJ mg/L | | | | | |
| HW03z | Oil and Grease | 14-Feb-12 | 5.1 UJ mg/L | | | | | |
| HW03 | Total Dissolved Solids | 14-Feb-12 | 158 mg/L | | | 500 mg/L | | 500 mg/L |
| HW03z | Total Dissolved Solids | 14-Feb-12 | 136 mg/L | | | 500 mg/L | | 500 mg/L |
| HW03 | Total Suspended Solids | 14-Feb-12 | 10 U mg/L | | | | | |
| HW03z | Total Suspended Solids | 14-Feb-12 | 10 U mg/L | | | | | |
| HW03 | 1-Methylnaphthalene | 14-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW03z | 1-Methylnaphthalene | 14-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW03 | Acenaphthene | 14-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW03z | Acenaphthene | 14-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW03 | Acenaphthylene | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Acenaphthylene | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Acetophenone | 14-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW03z | Acetophenone | 14-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW03 | Anthracene | 14-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW03z | Anthracene | 14-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW03 | Atrazine | 14-Feb-12 | 5 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW03z | Atrazine | 14-Feb-12 | 5 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW03 | Benzo(a)anthracene | 14-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW03z | Benzo(a)anthracene | 14-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW03 | Benzo(a)pyrene | 14-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW03z | Benzo(a)pyrene | 14-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW03 | Biphenyl | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Biphenyl | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Butylbenzyl phthalate | 14-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z | Butylbenzyl phthalate | 14-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW03 | Caprolactam | 14-Feb-12 | 5 U ug/l | 7700 ug/L | | | | |
| HW03z | Caprolactam | 14-Feb-12 | 0.438 J ug/l | 7700 ug/L | | | | |
| HW03 | Carbazole | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Carbazole | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Chlorobenzenamine-4 | 14-Feb-12 | 5 U ug/l | 3.2 ug/L | | | | |
| HW03z | Chlorobenzenamine-4 | 14-Feb-12 | 5 U ug/l | 3.2 ug/L | | | | |
| HW03 | Chloronaphthalene-2 | 14-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW03z | Chloronaphthalene-2 | 14-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW03 | Chlorophenol-2 | 14-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW03z | Chlorophenol-2 | 14-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW03 | Chlorophenyl-4 phenyl ether | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Chlorophenyl-4 phenyl ether | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Chrysene | 14-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW03z | Chrysene | 14-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW03 | Cresol, parachloro meta- | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Cresol, parachloro meta- | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 60 U ug/l | | | | | |
| HW03z | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 60 U ug/l | | | | | |
| HW03 | Cresol-o | 14-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW03z | Cresol-o | 14-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW03 | Cresol-p | 14-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW03z | Cresol-p | 14-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW03 | Dibenz(a,h)anthracene | 14-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW03z | Dibenz(a,h)anthracene | 14-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW03 | Dibenzofuran | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Dibenzofuran | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Dichlorobenzidine-3,3' | 14-Feb-12 | 5 U ug/l | 11 ug/L | | | | |
| HW03z | Dichlorobenzidine-3,3' | 14-Feb-12 | 5 U ug/l | 11 ug/L | | | | |
| HW03 | Dichlorophenol-2,4 | 14-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW03z | Dichlorophenol-2,4 | 14-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW03 | Dimethylphenol, 2,4- | 14-Feb-12 | 5 U ug/l | 270 ug/L | | | | |
| HW03z | Dimethylphenol, 2,4- | 14-Feb-12 | 5 U ug/l | 270 ug/L | | | | |
| HW03 | Dinitrophenol-2,4 | 14-Feb-12 | 60 U ug/l | 30 ug/L | | | | |
| HW03z | Dinitrophenol-2,4 | 14-Feb-12 | 60 U ug/l | 30 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Dinitrotoluene-2,4 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Dinitrotoluene-2,4 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Dinitrotoluene-2,6 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Dinitrotoluene-2,6 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Ether, bis(2-chloroethyl) | 14-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW03z | Ether, bis(2-chloroethyl) | 14-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW03 | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Fluoranthene | 14-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW03z | Fluoranthene | 14-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW03 | Fluoranthene benzo(k) | 14-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW03z | Fluoranthene benzo(k) | 14-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW03 | Fluoranthene-benzo(b) | 14-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW03z | Fluoranthene-benzo(b) | 14-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW03 | Fluorene | 14-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW03z | Fluorene | 14-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW03 | Hexachlorobenzene | 14-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW03z | Hexachlorobenzene | 14-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW03 | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW03 | Hexachlorobutadiene | 14-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW03z | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW03z | Hexachlorobutadiene | 14-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW03 | Hexachlorocyclopentadiene | 14-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW03z | Hexachlorocyclopentadiene | 14-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW03 | Hexachloroethane | 14-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW03z | Hexachloroethane | 14-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW03 | Isophorone | 14-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW03z | Isophorone | 14-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW03 | Methane, bis(2-chloroethoxy) | 14-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW03z | Methane, bis(2-chloroethoxy) | 14-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW03 | Methylnaphthalene-2 | 14-Feb-12 | 5 U ug/l | 27 ug/L | | | | |
| HW03z | Methylnaphthalene-2 | 14-Feb-12 | 5 U ug/l | 27 ug/L | | | | |
| HW03 | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW03 | Naphthalene | 14-Feb-12 | 5 U ug/l | 14 ug/L | | | | |
| HW03z | Naphthalene | 14-Feb-12 | 5 U ug/l | 14 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW03 | Nitroaniline, ortho | 14-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW03z | Nitroaniline, ortho | 14-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW03 | Nitroaniline-3 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Nitroaniline-3 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Nitrobenzenamine-4 | 14-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW03z | Nitrobenzenamine-4 | 14-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW03 | Nitrobenzene | 14-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW03z | Nitrobenzene | 14-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW03 | Nitrophenol-2 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Nitrophenol-2 | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Nitrophenol-4 | 14-Feb-12 | 10 U ug/l | | | | | |
| HW03z | Nitrophenol-4 | 14-Feb-12 | 10 U ug/l | | | | | |
| HW03 | Nitrosodimethylamine-n | 14-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW03z | Nitrosodimethylamine-n | 14-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW03 | Nitrosodiphenylamine-n | 14-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW03z | Nitrosodiphenylamine-n | 14-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW03 | Pentachlorophenol | 14-Feb-12 | 60 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW03z | Pentachlorophenol | 14-Feb-12 | 60 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW03 | Perylene-benzo(ghi) | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Perylene-benzo(ghi) | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Phenanthrene | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Phenanthrene | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Phenol | 14-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW03z | Phenol | 14-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW03 | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW03z | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW03 | Phthalate, Dimethyl | 14-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW03z | Phthalate, Dimethyl | 14-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW03 | Phthalate, di-n-butyl- | 14-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW03z | Phthalate, di-n-butyl- | 14-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW03 | Phthalate, di-n-octyl | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03z | Phthalate, di-n-octyl | 14-Feb-12 | 5 U ug/l | | | | | |
| HW03 | Phthalate-diethyl | 14-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW03z | Phthalate-diethyl | 14-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Propylamine,n-nitroso di-n- | 14-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |
| HW03z | Propylamine,n-nitroso di-n- | 14-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |
| HW03 | Pyrene | 14-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW03z | Pyrene | 14-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW03 | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW03z | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW03 | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW03z | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW03 | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW03z | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW03 | Trichlorophenol-2,4,5 | 14-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW03z | Trichlorophenol-2,4,5 | 14-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW03 | Trichlorophenol-2,4,6 | 14-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW03z | Trichlorophenol-2,4,6 | 14-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW03 | TPH - Diesel Range Organics | 14-Feb-12 | 250 U ug/L | | | | | |
| HW03z | TPH - Diesel Range Organics | 14-Feb-12 | 250 U ug/L | | | | | |
| HW03 | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW03z | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW03 | TPH - Oil Range Organics | 14-Feb-12 | 1000 U ug/L | | | | | |
| HW03z | TPH - Oil Range Organics | 14-Feb-12 | 1000 U ug/L | | | | | |
| HW03 | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW03z | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW03 | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW03z | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW03 | Acetone | 14-Feb-12 | 3.2 U ug/l | | | | | |
| HW03z | Acetone | 14-Feb-12 | 2 U ug/l | | | | | |
| HW03 | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03z | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03 | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03z | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03 | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Carbon disulfide | 14-Feb-12 | 0.08 ug/l | | | | | |
| HW03z | Carbon disulfide | 14-Feb-12 | 0.09 ug/l | | | | | |
| HW03 | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03z | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03 | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW03z | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW03 | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03z | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03 | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW03z | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW03 | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW03z | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW03 | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03z | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03 | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW03z | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW03 | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW03z | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW03 | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW03z | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW03 | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW03z | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW03z | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW03 | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW03z | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW03 | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW03z | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW03 | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW03z | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW03 | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW03z | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW03 | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW03z | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW03 | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW03z | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW03 | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW03z | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW03 | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW03z | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW03 | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03z | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW03 | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Methyl bromide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Methyl bromide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Methyl ethyl ketone | 14-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW03z | Methyl ethyl ketone | 14-Feb-12 | 0.8 ug/l | 4900 ug/L | | | | |
| HW03 | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03z | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03 | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW03z | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW03 | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW03z | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW03 | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW03z | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW03 | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03z | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03 | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW03z | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW03 | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW03z | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW03 | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW03z | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW03 | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW03z | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW03 | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW03z | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW03 | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03z | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW03 | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW03z | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW03 | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW03z | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW03 | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW03z | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW03 | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03z | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW03 | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW03z | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW03 | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW03z | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW03 | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW03z | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW03 | Total Nitrogen | 14-Feb-12 | 1 U mg/L | | | | | |
| HW03z | Total Nitrogen | 14-Feb-12 | 1 U mg/L | | | | | |
| HW03 | Total Phosphorus as P | 14-Feb-12 | 0.05 U mg/L | | | | | |
| HW03z | Total Phosphorus as P | 14-Feb-12 | 0.05 U mg/L | | | | | |
| HW04 | 2-Butanol | 24-Jan-12 | 10000 U ug/L | | | | | |
| HW04 | Ethanol | 24-Jan-12 | 10000 U ug/L | | | | | |
| HW04 | Methanol | 24-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW04 | Anionic Surfactants | 24-Jan-12 | 0.01 U mg/L | | | | | |
| HW04 | Heterotrophic Plate Count | 24-Jan-12 | R cfu/1mL | | | | | |
| HW04 | Total Coliform Bacteria | 24-Jan-12 | R cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW04 | Ethane | 24-Jan-12 | 25 ug/L | | | | | |
| HW04 | Ethene | 24-Jan-12 | 1.1 U ug/L | | | | | |
| HW04 | Methane | 24-Jan-12 | 1700 ug/L | 28000 ug/L | | | | |
| HW04 | 2-Butoxyethanol | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | 2-Methoxyethanol | 24-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW04 | 2-Methoxyethanol | 24-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW04 | Diethylene Glycol | 24-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Diethylene glycol | 24-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW04 | Ethanol, 2-ethoxy- | 24-Jan-12 | 10000 U ug/L | | | | | |
| HW04 | Ethanol, 2-methoxy- | 24-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW04 | Ethylene glycol | 24-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW04 | Tetraethylene glycol | 24-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW04 | Triethylene glycol | 24-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW04 | Triethylene glycol | 24-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW04 | Bromide | 24-Jan-12 | 1 U mg/L | | | | | |
| HW04 | Chloride | 24-Jan-12 | 12.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW04 | Fluoride | 24-Jan-12 | 0.2 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW04 | Sulfate | 24-Jan-12 | 17.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW04 | Mercury | 24-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW04-F | Mercury | 24-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW04 | Aluminum | 24-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW04-F | Aluminum | 24-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW04 | Antimony | 24-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW04-F | Antimony | 24-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW04 | Arsenic | 24-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW04-F | Arsenic | 24-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW04 | Barium | 24-Jan-12 | 231 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW04-F | Barium | 24-Jan-12 | 215 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW04 | Beryllium | 24-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW04-F | Beryllium | 24-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW04 | Boron | 24-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW04-F | Boron | 24-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW04 | Cadmium | 24-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW04-F | Cadmium | 24-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW04 | Calcium | 24-Jan-12 | 32300 ug/L | | | | | |
| HW04-F | Calcium | 24-Jan-12 | 31700 ug/L | | | | | |
| HW04 | Chromium | 24-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW04-F | Chromium | 24-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW04 | Cobalt | 24-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW04-F | Cobalt | 24-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW04 | Copper | 24-Jan-12 | 5.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW04-F | Copper | 24-Jan-12 | 2.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Iron | 24-Jan-12 | 106 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW04-F | Iron | 24-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW04 | Lead | 24-Jan-12 | 1.4 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW04-F | Lead | 24-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW04 | Lithium | 24-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW04-F | Lithium | 24-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW04 | Magnesium | 24-Jan-12 | 6650 ug/L | | | | | |
| HW04-F | Magnesium | 24-Jan-12 | 6470 ug/L | | | | | |
| HW04 | Manganese | 24-Jan-12 | 16.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW04-F | Manganese | 24-Jan-12 | 14.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW04 | Nickel | 24-Jan-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW04-F | Nickel | 24-Jan-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW04 | Potassium | 24-Jan-12 | 2000 U ug/L | | | | | |
| HW04-F | Potassium | 24-Jan-12 | 2000 U ug/L | | | | | |
| HW04 | Selenium | 24-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW04-F | Selenium | 24-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW04 | Silver | 24-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW04-F | Silver | 24-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW04 | Sodium | 24-Jan-12 | 17300 ug/L | 20000 ug/L | | | | |
| HW04-F | Sodium | 24-Jan-12 | 17100 ug/L | 20000 ug/L | | | | |
| HW04 | Strontium | 24-Jan-12 | 273 ug/L | 9300 ug/L | | | | |
| HW04-F | Strontium | 24-Jan-12 | 271 ug/L | 9300 ug/L | | | | |
| HW04 | Thallium | 24-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW04-F | Thallium | 24-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW04 | Tin | 24-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW04-F | Tin | 24-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW04 | Titanium | 24-Jan-12 | 200 U ug/L | | | | | |
| HW04-F | Titanium | 24-Jan-12 | 200 U ug/L | | | | | |
| HW04 | Uranium | 24-Jan-12 | 1.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW04-F | Uranium | 24-Jan-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW04 | Vanadium | 24-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW04-F | Vanadium | 24-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW04 | Zinc | 24-Jan-12 | 99 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW04-F | Zinc | 24-Jan-12 | 94.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW04 | Oil and Grease | 24-Jan-12 | 5.2 UJ mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Total Dissolved Solids | 24-Jan-12 | 158 mg/L | | | 500 mg/L | | 500 mg/L |
| HW04 | Total Suspended Solids | 24-Jan-12 | 10 U mg/L | | | | | |
| HW04 | 1-Methylnaphthalene | 24-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW04 | Acenaphthene | 24-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW04 | Acenaphthylene | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Acetophenone | 24-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW04 | Anthracene | 24-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW04 | Atrazine | 24-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW04 | Benzo(a)anthracene | 24-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW04 | Benzo(a)pyrene | 24-Jan-12 | 0.049 J ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW04 | Biphenyl | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Bromophenyl-4 Phenyl Ether | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Butylbenzyl phthalate | 24-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW04 | Caprolactam | 24-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW04 | Carbazole | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Chlorobenzenamine-4 | 24-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW04 | Chloronaphthalene-2 | 24-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW04 | Chlorophenol-2 | 24-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW04 | Chlorophenyl-4 phenyl ether | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Chrysene | 24-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW04 | Cresol, parachloro meta- | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Cresol-4,6-dinitro-ortho | 24-Jan-12 | 10 U ug/L | | | | | |
| HW04 | Cresol-o | 24-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW04 | Cresol-p | 24-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW04 | Dibenz(a,h)anthracene | 24-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW04 | Dibenzofuran | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Dichlorobenzidine-3,3' | 24-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW04 | Dichlorophenol-2,4 | 24-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW04 | Dimethylphenol, 2,4- | 24-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW04 | Dinitrophenol-2,4 | 24-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW04 | Dinitrotoluene-2,4 | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Dinitrotoluene-2,6 | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Ether, bis(2-chloroethyl) | 24-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW04 | Ether-bis(2-chloroisopropyl) | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Fluoranthene | 24-Jan-12 | 5 U ug/L | 630 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Fluoranthene benzo(k) | 24-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW04 | Fluoranthene-benzo(b) | 24-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW04 | Fluorene | 24-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW04 | Hexachlorobenzene | 24-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW04 | Hexachlorobutadiene | 24-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW04 | Hexachlorobutadiene | 24-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW04 | Hexachlorocyclopentadiene | 24-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW04 | Hexachloroethane | 24-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW04 | Isophorone | 24-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW04 | Methane, bis(2-chloroethoxy) | 24-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW04 | Methylnaphthalene-2 | 24-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW04 | Naphthalene | 24-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW04 | Naphthalene | 24-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW04 | Nitroaniline, ortho | 24-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW04 | Nitroaniline-3 | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Nitrobenzenamine-4 | 24-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW04 | Nitrobenzene | 24-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW04 | Nitrophenol-2 | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Nitrophenol-4 | 24-Jan-12 | 10 U ug/L | | | | | |
| HW04 | Nitrosodimethylamine-n | 24-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW04 | Nitrosodiphenylamine-n | 24-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW04 | Pentachlorophenol | 24-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW04 | Perylene-benzo(ghi) | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Phenanthrene | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Phenol | 24-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW04 | Phthalate, bis(2-ethylhexyl) (DEHP) | 24-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW04 | Phthalate, Dimethyl | 24-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW04 | Phthalate, di-n-butyl- | 24-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW04 | Phthalate, di-n-octyl | 24-Jan-12 | 5 U ug/L | | | | | |
| HW04 | Phthalate-diethyl | 24-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW04 | Propylamine,n-nitroso di-n- | 24-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW04 | Pyrene | 24-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW04 | Pyrene-indeno(1,2,3-cd) | 24-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW04 | Tetrachlorobenzene, 1,2,4,5- | 24-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW04 | Tetrachlorophenol, 2,3,4,6- | 24-Jan-12 | 5 U ug/L | 170 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Trichlorophenol-2,4,5 | 24-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW04 | Trichlorophenol-2,4,6 | 24-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW04 | TPH - Diesel Range Organics | 24-Jan-12 | 240 U ug/L | | | | | |
| HW04 | TPH - Gasoline Range Organics | 24-Jan-12 | 50 U ug/L | | | | | |
| HW04 | TPH - Oil Range Organics | 24-Jan-12 | 950 U ug/L | | | | | |
| HW04 | 1,2-Dibromo-3-chloropropane (DBCP) | 24-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW04 | 4-Methyl-2-pentanone | 24-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW04 | Acetone | 24-Jan-12 | 2 U ug/L | | | | | |
| HW04 | Benzene | 24-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW04 | Bromobenzene | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Bromoform | 24-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW04 | Butylbenzene | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Butylbenzene, sec- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Butylbenzene, tert- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Carbon disulfide | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Carbon Tetrachloride | 24-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW04 | Chlorobenzene | 24-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW04 | Chlorobromomethane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Chloroethane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Chloroform | 24-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW04 | Chlorotoluene | 24-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW04 | Chlorotoluene-p | 24-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW04 | Cyclohexane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dibromochloromethane | 24-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW04 | Dibromoethane-1,2 | 24-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW04 | Dibromomethane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichlorobenzene-1,2 | 24-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW04 | Dichlorobenzene-1,3 | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichlorobenzene-1,4 | 24-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW04 | Dichlorobromomethane | 24-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW04 | Dichlorodifluoromethane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichloroethane-1,1 | 24-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW04 | Dichloroethane-1,2 | 24-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW04 | Dichloroethene-1,2 trans | 24-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW04 | Dichloroethylene-1,1 | 24-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Dichloroethylene-1,2 cis | 24-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW04 | Dichloropropane, 1,2- | 24-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW04 | Dichloropropane, 1,3- | 24-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW04 | Dichloropropane, 2,2- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichloropropene, 1,1- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichloropropene, 1,3 cis- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Dichloropropene, 1,3 trans- | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Ethylbenzene | 24-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW04 | Freon 113 | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Hexanone, 2- | 24-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW04 | Isopropylbenzene | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Isopropylbenzene-4,methyl-1 | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | m,p-Xylene | 24-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW04 | Methyl acetate | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Methyl bromide | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Methyl chloride | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Methyl cyclohexane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Methyl ethyl ketone | 24-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW04 | Methyl tertiary butyl ether (MTBE) | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Methylene chloride | 24-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW04 | Propylbenzene-n | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Styrene | 24-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW04 | Tetrachloroethane, 1,1,1,2- | 24-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW04 | Tetrachloroethane, 1,1,2,2- | 24-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW04 | Tetrachloroethylene | 24-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW04 | Toluene | 24-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW04 | Trichlorobenzene-1,2,3 | 24-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW04 | Trichlorobenzene-1,2,4 | 24-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW04 | Trichloroethane-1,1,1 | 24-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW04 | Trichloroethane-1,1,2 | 24-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW04 | Trichloroethylene | 24-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW04 | Trichlorofluoromethane | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Trichloropropane-1,2,3 | 24-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW04 | Trimethylbenzene-1,2,4 | 24-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW04 | Trimethylbenzene-1,3,5 | 24-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW04 | Vinyl acetate | 24-Jan-12 | 0.5 U ug/L | | | | | |
| HW04 | Vinyl chloride | 24-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW04 | Xylene-o | 24-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW04 | Nitrogen, Nitrite + Nitrate | 24-Jan-12 | 0.638 mg/L | | 10 mg/L | | 10 mg/L | |
| HW04 | Total Nitrogen | 24-Jan-12 | 1 U mg/L | | | | | |
| HW04 | Total Phosphorus as P | 24-Jan-12 | 0.05 U mg/L | | | | | |
| HW05 | 2-Butanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW05 | Ethanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW05 | Methanol | 26-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW05 | Anionic Surfactants | 26-Jan-12 | 0.01 U mg/L | | | | | |
| HW05 | Heterotrophic Plate Count | 26-Jan-12 | R cfu/1mL | | | | | |
| HW05 | Total Coliform Bacteria | 26-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW05 | Ethane | 26-Jan-12 | 11 ug/L | | | | | |
| HW05 | Ethene | 26-Jan-12 | 1.1 U ug/L | | | | | |
| HW05 | Methane | 26-Jan-12 | 2000 ug/L | 28000 ug/L | | | | |
| HW05 | 2-Butoxyethanol | 26-Jan-12 | 10 U ug/L | | | | | |
| HW05 | 2-Methoxyethanol | 26-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW05 | 2-Methoxyethanol | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW05 | Diethylene glycol | 26-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW05 | Diethylene Glycol | 26-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW05 | Ethanol, 2-ethoxy- | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW05 | Ethanol, 2-methoxy- | 26-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW05 | Ethylene glycol | 26-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW05 | Tetraethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW05 | Triethylene glycol | 26-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW05 | Triethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW05 | Bromide | 26-Jan-12 | 0.5 U mg/L | | | | | |
| HW05 | Chloride | 26-Jan-12 | 7.47 mg/L | | | 250 mg/L | | 250 mg/L |
| HW05 | Fluoride | 26-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW05 | Sulfate | 26-Jan-12 | 10.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW05 | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW05-F | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW05 | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW05-F | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW05 | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05-F | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW05 | Arsenic | 26-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW05-F | Arsenic | 26-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW05 | Barium | 26-Jan-12 | 254 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW05-F | Barium | 26-Jan-12 | 244 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW05 | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW05-F | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW05 | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW05-F | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW05 | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW05-F | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW05 | Calcium | 26-Jan-12 | 35300 ug/L | | | | | |
| HW05-F | Calcium | 26-Jan-12 | 34400 ug/L | | | | | |
| HW05 | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW05-F | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW05 | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW05-F | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW05 | Copper | 26-Jan-12 | 2.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW05-F | Copper | 26-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW05 | Iron | 26-Jan-12 | 620 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW05-F | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW05 | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW05-F | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW05 | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW05-F | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW05 | Magnesium | 26-Jan-12 | 6820 ug/L | | | | | |
| HW05-F | Magnesium | 26-Jan-12 | 6590 ug/L | | | | | |
| HW05 | Manganese | 26-Jan-12 | 31.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW05-F | Manganese | 26-Jan-12 | 24.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW05 | Nickel | 26-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW05-F | Nickel | 26-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW05 | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW05-F | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW05 | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW05-F | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05 | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW05-F | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW05 | Sodium | 26-Jan-12 | 13200 ug/L | 20000 ug/L | | | | |
| HW05-F | Sodium | 26-Jan-12 | 13000 ug/L | 20000 ug/L | | | | |
| HW05 | Strontium | 26-Jan-12 | 720 ug/L | 9300 ug/L | | | | |
| HW05-F | Strontium | 26-Jan-12 | 711 ug/L | 9300 ug/L | | | | |
| HW05 | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW05-F | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW05 | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW05-F | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW05 | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW05-F | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW05 | Uranium | 26-Jan-12 | 4.5 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW05-F | Uranium | 26-Jan-12 | 4.5 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW05 | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW05-F | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW05 | Zinc | 26-Jan-12 | 5.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW05-F | Zinc | 26-Jan-12 | 3.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW05 | Oil and Grease | 26-Jan-12 | 5.7 UJ mg/L | | | | | |
| HW05 | Total Dissolved Solids | 26-Jan-12 | 25 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW05 | Total Suspended Solids | 26-Jan-12 | 10 U mg/L | | | | | |
| HW05 | 1-Methylnaphthalene | 26-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW05 | Acenaphthene | 26-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW05 | Acenaphthylene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Acetophenone | 26-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW05 | Anthracene | 26-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW05 | Atrazine | 26-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW05 | Benzo(a)anthracene | 26-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW05 | Benzo(a)pyrene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW05 | Biphenyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Bromophenyl-4 Phenyl Ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Butylbenzyl phthalate | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW05 | Caprolactam | 26-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW05 | Carbazole | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Chlorobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05 | Chloronaphthalene-2 | 26-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW05 | Chlorophenol-2 | 26-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW05 | Chlorophenyl-4 phenyl ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Chrysene | 26-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW05 | Cresol, parachloro meta- | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Cresol-4,6-dinitro-ortho | 26-Jan-12 | 10 U ug/L | | | | | |
| HW05 | Cresol-o | 26-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW05 | Cresol-p | 26-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW05 | Dibenz(a,h)anthracene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW05 | Dibenzofuran | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Dichlorobenzidine-3,3' | 26-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW05 | Dichlorophenol-2,4 | 26-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW05 | Dimethylphenol, 2,4- | 26-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW05 | Dinitrophenol-2,4 | 26-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW05 | Dinitrotoluene-2,4 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Dinitrotoluene-2,6 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Ether, bis(2-chloroethyl) | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW05 | Ether-bis(2-chloroisopropyl) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Fluoranthene | 26-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW05 | Fluoranthene benzo(k) | 26-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW05 | Fluoranthene-benzo(b) | 26-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW05 | Fluorene | 26-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW05 | Hexachlorobenzene | 26-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW05 | Hexachlorobutadiene | 26-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW05 | Hexachlorobutadiene | 26-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW05 | Hexachlorocyclopentadiene | 26-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW05 | Hexachloroethane | 26-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW05 | Isophorone | 26-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW05 | Methane, bis(2-chloroethoxy) | 26-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW05 | Methylnaphthalene-2 | 26-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW05 | Naphthalene | 26-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW05 | Naphthalene | 26-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW05 | Nitroaniline, ortho | 26-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW05 | Nitroaniline-3 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Nitrobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 61 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05 | Nitrobenzene | 26-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW05 | Nitrophenol-2 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Nitrophenol-4 | 26-Jan-12 | 10 U ug/L | | | | | |
| HW05 | Nitrosodimethylamine-n | 26-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW05 | Nitrosodiphenylamine-n | 26-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW05 | Pentachlorophenol | 26-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW05 | Perylene-benzo(ghi) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Phenanthrene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Phenol | 26-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW05 | Phthalate, bis(2-ethylhexyl) (DEHP) | 26-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW05 | Phthalate, Dimethyl | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW05 | Phthalate, di-n-butyl- | 26-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW05 | Phthalate, di-n-octyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW05 | Phthalate-diethyl | 26-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW05 | Propylamine,n-nitroso di-n- | 26-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW05 | Pyrene | 26-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW05 | Pyrene-indeno(1,2,3-cd) | 26-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW05 | Tetrachlorobenzene, 1,2,4,5- | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW05 | Tetrachlorophenol, 2,3,4,6- | 26-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW05 | Trichlorophenol-2,4,5 | 26-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW05 | Trichlorophenol-2,4,6 | 26-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW05 | TPH - Diesel Range Organics | 26-Jan-12 | 250 U ug/L | | | | | |
| HW05 | TPH - Gasoline Range Organics | 26-Jan-12 | 50 U ug/L | | | | | |
| HW05 | TPH - Oil Range Organics | 26-Jan-12 | 1000 U ug/L | | | | | |
| HW05 | 1,2-Dibromo-3-chloropropane (DBCP) | 26-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW05 | 4-Methyl-2-pentanone | 26-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW05 | Acetone | 26-Jan-12 | 2 U ug/L | | | | | |
| HW05 | Benzene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW05 | Bromobenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Bromoform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW05 | Butylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Butylbenzene, sec- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Butylbenzene, tert- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Carbon disulfide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Carbon Tetrachloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05 | Chlorobenzene | 26-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW05 | Chlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Chloroethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Chloroform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW05 | Chlorotoluene | 26-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW05 | Chlorotoluene-p | 26-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW05 | Cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dibromochloromethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW05 | Dibromoethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW05 | Dibromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichlorobenzene-1,2 | 26-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW05 | Dichlorobenzene-1,3 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichlorobenzene-1,4 | 26-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW05 | Dichlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW05 | Dichlorodifluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichloroethane-1,1 | 26-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW05 | Dichloroethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW05 | Dichloroethene-1,2 trans | 26-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW05 | Dichloroethylene-1,1 | 26-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW05 | Dichloroethylene-1,2 cis | 26-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW05 | Dichloropropane, 1,2- | 26-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW05 | Dichloropropane, 1,3- | 26-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW05 | Dichloropropane, 2,2- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichloropropene, 1,1- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichloropropene, 1,3 cis- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Dichloropropene, 1,3 trans- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Ethylbenzene | 26-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW05 | Freon 113 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Hexanone, 2- | 26-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW05 | Isopropylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Isopropylbenzene-4,methyl-1 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | m,p-Xylene | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW05 | Methyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Methyl bromide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Methyl chloride | 26-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW05 | Methyl cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Methyl ethyl ketone | 26-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW05 | Methyl tertiary butyl ether (MTBE) | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Methylene chloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW05 | Propylbenzene-n | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Styrene | 26-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW05 | Tetrachloroethane, 1,1,1,2- | 26-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW05 | Tetrachloroethane, 1,1,2,2- | 26-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW05 | Tetrachloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW05 | Toluene | 26-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW05 | Trichlorobenzene-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW05 | Trichlorobenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW05 | Trichloroethane-1,1,1 | 26-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW05 | Trichloroethane-1,1,2 | 26-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW05 | Trichloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW05 | Trichlorofluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Trichloropropane-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW05 | Trimethylbenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW05 | Trimethylbenzene-1,3,5 | 26-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW05 | Vinyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW05 | Vinyl chloride | 26-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW05 | Xylene-o | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW05 | Nitrogen, Nitrite + Nitrate | 26-Jan-12 | 0.699 mg/L | | 10 mg/L | | 10 mg/L | |
| HW05 | Total Nitrogen | 26-Jan-12 | 1 U mg/L | | | | | |
| HW05 | Total Phosphorus as P | 26-Jan-12 | 0.05 U mg/L | | | | | |
| HW06 | 2-Butanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW06 | Ethanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW06 | Methanol | 26-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW06 | Anionic Surfactants | 26-Jan-12 | 0.01 U mg/L | | | | | |
| HW06 | Heterotrophic Plate Count | 26-Jan-12 | R cfu/1mL | | | | | |
| HW06 | Total Coliform Bacteria | 26-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW06 | Ethane | 26-Jan-12 | 820 ug/L | | | | | |
| HW06 | Ethene | 26-Jan-12 | 1.1 U ug/L | | | | | |
| HW06 | Methane | 26-Jan-12 | 23000 ug/L | 28000 ug/L | | | | |
| HW06 | 2-Butoxyethanol | 26-Jan-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | 2-Methoxyethanol | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW06 | 2-Methoxyethanol | 26-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW06 | Diethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW06 | Diethylene Glycol | 26-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW06 | Ethanol, 2-ethoxy- | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW06 | Ethanol, 2-methoxy- | 26-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW06 | Ethylene glycol | 26-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW06 | Tetraethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW06 | Triethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW06 | Triethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW06 | Bromide | 26-Jan-12 | 0.5 U mg/L | | | | | |
| HW06 | Chloride | 26-Jan-12 | 3.42 mg/L | | | 250 mg/L | | 250 mg/L |
| HW06 | Fluoride | 26-Jan-12 | 0.625 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW06 | Sulfate | 26-Jan-12 | 9.24 mg/L | | | 250 mg/L | | 250 mg/L |
| HW06 | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW06-F | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW06 | Aluminum | 26-Jan-12 | 2020 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW06-F | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW06 | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW06-F | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW06 | Arsenic | 26-Jan-12 | 7.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW06-F | Arsenic | 26-Jan-12 | 6.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW06 | Barium | 26-Jan-12 | 164 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW06-F | Barium | 26-Jan-12 | 92.4 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW06 | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW06-F | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW06 | Boron | 26-Jan-12 | 325 ug/L | 3100 ug/L | | | | |
| HW06-F | Boron | 26-Jan-12 | 321 ug/L | 3100 ug/L | | | | |
| HW06 | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW06-F | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW06 | Calcium | 26-Jan-12 | 2570 ug/L | | | | | |
| HW06-F | Calcium | 26-Jan-12 | 2370 ug/L | | | | | |
| HW06 | Chromium | 26-Jan-12 | 10.8 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW06-F | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW06 | Cobalt | 26-Jan-12 | 1.3 ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06-F | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW06 | Copper | 26-Jan-12 | 7.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW06-F | Copper | 26-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW06 | Iron | 26-Jan-12 | 2970 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW06-F | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW06 | Lead | 26-Jan-12 | 1.8 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW06-F | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW06 | Lithium | 26-Jan-12 | 236 ug/L | 31 ug/L | | | | |
| HW06-F | Lithium | 26-Jan-12 | 228 ug/L | 31 ug/L | | | | |
| HW06 | Magnesium | 26-Jan-12 | 799 ug/L | | | | | |
| HW06-F | Magnesium | 26-Jan-12 | 500 U ug/L | | | | | |
| HW06 | Manganese | 26-Jan-12 | 65.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW06-F | Manganese | 26-Jan-12 | 8.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW06 | Nickel | 26-Jan-12 | 6.8 ug/L | 300 ug/L | | | | |
| HW06-F | Nickel | 26-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW06 | Potassium | 26-Jan-12 | 2110 ug/L | | | | | |
| HW06-F | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW06 | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW06-F | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW06 | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW06-F | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW06 | Sodium | 26-Jan-12 | 83700 ug/L | 20000 ug/L | | | | |
| HW06-F | Sodium | 26-Jan-12 | 83300 ug/L | 20000 ug/L | | | | |
| HW06 | Strontium | 26-Jan-12 | 229 ug/L | 9300 ug/L | | | | |
| HW06-F | Strontium | 26-Jan-12 | 212 ug/L | 9300 ug/L | | | | |
| HW06 | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW06-F | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW06 | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW06-F | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW06 | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW06-F | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW06 | Uranium | 26-Jan-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW06-F | Uranium | 26-Jan-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW06 | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW06-F | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | Zinc | 26-Jan-12 | 33.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW06-F | Zinc | 26-Jan-12 | 15.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW06 | Oil and Grease | 26-Jan-12 | 5.8 U mg/L | | | | | |
| HW06 | Total Dissolved Solids | 26-Jan-12 | 112 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW06 | Total Suspended Solids | 26-Jan-12 | 44 mg/L | | | | | |
| HW06 | 1-Methylnaphthalene | 26-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW06 | Acenaphthene | 26-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW06 | Acenaphthylene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Acetophenone | 26-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW06 | Anthracene | 26-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW06 | Atrazine | 26-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW06 | Benzo(a)anthracene | 26-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW06 | Benzo(a)pyrene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW06 | Biphenyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Bromophenyl-4 Phenyl Ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Butylbenzyl phthalate | 26-Jan-12 | 0.086 J ug/L | 1400 ug/L | | | | |
| HW06 | Caprolactam | 26-Jan-12 | 0.191 J ug/L | 7700 ug/L | | | | |
| HW06 | Carbazole | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Chlorobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW06 | Chloronaphthalene-2 | 26-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW06 | Chlorophenol-2 | 26-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW06 | Chlorophenyl-4 phenyl ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Chrysene | 26-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW06 | Cresol, parachloro meta- | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Cresol-4,6-dinitro-ortho | 26-Jan-12 | 10 U ug/L | | | | | |
| HW06 | Cresol-o | 26-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW06 | Cresol-p | 26-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW06 | Dibenz(a,h)anthracene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW06 | Dibenzofuran | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Dichlorobenzidine-3,3' | 26-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW06 | Dichlorophenol-2,4 | 26-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW06 | Dimethylphenol, 2,4- | 26-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW06 | Dinitrophenol-2,4 | 26-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW06 | Dinitrotoluene-2,4 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Dinitrotoluene-2,6 | 26-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | Ether, bis(2-chloroethyl) | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW06 | Ether-bis(2-chloroisopropyl) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Fluoranthene | 26-Jan-12 | 0.032 J ug/L | 630 ug/L | | | | |
| HW06 | Fluoranthene benzo(k) | 26-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW06 | Fluoranthene-benzo(b) | 26-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW06 | Fluorene | 26-Jan-12 | 0.013 J ug/L | 220 ug/L | | | | |
| HW06 | Hexachlorobenzene | 26-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW06 | Hexachlorobutadiene | 26-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW06 | Hexachlorobutadiene | 26-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW06 | Hexachlorocyclopentadiene | 26-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW06 | Hexachloroethane | 26-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW06 | Isophorone | 26-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW06 | Methane, bis(2-chloroethoxy) | 26-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW06 | Methylnaphthalene-2 | 26-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW06 | Naphthalene | 26-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW06 | Naphthalene | 26-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW06 | Nitroaniline, ortho | 26-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW06 | Nitroaniline-3 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Nitrobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW06 | Nitrobenzene | 26-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW06 | Nitrophenol-2 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Nitrophenol-4 | 26-Jan-12 | 10 U ug/L | | | | | |
| HW06 | Nitrosodimethylamine-n | 26-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW06 | Nitrosodiphenylamine-n | 26-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW06 | Pentachlorophenol | 26-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW06 | Perylene-benzo(ghi) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Phenanthrene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Phenol | 26-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW06 | Phthalate, bis(2-ethylhexyl) (DEHP) | 26-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW06 | Phthalate, Dimethyl | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW06 | Phthalate, di-n-butyl- | 26-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW06 | Phthalate, di-n-octyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW06 | Phthalate-diethyl | 26-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW06 | Propylamine,n-nitroso di-n- | 26-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW06 | Pyrene | 26-Jan-12 | 0.035 J ug/L | 87 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | Pyrene-indeno(1,2,3-cd) | 26-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW06 | Tetrachlorobenzene, 1,2,4,5- | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW06 | Tetrachlorophenol, 2,3,4,6- | 26-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW06 | Trichlorophenol-2,4,5 | 26-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW06 | Trichlorophenol-2,4,6 | 26-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW06 | TPH - Diesel Range Organics | 26-Jan-12 | 250 U ug/L | | | | | |
| HW06 | TPH - Gasoline Range Organics | 26-Jan-12 | 50 U ug/L | | | | | |
| HW06 | TPH - Oil Range Organics | 26-Jan-12 | 1000 U ug/L | | | | | |
| HW06 | 1,2-Dibromo-3-chloropropane (DBCP) | 26-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW06 | 4-Methyl-2-pentanone | 26-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW06 | Acetone | 26-Jan-12 | 2 U ug/L | | | | | |
| HW06 | Benzene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW06 | Bromobenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Bromoform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW06 | Butylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Butylbenzene, sec- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Butylbenzene, tert- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Carbon disulfide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Carbon Tetrachloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW06 | Chlorobenzene | 26-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW06 | Chlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Chloroethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Chloroform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW06 | Chlorotoluene | 26-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW06 | Chlorotoluene-p | 26-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW06 | Cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dibromochloromethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW06 | Dibromoethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW06 | Dibromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichlorobenzene-1,2 | 26-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW06 | Dichlorobenzene-1,3 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichlorobenzene-1,4 | 26-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW06 | Dichlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW06 | Dichlorodifluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichloroethane-1,1 | 26-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | Dichloroethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW06 | Dichloroethene-1,2 trans | 26-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW06 | Dichloroethylene-1,1 | 26-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW06 | Dichloroethylene-1,2 cis | 26-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW06 | Dichloropropane, 1,2- | 26-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW06 | Dichloropropane, 1,3- | 26-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW06 | Dichloropropane, 2,2- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichloropropene, 1,1- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichloropropene, 1,3 cis- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Dichloropropene, 1,3 trans- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Ethylbenzene | 26-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW06 | Freon 113 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Hexanone, 2- | 26-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW06 | Isopropylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Isopropylbenzene-4,methyl-1 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | m,p-Xylene | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW06 | Methyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Methyl bromide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Methyl chloride | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Methyl cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Methyl ethyl ketone | 26-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW06 | Methyl tertiary butyl ether (MTBE) | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Methylene chloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW06 | Propylbenzene-n | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Styrene | 26-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW06 | Tetrachloroethane, 1,1,1,2- | 26-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW06 | Tetrachloroethane, 1,1,2,2- | 26-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW06 | Tetrachloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW06 | Toluene | 26-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW06 | Trichlorobenzene-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW06 | Trichlorobenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW06 | Trichloroethane-1,1,1 | 26-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW06 | Trichloroethane-1,1,2 | 26-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW06 | Trichloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW06 | Trichlorofluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW06 | Trichloropropane-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW06 | Trimethylbenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW06 | Trimethylbenzene-1,3,5 | 26-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW06 | Vinyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW06 | Vinyl chloride | 26-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW06 | Xylene-o | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW06 | Nitrogen, Nitrite + Nitrate | 26-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW06 | Total Nitrogen | 26-Jan-12 | 1 U mg/L | | | | | |
| HW06 | Total Phosphorus as P | 26-Jan-12 | 0.098 mg/L | | | | | |
| HW07 | 1-Butanol | 15-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW07 | 1-Propanol | 15-Feb-12 | 10000 U ug/L | | | | | |
| HW07 | 2-Butanol | 15-Feb-12 | 10000 U ug/L | | | | | |
| HW07 | Ethanol | 15-Feb-12 | 10000 U ug/L | | | | | |
| HW07 | Methanol | 15-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW07 | Anionic Surfactants | 15-Feb-12 | 0.01 U mg/L | | | | | |
| HW07 | Heterotrophic Plate Count | 15-Feb-12 | R cfu/1mL | | | | | |
| HW07 | Total Coliform Bacteria | 15-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW07 | Ethane | 15-Feb-12 | 1.2 U ug/L | | | | | |
| HW07 | Ethene | 15-Feb-12 | 1.2 U ug/L | | | | | |
| HW07 | Methane | 15-Feb-12 | 57 ug/L | 28000 ug/L | | | | |
| HW07 | 2-Butoxyethanol | 15-Feb-12 | 5 U ug/L | | | | | |
| HW07 | 2-Methoxyethanol | 15-Feb-12 | 57.1 U ug/l | 78 ug/L | | | | |
| HW07 | 2-Methoxyethanol | 15-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW07 | Diethylene Glycol | 15-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW07 | Ethylene Glycol | 15-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW07 | Tetraethylene glycol | 15-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW07 | Triethylene glycol | 15-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW07 | Bromide | 15-Feb-12 | 0.5 U mg/L | | | | | |
| HW07 | Chloride | 15-Feb-12 | 23.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW07 | Fluoride | 15-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW07 | Sulfate | 15-Feb-12 | 10.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW07 | Mercury | 15-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW07-F | Mercury | 15-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW07 | Aluminum | 15-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW07-F | Aluminum | 15-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07 | Antimony | 15-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW07-F | Antimony | 15-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW07 | Arsenic | 15-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW07-F | Arsenic | 15-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW07 | Barium | 15-Feb-12 | 137 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW07-F | Barium | 15-Feb-12 | 127 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW07 | Beryllium | 15-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW07-F | Beryllium | 15-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW07 | Boron | 15-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW07-F | Boron | 15-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW07 | Cadmium | 15-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW07-F | Cadmium | 15-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW07 | Calcium | 15-Feb-12 | 36500 ug/L | | | | | |
| HW07-F | Calcium | 15-Feb-12 | 36200 ug/L | | | | | |
| HW07 | Chromium | 15-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW07-F | Chromium | 15-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW07 | Cobalt | 15-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW07-F | Cobalt | 15-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW07 | Copper | 15-Feb-12 | 7.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW07-F | Copper | 15-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW07 | Iron | 15-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW07-F | Iron | 15-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW07 | Lead | 15-Feb-12 | 3.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW07-F | Lead | 15-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW07 | Lithium | 15-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW07-F | Lithium | 15-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW07 | Magnesium | 15-Feb-12 | 7590 ug/L | | | | | |
| HW07-F | Magnesium | 15-Feb-12 | 7640 ug/L | | | | | |
| HW07 | Manganese | 15-Feb-12 | 148 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW07-F | Manganese | 15-Feb-12 | 45.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW07 | Nickel | 15-Feb-12 | 3.1 ug/L | 300 ug/L | | | | |
| HW07-F | Nickel | 15-Feb-12 | 2.9 ug/L | 300 ug/L | | | | |
| HW07 | Potassium | 15-Feb-12 | 2000 U ug/L | | | | | |
| HW07-F | Potassium | 15-Feb-12 | 2000 U ug/L | | | | | |
| HW07 | Selenium | 15-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07-F | Selenium | 15-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW07 | Silver | 15-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW07-F | Silver | 15-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW07 | Sodium | 15-Feb-12 | 9230 ug/L | 20000 ug/L | | | | |
| HW07-F | Sodium | 15-Feb-12 | 9270 ug/L | 20000 ug/L | | | | |
| HW07 | Strontium | 15-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW07-F | Strontium | 15-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW07 | Thallium | 15-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW07-F | Thallium | 15-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW07 | Tin | 15-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW07-F | Tin | 15-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW07 | Titanium | 15-Feb-12 | 200 U ug/L | | | | | |
| HW07-F | Titanium | 15-Feb-12 | 200 U ug/L | | | | | |
| HW07 | Uranium | 15-Feb-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW07-F | Uranium | 15-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW07 | Vanadium | 15-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW07-F | Vanadium | 15-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW07 | Zinc | 15-Feb-12 | 19.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW07-F | Zinc | 15-Feb-12 | 13.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW07 | Oil and Grease | 15-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW07 | Total Dissolved Solids | 15-Feb-12 | 141 mg/L | | | 500 mg/L | | 500 mg/L |
| HW07 | Total Suspended Solids | 15-Feb-12 | 10 U mg/L | | | | | |
| HW07 | 1-Methylnaphthalene | 15-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW07 | Acenaphthene | 15-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW07 | Acenaphthylene | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Acetophenone | 15-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW07 | Anthracene | 15-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW07 | Atrazine | 15-Feb-12 | 4.76 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW07 | Benzo(a)anthracene | 15-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW07 | Benzo(a)pyrene | 15-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW07 | Biphenyl | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Bromophenyl-4 Phenyl Ether | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Butylbenzyl phthalate | 15-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW07 | Caprolactam | 15-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW07 | Carbazole | 15-Feb-12 | 4.76 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07 | Chlorobenzenamine-4 | 15-Feb-12 | 4.76 U ug/l | 3.2 ug/L | | | | |
| HW07 | Chloronaphthalene-2 | 15-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW07 | Chlorophenol-2 | 15-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW07 | Chlorophenyl-4 phenyl ether | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Chrysene | 15-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW07 | Cresol, parachloro meta- | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Cresol-4,6-dinitro-ortho | 15-Feb-12 | 57.1 U ug/l | | | | | |
| HW07 | Cresol-o | 15-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW07 | Cresol-p | 15-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW07 | Dibenz(a,h)anthracene | 15-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW07 | Dibenzofuran | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Dichlorobenzidine-3,3' | 15-Feb-12 | 4.76 U ug/l | 11 ug/L | | | | |
| HW07 | Dichlorophenol-2,4 | 15-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW07 | Dimethylphenol, 2,4- | 15-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW07 | Dinitrophenol-2,4 | 15-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW07 | Dinitrotoluene-2,4 | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Dinitrotoluene-2,6 | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Ether, bis(2-chloroethyl) | 15-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW07 | Ether-bis(2-chloroisopropyl) | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Fluoranthene | 15-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW07 | Fluoranthene benzo(k) | 15-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW07 | Fluoranthene-benzo(b) | 15-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW07 | Fluorene | 15-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW07 | Hexachlorobenzene | 15-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW07 | Hexachlorobutadiene | 15-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW07 | Hexachlorobutadiene | 15-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW07 | Hexachlorocyclopentadiene | 15-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW07 | Hexachloroethane | 15-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW07 | Isophorone | 15-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW07 | Methane, bis(2-chloroethoxy) | 15-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW07 | Methylnaphthalene-2 | 15-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW07 | Naphthalene | 15-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW07 | Naphthalene | 15-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW07 | Nitroaniline, ortho | 15-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW07 | Nitroaniline-3 | 15-Feb-12 | 4.76 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07 | Nitrobenzenamine-4 | 15-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW07 | Nitrobenzene | 15-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW07 | Nitrophenol-2 | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Nitrophenol-4 | 15-Feb-12 | 9.52 U ug/l | | | | | |
| HW07 | Nitrosodimethylamine-n | 15-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW07 | Nitrosodiphenylamine-n | 15-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW07 | Pentachlorophenol | 15-Feb-12 | 57.1 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW07 | Perylene-benzo(ghi) | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Phenanthrene | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Phenol | 15-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW07 | Phthalate, bis(2-ethylhexyl) (DEHP) | 15-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW07 | Phthalate, Dimethyl | 15-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW07 | Phthalate, di-n-butyl- | 15-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW07 | Phthalate, di-n-octyl | 15-Feb-12 | 4.76 U ug/l | | | | | |
| HW07 | Phthalate-diethyl | 15-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW07 | Propylamine,n-nitroso di-n- | 15-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW07 | Pyrene | 15-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW07 | Pyrene-indeno(1,2,3-cd) | 15-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |
| HW07 | Tetrachlorobenzene, 1,2,4,5- | 15-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW07 | Tetrachlorophenol, 2,3,4,6- | 15-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW07 | Trichlorophenol-2,4,5 | 15-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW07 | Trichlorophenol-2,4,6 | 15-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW07 | TPH - Diesel Range Organics | 15-Feb-12 | 240 U ug/L | | | | | |
| HW07 | TPH - Gasoline Range Organics | 15-Feb-12 | 50 U ug/L | | | | | |
| HW07 | TPH - Oil Range Organics | 15-Feb-12 | 950 U ug/L | | | | | |
| HW07 | 1,2-Dibromo-3-chloropropane (DBCP) | 15-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW07 | 4-Methyl-2-pentanone | 15-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW07 | Acetone | 15-Feb-12 | 2 U ug/l | | | | | |
| HW07 | Benzene | 15-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW07 | Bromobenzene | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Bromoform | 15-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW07 | Butylbenzene | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Butylbenzene, sec- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Butylbenzene, tert- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Carbon disulfide | 15-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07 | Carbon Tetrachloride | 15-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW07 | Chlorobenzene | 15-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW07 | Chlorobromomethane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Chloroethane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Chloroform | 15-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW07 | Chlorotoluene | 15-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW07 | Chlorotoluene-p | 15-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW07 | Cyclohexane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dibromochloromethane | 15-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW07 | Dibromoethane-1,2 | 15-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW07 | Dibromomethane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichlorobenzene-1,2 | 15-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW07 | Dichlorobenzene-1,3 | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichlorobenzene-1,4 | 15-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW07 | Dichlorobromomethane | 15-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW07 | Dichlorodifluoromethane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichloroethane-1,1 | 15-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW07 | Dichloroethane-1,2 | 15-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW07 | Dichloroethene-1,2 trans | 15-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW07 | Dichloroethylene-1,1 | 15-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW07 | Dichloroethylene-1,2 cis | 15-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW07 | Dichloropropane, 1,2- | 15-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW07 | Dichloropropane, 1,3- | 15-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW07 | Dichloropropane, 2,2- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichloropropene, 1,1- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichloropropene, 1,3 cis- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Dichloropropene, 1,3 trans- | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Ethylbenzene | 15-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW07 | Freon 113 | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Hexanone, 2- | 15-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW07 | Isopropylbenzene | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Isopropylbenzene-4,methyl-1 | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | m,p-Xylene | 15-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW07 | Methyl acetate | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Methyl bromide | 15-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW07 | Methyl chloride | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Methyl cyclohexane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Methyl ethyl ketone | 15-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW07 | Methyl tertiary butyl ether (MTBE) | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Methylene chloride | 15-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW07 | Propylbenzene-n | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Styrene | 15-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW07 | Tetrachloroethane, 1,1,1,2- | 15-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW07 | Tetrachloroethane, 1,1,2,2- | 15-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW07 | Tetrachloroethylene | 15-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW07 | Toluene | 15-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW07 | Trichlorobenzene-1,2,3 | 15-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW07 | Trichlorobenzene-1,2,4 | 15-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW07 | Trichloroethane-1,1,1 | 15-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW07 | Trichloroethane-1,1,2 | 15-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW07 | Trichloroethylene | 15-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW07 | Trichlorofluoromethane | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Trichloropropane-1,2,3 | 15-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW07 | Trimethylbenzene-1,2,4 | 15-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW07 | Trimethylbenzene-1,3,5 | 15-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW07 | Vinyl acetate | 15-Feb-12 | 0.5 U ug/l | | | | | |
| HW07 | Vinyl chloride | 15-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW07 | Xylene-o | 15-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW07 | Nitrogen, Nitrite + Nitrate | 15-Feb-12 | 0.874 mg/L | | 10 mg/L | | 10 mg/L | |
| HW07 | Total Nitrogen | 15-Feb-12 | 1.31 mg/L | | | | | |
| HW07 | Total Phosphorus as P | 15-Feb-12 | 0.05 U mg/L | | | | | |
| HW08a | 2-Butanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW08a | Ethanol | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW08a | Methanol | 25-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW08a | Anionic Surfactants | 25-Jan-12 | 0.01 U mg/L | | | | | |
| HW08a | Fecal Coliform Bacteria | 25-Jan-12 | 0 Absent | 0.0001 | | | | |
| HW08a | Heterotrophic Plate Count | 25-Jan-12 | R cfu/1mL | | | | | |
| HW08a | Total Coliform Bacteria | 25-Jan-12 | 54 cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW08a | Ethane | 25-Jan-12 | 350 ug/L | | | | | |
| HW08a | Ethene | 25-Jan-12 | 1.1 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Methane | 25-Jan-12 | 9200 ug/L | 28000 ug/L | | | | |
| HW08a | 2-Butoxyethanol | 25-Jan-12 | 10 U ug/L | | | | | |
| HW08a | 2-Methoxyethanol | 25-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW08a | 2-Methoxyethanol | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW08a | Diethylene glycol | 25-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW08a | Diethylene Glycol | 25-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW08a | Ethanol, 2-ethoxy- | 25-Jan-12 | 10000 U ug/L | | | | | |
| HW08a | Ethanol, 2-methoxy- | 25-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW08a | Ethylene glycol | 25-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW08a | Tetraethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW08a | Triethylene glycol | 25-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW08a | Triethylene glycol | 25-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW08a | Bromide | 25-Jan-12 | 0.5 U mg/L | | | | | |
| HW08a | Chloride | 25-Jan-12 | 4.29 mg/L | | | 250 mg/L | | 250 mg/L |
| HW08a | Fluoride | 25-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW08a | Sulfate | 25-Jan-12 | 10.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW08a | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW08a-F | Mercury | 25-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW08a | Aluminum | 25-Jan-12 | 37.5 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW08a-F | Aluminum | 25-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW08a | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW08a-F | Antimony | 25-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW08a | Arsenic | 25-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW08a-F | Arsenic | 25-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW08a | Barium | 25-Jan-12 | 36 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW08a-F | Barium | 25-Jan-12 | 37.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW08a | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW08a-F | Beryllium | 25-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW08a | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW08a-F | Boron | 25-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW08a | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW08a-F | Cadmium | 25-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW08a | Calcium | 25-Jan-12 | 14400 ug/L | | | | | |
| HW08a-F | Calcium | 25-Jan-12 | 14200 ug/L | | | | | |
| HW08a | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a-F | Chromium | 25-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW08a | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW08a-F | Cobalt | 25-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW08a | Copper | 25-Jan-12 | 11.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW08a-F | Copper | 25-Jan-12 | 9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW08a | Iron | 25-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW08a-F | Iron | 25-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW08a | Lead | 25-Jan-12 | 2.8 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW08a-F | Lead | 25-Jan-12 | 1.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW08a | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW08a-F | Lithium | 25-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW08a | Magnesium | 25-Jan-12 | 2790 ug/L | | | | | |
| HW08a-F | Magnesium | 25-Jan-12 | 2760 ug/L | | | | | |
| HW08a | Manganese | 25-Jan-12 | 64.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW08a-F | Manganese | 25-Jan-12 | 64 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW08a | Nickel | 25-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW08a-F | Nickel | 25-Jan-12 | 1 ug/L | 300 ug/L | | | | |
| HW08a | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW08a-F | Potassium | 25-Jan-12 | 2000 U ug/L | | | | | |
| HW08a | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW08a-F | Selenium | 25-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW08a | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW08a-F | Silver | 25-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW08a | Sodium | 25-Jan-12 | 2670 ug/L | 20000 ug/L | | | | |
| HW08a-F | Sodium | 25-Jan-12 | 2660 ug/L | 20000 ug/L | | | | |
| HW08a | Strontium | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW08a-F | Strontium | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW08a | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW08a-F | Thallium | 25-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW08a | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW08a-F | Tin | 25-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW08a | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW08a-F | Titanium | 25-Jan-12 | 200 U ug/L | | | | | |
| HW08a | Uranium | 25-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW08a-F | Uranium | 25-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW08a-F | Vanadium | 25-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW08a | Zinc | 25-Jan-12 | 8.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW08a-F | Zinc | 25-Jan-12 | 8.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW08a | Oil and Grease | 25-Jan-12 | 5.6 U mg/L | | | | | |
| HW08a | Total Dissolved Solids | 25-Jan-12 | 62 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW08a | Total Suspended Solids | 25-Jan-12 | 10 U mg/L | | | | | |
| HW08a | 1-Methylnaphthalene | 25-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW08a | Acenaphthene | 25-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW08a | Acenaphthylene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Acetophenone | 25-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW08a | Anthracene | 25-Jan-12 | 0.056 J ug/L | 1300 ug/L | | | | |
| HW08a | Atrazine | 25-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW08a | Benzo(a)anthracene | 25-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW08a | Benzo(a)pyrene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW08a | Biphenyl | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Bromophenyl-4 Phenyl Ether | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Butylbenzyl phthalate | 25-Jan-12 | 0.105 J ug/L | 1400 ug/L | | | | |
| HW08a | Caprolactam | 25-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW08a | Carbazole | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Chlorobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW08a | Chloronaphthalene-2 | 25-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW08a | Chlorophenol-2 | 25-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW08a | Chlorophenyl-4 phenyl ether | 25-Jan-12 | 0.029 J ug/L | | | | | |
| HW08a | Chrysene | 25-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW08a | Cresol, parachloro meta- | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Cresol-4,6-dinitro-ortho | 25-Jan-12 | 10 U ug/L | | | | | |
| HW08a | Cresol-o | 25-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW08a | Cresol-p | 25-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW08a | Dibenz(a,h)anthracene | 25-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW08a | Dibenzofuran | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Dichlorobenzidine-3,3' | 25-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW08a | Dichlorophenol-2,4 | 25-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW08a | Dimethylphenol, 2,4- | 25-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW08a | Dinitrophenol-2,4 | 25-Jan-12 | 5 U ug/L | 30 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Dinitrotoluene-2,4 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Dinitrotoluene-2,6 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Ether, bis(2-chloroethyl) | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW08a | Ether-bis(2-chloroisopropyl) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Fluoranthene | 25-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW08a | Fluoranthene benzo(k) | 25-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW08a | Fluoranthene-benzo(b) | 25-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW08a | Fluorene | 25-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW08a | Hexachlorobenzene | 25-Jan-12 | 0.066 J ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW08a | Hexachlorobutadiene | 25-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW08a | Hexachlorobutadiene | 25-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW08a | Hexachlorocyclopentadiene | 25-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW08a | Hexachloroethane | 25-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW08a | Isophorone | 25-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW08a | Methane, bis(2-chloroethoxy) | 25-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW08a | Methylnaphthalene-2 | 25-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW08a | Naphthalene | 25-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW08a | Naphthalene | 25-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW08a | Nitroaniline, ortho | 25-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW08a | Nitroaniline-3 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Nitrobenzenamine-4 | 25-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW08a | Nitrobenzene | 25-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW08a | Nitrophenol-2 | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Nitrophenol-4 | 25-Jan-12 | 10 U ug/L | | | | | |
| HW08a | Nitrosodimethylamine-n | 25-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW08a | Nitrosodiphenylamine-n | 25-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW08a | Pentachlorophenol | 25-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW08a | Perylene-benzo(ghi) | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Phenanthrene | 25-Jan-12 | 5 U ug/L | | | | | |
| HW08a | Phenol | 25-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW08a | Phthalate, bis(2-ethylhexyl) (DEHP) | 25-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW08a | Phthalate, Dimethyl | 25-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW08a | Phthalate, di-n-butyl- | 25-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW08a | Phthalate, di-n-octyl | 25-Jan-12 | 0.075 J ug/L | | | | | |
| HW08a | Phthalate-diethyl | 25-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Propylamine,n-nitroso di-n- | 25-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW08a | Pyrene | 25-Jan-12 | 0.059 J ug/L | 87 ug/L | | | | |
| HW08a | Pyrene-indeno(1,2,3-cd) | 25-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW08a | Tetrachlorobenzene, 1,2,4,5- | 25-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW08a | Tetrachlorophenol, 2,3,4,6- | 25-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW08a | Trichlorophenol-2,4,5 | 25-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW08a | Trichlorophenol-2,4,6 | 25-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW08a | TPH - Diesel Range Organics | 25-Jan-12 | 250 U ug/L | | | | | |
| HW08a | TPH - Gasoline Range Organics | 25-Jan-12 | 50 U ug/L | | | | | |
| HW08a | TPH - Oil Range Organics | 25-Jan-12 | 1000 U ug/L | | | | | |
| HW08a | 1,2-Dibromo-3-chloropropane (DBCP) | 25-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW08a | 4-Methyl-2-pentanone | 25-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW08a | Acetone | 25-Jan-12 | 0.8 J ug/L | | | | | |
| HW08a | Benzene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW08a | Bromobenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Bromoform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW08a | Butylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Butylbenzene, sec- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Butylbenzene, tert- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Carbon disulfide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Carbon Tetrachloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW08a | Chlorobenzene | 25-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW08a | Chlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Chloroethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Chloroform | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW08a | Chlorotoluene | 25-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW08a | Chlorotoluene-p | 25-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW08a | Cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dibromochloromethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW08a | Dibromoethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW08a | Dibromomethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichlorobenzene-1,2 | 25-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW08a | Dichlorobenzene-1,3 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichlorobenzene-1,4 | 25-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW08a | Dichlorobromomethane | 25-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Dichlorodifluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichloroethane-1,1 | 25-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW08a | Dichloroethane-1,2 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW08a | Dichloroethene-1,2 trans | 25-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW08a | Dichloroethylene-1,1 | 25-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW08a | Dichloroethylene-1,2 cis | 25-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW08a | Dichloropropane, 1,2- | 25-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW08a | Dichloropropane, 1,3- | 25-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW08a | Dichloropropane, 2,2- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichloropropene, 1,1- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichloropropene, 1,3 cis- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Dichloropropene, 1,3 trans- | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Ethylbenzene | 25-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW08a | Freon 113 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Hexanone, 2- | 25-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW08a | Isopropylbenzene | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Isopropylbenzene-4,methyl-1 | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | m,p-Xylene | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW08a | Methyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Methyl bromide | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Methyl chloride | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Methyl cyclohexane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Methyl ethyl ketone | 25-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW08a | Methyl tertiary butyl ether (MTBE) | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Methylene chloride | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW08a | Propylbenzene-n | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Styrene | 25-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW08a | Tetrachloroethane, 1,1,1,2- | 25-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW08a | Tetrachloroethane, 1,1,2,2- | 25-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW08a | Tetrachloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW08a | Toluene | 25-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW08a | Trichlorobenzene-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW08a | Trichlorobenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW08a | Trichloroethane-1,1,1 | 25-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW08a | Trichloroethane-1,1,2 | 25-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW08a | Trichloroethylene | 25-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW08a | Trichlorofluoromethane | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Trichloropropane-1,2,3 | 25-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW08a | Trimethylbenzene-1,2,4 | 25-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW08a | Trimethylbenzene-1,3,5 | 25-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW08a | Vinyl acetate | 25-Jan-12 | 0.5 U ug/L | | | | | |
| HW08a | Vinyl chloride | 25-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW08a | Xylene-o | 25-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW08a | Nitrogen, Nitrite + Nitrate | 25-Jan-12 | 0.185 mg/L | | 10 mg/L | | 10 mg/L | |
| HW08a | Total Nitrogen | 25-Jan-12 | 1 U mg/L | | | | | |
| HW08a | Total Phosphorus as P | 25-Jan-12 | 0.05 U mg/L | | | | | |
| HW09 | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW09-P | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW09 | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09-P | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09 | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09-P | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09 | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09-P | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09 | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW09-P | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW09 | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW09-P | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW09 | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW09-P | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW09 | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW09-P | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW09 | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW09-P | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW09 | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW09-P | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW09 | Methane | 03-Feb-12 | 4.3 J ug/L | 28000 ug/L | | | | |
| HW09-P | Methane | 03-Feb-12 | 2.4 U ug/L | 28000 ug/L | | | | |
| HW09 | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | 2-Methoxyethanol | 03-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW09 | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW09-P | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW09-P | 2-Methoxyethanol | 03-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW09 | Diethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW09 | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW09-P | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW09-P | Diethylene glycol | 03-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW09 | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09-P | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW09 | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW09-P | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW09 | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW09-P | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW09 | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW09-P | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW09 | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW09 | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW09-P | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW09-P | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW09 | Bromide | 03-Feb-12 | 0.5 U mg/L | | | | | |
| HW09-P | Bromide | 03-Feb-12 | 0.5 U mg/L | | | | | |
| HW09 | Chloride | 03-Feb-12 | 13.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW09-P | Chloride | 03-Feb-12 | 13.8 mg/L | | | 250 mg/L | | 250 mg/L |
| HW09 | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW09-P | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW09 | Sulfate | 03-Feb-12 | 18.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW09-P | Sulfate | 03-Feb-12 | 18.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW09 | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-F | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-P | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-PF | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW09 | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW09-F | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW09-P | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-PF | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW09 | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW09-F | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW09-P | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW09-PF | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW09 | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW09-F | Arsenic | 03-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW09-P | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW09-PF | Arsenic | 03-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW09 | Barium | 03-Feb-12 | 93.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW09-F | Barium | 03-Feb-12 | 94.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW09-P | Barium | 03-Feb-12 | 106 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW09-PF | Barium | 03-Feb-12 | 104 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW09 | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW09-F | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW09-P | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW09-PF | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW09 | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW09-F | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW09-P | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW09-PF | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW09 | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-F | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-P | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-PF | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW09 | Calcium | 03-Feb-12 | 23000 ug/L | | | | | |
| HW09-F | Calcium | 03-Feb-12 | 23400 ug/L | | | | | |
| HW09-P | Calcium | 03-Feb-12 | 23600 ug/L | | | | | |
| HW09-PF | Calcium | 03-Feb-12 | 23400 ug/L | | | | | |
| HW09 | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW09-F | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW09-P | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW09-PF | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW09 | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW09-F | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-P | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW09-PF | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW09 | Copper | 03-Feb-12 | 37.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW09-F | Copper | 03-Feb-12 | 19.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW09-P | Copper | 03-Feb-12 | 30.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW09-PF | Copper | 03-Feb-12 | 29.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW09 | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW09-F | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW09-P | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW09-PF | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW09 | Lead | 03-Feb-12 | 1.6 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW09-F | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW09-P | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW09-PF | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW09 | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW09-F | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW09-P | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW09-PF | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW09 | Magnesium | 03-Feb-12 | 3900 ug/L | | | | | |
| HW09-F | Magnesium | 03-Feb-12 | 3980 ug/L | | | | | |
| HW09-P | Magnesium | 03-Feb-12 | 4000 ug/L | | | | | |
| HW09-PF | Magnesium | 03-Feb-12 | 3990 ug/L | | | | | |
| HW09 | Manganese | 03-Feb-12 | 1.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW09-F | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW09-P | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW09-PF | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW09 | Nickel | 03-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW09-F | Nickel | 03-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW09-P | Nickel | 03-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW09-PF | Nickel | 03-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW09 | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW09-F | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW09-P | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW09-PF | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW09 | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-F | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW09-P | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW09-PF | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW09 | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW09-F | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW09-P | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW09-PF | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW09 | Sodium | 03-Feb-12 | 8110 ug/L | 20000 ug/L | | | | |
| HW09-F | Sodium | 03-Feb-12 | 8270 ug/L | 20000 ug/L | | | | |
| HW09-P | Sodium | 03-Feb-12 | 8480 ug/L | 20000 ug/L | | | | |
| HW09-PF | Sodium | 03-Feb-12 | 8430 ug/L | 20000 ug/L | | | | |
| HW09 | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-F | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-P | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-PF | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09 | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-F | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-P | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW09-PF | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW09 | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-F | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-P | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09-PF | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW09 | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW09-F | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW09-P | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW09-PF | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW09 | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW09-F | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW09-P | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW09-PF | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW09 | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW09-F | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW09-P | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW09-PF | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | Zinc | 03-Feb-12 | 15.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW09-F | Zinc | 03-Feb-12 | 8.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW09-P | Zinc | 03-Feb-12 | 16.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW09-PF | Zinc | 03-Feb-12 | 20.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW09 | Oil and Grease | 03-Feb-12 | 5 U mg/L | | | | | |
| HW09-P | Oil and Grease | 03-Feb-12 | 5 U mg/L | | | | | |
| HW09 | Total Dissolved Solids | 03-Feb-12 | 106 mg/L | | | 500 mg/L | | 500 mg/L |
| HW09-P | Total Dissolved Solids | 03-Feb-12 | 110 mg/L | | | 500 mg/L | | 500 mg/L |
| HW09 | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW09-P | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW09 | 1-Methylnaphthalene | 03-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW09-P | 1-Methylnaphthalene | 03-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW09 | Acenaphthene | 03-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW09-P | Acenaphthene | 03-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW09 | Acenaphthylene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Acenaphthylene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Acetophenone | 03-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW09-P | Acetophenone | 03-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW09 | Anthracene | 03-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW09-P | Anthracene | 03-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW09 | Atrazine | 03-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW09-P | Atrazine | 03-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW09 | Benzo(a)anthracene | 03-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW09-P | Benzo(a)anthracene | 03-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW09 | Benzo(a)pyrene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW09-P | Benzo(a)pyrene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW09 | Biphenyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Biphenyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Butylbenzyl phthalate | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW09-P | Butylbenzyl phthalate | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW09 | Caprolactam | 03-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW09-P | Caprolactam | 03-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW09 | Carbazole | 03-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-P | Carbazole | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Chlorobenzenamine-4 | 03-Feb-12 | 60 U ug/L | 3.2 ug/L | | | | |
| HW09-P | Chlorobenzenamine-4 | 03-Feb-12 | 60 U ug/L | 3.2 ug/L | | | | |
| HW09 | Chloronaphthalene-2 | 03-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW09-P | Chloronaphthalene-2 | 03-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW09 | Chlorophenol-2 | 03-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW09-P | Chlorophenol-2 | 03-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW09 | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Chrysene | 03-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW09-P | Chrysene | 03-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW09 | Cresol, parachloro meta- | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Cresol, parachloro meta- | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 10 U ug/L | | | | | |
| HW09-P | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 10 U ug/L | | | | | |
| HW09 | Cresol-o | 03-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW09-P | Cresol-o | 03-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW09 | Cresol-p | 03-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW09-P | Cresol-p | 03-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW09 | Dibenz(a,h)anthracene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW09-P | Dibenz(a,h)anthracene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW09 | Dibenzofuran | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Dibenzofuran | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Dichlorobenzidine-3,3' | 03-Feb-12 | 60 U ug/L | 11 ug/L | | | | |
| HW09-P | Dichlorobenzidine-3,3' | 03-Feb-12 | 60 U ug/L | 11 ug/L | | | | |
| HW09 | Dichlorophenol-2,4 | 03-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW09-P | Dichlorophenol-2,4 | 03-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW09 | Dimethylphenol, 2,4- | 03-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW09-P | Dimethylphenol, 2,4- | 03-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW09 | Dinitrophenol-2,4 | 03-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW09-P | Dinitrophenol-2,4 | 03-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW09 | Dinitrotoluene-2,4 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Dinitrotoluene-2,4 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Dinitrotoluene-2,6 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Dinitrotoluene-2,6 | 03-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | Ether, bis(2-chloroethyl) | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW09-P | Ether, bis(2-chloroethyl) | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW09 | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Fluoranthene | 03-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW09-P | Fluoranthene | 03-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW09 | Fluoranthene benzo(k) | 03-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW09-P | Fluoranthene benzo(k) | 03-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW09 | Fluoranthene-benzo(b) | 03-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW09-P | Fluoranthene-benzo(b) | 03-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW09 | Fluorene | 03-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW09-P | Fluorene | 03-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW09 | Hexachlorobenzene | 03-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW09-P | Hexachlorobenzene | 03-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW09 | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW09 | Hexachlorobutadiene | 03-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW09-P | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW09-P | Hexachlorobutadiene | 03-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW09 | Hexachlorocyclopentadiene | 03-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW09-P | Hexachlorocyclopentadiene | 03-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW09 | Hexachloroethane | 03-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW09-P | Hexachloroethane | 03-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW09 | Isophorone | 03-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW09-P | Isophorone | 03-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW09 | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW09-P | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW09 | Methylnaphthalene-2 | 03-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW09-P | Methylnaphthalene-2 | 03-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW09 | Naphthalene | 03-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW09 | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW09-P | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW09-P | Naphthalene | 03-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW09 | Nitroaniline, ortho | 03-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW09-P | Nitroaniline, ortho | 03-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW09 | Nitroaniline-3 | 03-Feb-12 | 60 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-P | Nitroaniline-3 | 03-Feb-12 | 60 U ug/L | | | | | |
| HW09 | Nitrobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW09-P | Nitrobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW09 | Nitrobenzene | 03-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW09-P | Nitrobenzene | 03-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW09 | Nitrophenol-2 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Nitrophenol-2 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Nitrophenol-4 | 03-Feb-12 | 10 U ug/L | | | | | |
| HW09-P | Nitrophenol-4 | 03-Feb-12 | 10 U ug/L | | | | | |
| HW09 | Nitrosodimethylamine-n | 03-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW09-P | Nitrosodimethylamine-n | 03-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW09 | Nitrosodiphenylamine-n | 03-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW09-P | Nitrosodiphenylamine-n | 03-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW09 | Pentachlorophenol | 03-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW09-P | Pentachlorophenol | 03-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW09 | Perylene-benzo(ghi) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Perylene-benzo(ghi) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Phenanthrene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Phenanthrene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Phenol | 03-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW09-P | Phenol | 03-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW09 | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW09-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW09 | Phthalate, Dimethyl | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW09-P | Phthalate, Dimethyl | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW09 | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW09-P | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW09 | Phthalate, di-n-octyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09-P | Phthalate, di-n-octyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW09 | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW09-P | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW09 | Propylamine,n-nitroso di-n- | 03-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW09-P | Propylamine,n-nitroso di-n- | 03-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW09 | Pyrene | 03-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW09-P | Pyrene | 03-Feb-12 | 5 U ug/L | 87 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW09-P | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW09 | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW09-P | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW09 | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW09-P | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW09 | Trichlorophenol-2,4,5 | 03-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW09-P | Trichlorophenol-2,4,5 | 03-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW09 | Trichlorophenol-2,4,6 | 03-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW09-P | Trichlorophenol-2,4,6 | 03-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW09 | TPH - Diesel Range Organics | 03-Feb-12 | 240 U ug/L | | | | | |
| HW09-P | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW09 | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW09-P | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW09 | TPH - Oil Range Organics | 03-Feb-12 | 950 U ug/L | | | | | |
| HW09-P | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW09 | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW09-P | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW09 | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW09-P | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW09 | Acetone | 03-Feb-12 | 2 U ug/L | | | | | |
| HW09-P | Acetone | 03-Feb-12 | 3.1 J ug/L | | | | | |
| HW09 | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09-P | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09 | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09-P | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09 | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-P | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09-P | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09 | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW09-P | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW09 | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09-P | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09 | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW09-P | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW09 | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW09-P | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW09 | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09-P | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09 | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09-P | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09 | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW09-P | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW09 | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW09-P | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW09 | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW09-P | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW09 | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09-P | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW09 | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW09-P | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-P | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW09 | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW09-P | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW09 | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW09-P | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW09 | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW09-P | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW09 | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-P | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW09 | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW09-P | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW09 | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW09-P | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW09 | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09-P | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09 | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW09-P | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW09 | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW09-P | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW09 | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09-P | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09 | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09-P | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09-P | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09 | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW09-P | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW09 | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09-P | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW09 | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09-P | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09 | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW09-P | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW09 | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW09-P | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW09 | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW09-P | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW09 | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09-P | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09 | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW09-P | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW09 | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW09-P | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW09 | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW09-P | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW09 | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW09-P | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW09 | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW09-P | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW09 | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09-P | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW09 | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW09 | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW09-P | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW09 | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW09-P | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW09 | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW09-P | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW09 | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09-P | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW09 | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW09-P | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW09 | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW09-P | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW09 | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 2.39 J mg/L | | 10 mg/L | | 10 mg/L | |
| HW09-P | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 2.41 mg/L | | 10 mg/L | | 10 mg/L | |
| HW09 | Total Nitrogen | 03-Feb-12 | 2.63 mg/L | | | | | |
| HW09-P | Total Nitrogen | 03-Feb-12 | 2.59 mg/L | | | | | |
| HW09 | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW09-P | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW11 | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW11-P | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW11 | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11-P | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11 | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11-P | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11 | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11-P | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW11 | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW11-P | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW11 | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW11-P | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW11 | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW11-P | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW11 | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW11-P | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW11 | Ethane | 13-Feb-12 | 320 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW11 | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW11-P | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW11 | Methane | 13-Feb-12 | 22000 ug/L | 28000 ug/L | | | | |
| HW11-P | Methane | 13-Feb-12 | 26 ug/L | 28000 ug/L | | | | |
| HW11 | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW11-P | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW11 | 2-Methoxyethanol | 13-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW11 | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW11-P | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW11-P | 2-Methoxyethanol | 13-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW11 | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11-P | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11 | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW11-P | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW11 | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11-P | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11 | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11-P | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW11 | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW11-P | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW11 | Chloride | 13-Feb-12 | 7.24 mg/L | | | 250 mg/L | | 250 mg/L |
| HW11-P | Chloride | 13-Feb-12 | 7.01 mg/L | | | 250 mg/L | | 250 mg/L |
| HW11 | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW11-P | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW11 | Sulfate | 13-Feb-12 | 13.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW11-P | Sulfate | 13-Feb-12 | 13.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW11 | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-F | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-P | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-PF | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW11 | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW11-F | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW11-P | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW11-PF | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11 | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW11-F | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW11-P | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW11-PF | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW11 | Arsenic | 13-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW11-F | Arsenic | 13-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW11-P | Arsenic | 13-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW11-PF | Arsenic | 13-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW11 | Barium | 13-Feb-12 | 163 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW11-F | Barium | 13-Feb-12 | 164 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW11-P | Barium | 13-Feb-12 | 164 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW11-PF | Barium | 13-Feb-12 | 163 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW11 | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW11-F | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW11-P | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW11-PF | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW11 | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW11-F | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW11-P | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW11-PF | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW11 | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW11-F | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW11-P | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW11-PF | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW11 | Calcium | 13-Feb-12 | 35400 ug/L | | | | | |
| HW11-F | Calcium | 13-Feb-12 | 35500 ug/L | | | | | |
| HW11-P | Calcium | 13-Feb-12 | 33500 ug/L | | | | | |
| HW11-PF | Calcium | 13-Feb-12 | 34000 ug/L | | | | | |
| HW11 | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW11-F | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW11-P | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW11-PF | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW11 | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW11-F | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW11-P | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-PF | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW11 | Copper | 13-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW11-F | Copper | 13-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW11-P | Copper | 13-Feb-12 | 4.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW11-PF | Copper | 13-Feb-12 | 4.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW11 | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW11-F | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW11-P | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW11-PF | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW11 | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW11-F | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW11-P | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW11-PF | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW11 | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW11-F | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW11-P | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW11-PF | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW11 | Magnesium | 13-Feb-12 | 8110 ug/L | | | | | |
| HW11-F | Magnesium | 13-Feb-12 | 8130 ug/L | | | | | |
| HW11-P | Magnesium | 13-Feb-12 | 7690 ug/L | | | | | |
| HW11-PF | Magnesium | 13-Feb-12 | 7750 ug/L | | | | | |
| HW11 | Manganese | 13-Feb-12 | 46.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW11-F | Manganese | 13-Feb-12 | 45.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW11-P | Manganese | 13-Feb-12 | 41.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW11-PF | Manganese | 13-Feb-12 | 39.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW11 | Nickel | 13-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW11-F | Nickel | 13-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW11-P | Nickel | 13-Feb-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW11-PF | Nickel | 13-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW11 | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW11-F | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW11-P | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW11-PF | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW11 | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW11-F | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW11-PF | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW11 | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW11-F | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW11-P | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW11-PF | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW11 | Sodium | 13-Feb-12 | 9400 ug/L | 20000 ug/L | | | | |
| HW11-F | Sodium | 13-Feb-12 | 9350 ug/L | 20000 ug/L | | | | |
| HW11-P | Sodium | 13-Feb-12 | 11700 ug/L | 20000 ug/L | | | | |
| HW11-PF | Sodium | 13-Feb-12 | 11800 ug/L | 20000 ug/L | | | | |
| HW11 | Strontium | 13-Feb-12 | 472 ug/L | 9300 ug/L | | | | |
| HW11-F | Strontium | 13-Feb-12 | 469 ug/L | 9300 ug/L | | | | |
| HW11-P | Strontium | 13-Feb-12 | 513 ug/L | 9300 ug/L | | | | |
| HW11-PF | Strontium | 13-Feb-12 | 519 ug/L | 9300 ug/L | | | | |
| HW11 | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-F | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-P | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW11-PF | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW11 | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW11-F | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW11-P | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW11-PF | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW11 | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW11-F | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW11-P | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW11-PF | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW11 | Uranium | 13-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW11-F | Uranium | 13-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW11-P | Uranium | 13-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW11-PF | Uranium | 13-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW11 | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW11-F | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW11-P | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW11-PF | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW11 | Zinc | 13-Feb-12 | 3.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-F | Zinc | 13-Feb-12 | 4.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW11-P | Zinc | 13-Feb-12 | 12.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW11-PF | Zinc | 13-Feb-12 | 12.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW11 | Oil and Grease | 13-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW11-P | Oil and Grease | 13-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW11 | Total Dissolved Solids | 13-Feb-12 | 125 mg/L | | | 500 mg/L | | 500 mg/L |
| HW11-P | Total Dissolved Solids | 13-Feb-12 | 140 mg/L | | | 500 mg/L | | 500 mg/L |
| HW11 | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW11-P | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW11 | 1-Methylnaphthalene | 13-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW11-P | 1-Methylnaphthalene | 13-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW11 | Acenaphthene | 13-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW11-P | Acenaphthene | 13-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW11 | Acenaphthylene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Acenaphthylene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Acetophenone | 13-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW11-P | Acetophenone | 13-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW11 | Anthracene | 13-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW11-P | Anthracene | 13-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW11 | Atrazine | 13-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW11-P | Atrazine | 13-Feb-12 | 60 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW11 | Benzo(a)anthracene | 13-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW11-P | Benzo(a)anthracene | 13-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW11 | Benzo(a)pyrene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW11-P | Benzo(a)pyrene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW11 | Biphenyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Biphenyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Butylbenzyl phthalate | 13-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW11-P | Butylbenzyl phthalate | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW11 | Caprolactam | 13-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW11-P | Caprolactam | 13-Feb-12 | 5 U ug/l | 7700 ug/L | | | | |
| HW11 | Carbazole | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Carbazole | 13-Feb-12 | 5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11 | Chlorobenzenamine-4 | 13-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW11-P | Chlorobenzenamine-4 | 13-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW11 | Chloronaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW11-P | Chloronaphthalene-2 | 13-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW11 | Chlorophenol-2 | 13-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW11-P | Chlorophenol-2 | 13-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW11 | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Chrysene | 13-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW11-P | Chrysene | 13-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW11 | Cresol, parachloro meta- | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Cresol, parachloro meta- | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW11-P | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 60 UJ ug/l | | | | | |
| HW11 | Cresol-o | 13-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW11-P | Cresol-o | 13-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW11 | Cresol-p | 13-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW11-P | Cresol-p | 13-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW11 | Dibenz(a,h)anthracene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW11-P | Dibenz(a,h)anthracene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW11 | Dibenzofuran | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Dibenzofuran | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Dichlorobenzidine-3,3' | 13-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW11-P | Dichlorobenzidine-3,3' | 13-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW11 | Dichlorophenol-2,4 | 13-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW11-P | Dichlorophenol-2,4 | 13-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW11 | Dimethylphenol, 2,4- | 13-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW11-P | Dimethylphenol, 2,4- | 13-Feb-12 | 5 U ug/l | 270 ug/L | | | | |
| HW11 | Dinitrophenol-2,4 | 13-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW11-P | Dinitrophenol-2,4 | 13-Feb-12 | 60 U ug/l | 30 ug/L | | | | |
| HW11 | Dinitrotoluene-2,4 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Dinitrotoluene-2,4 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Dinitrotoluene-2,6 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Dinitrotoluene-2,6 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Ether, bis(2-chloroethyl) | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Ether, bis(2-chloroethyl) | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW11 | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Fluoranthene | 13-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW11-P | Fluoranthene | 13-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW11 | Fluoranthene benzo(k) | 13-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW11-P | Fluoranthene benzo(k) | 13-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW11 | Fluoranthene-benzo(b) | 13-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW11-P | Fluoranthene-benzo(b) | 13-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW11 | Fluorene | 13-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW11-P | Fluorene | 13-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW11 | Hexachlorobenzene | 13-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW11-P | Hexachlorobenzene | 13-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW11 | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW11 | Hexachlorobutadiene | 13-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW11-P | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW11-P | Hexachlorobutadiene | 13-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW11 | Hexachlorocyclopentadiene | 13-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW11-P | Hexachlorocyclopentadiene | 13-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW11 | Hexachloroethane | 13-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW11-P | Hexachloroethane | 13-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW11 | Isophorone | 13-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW11-P | Isophorone | 13-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW11 | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW11-P | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW11 | Methylnaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW11-P | Methylnaphthalene-2 | 13-Feb-12 | 5 U ug/l | 27 ug/L | | | | |
| HW11 | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW11 | Naphthalene | 13-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW11-P | Naphthalene | 13-Feb-12 | 5 U ug/l | 14 ug/L | | | | |
| HW11-P | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW11 | Nitroaniline, ortho | 13-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW11-P | Nitroaniline, ortho | 13-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW11 | Nitroaniline-3 | 13-Feb-12 | R ug/l | | | | | |
| HW11-P | Nitroaniline-3 | 13-Feb-12 | R ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11 | Nitrobenzenamine-4 | 13-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW11-P | Nitrobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW11 | Nitrobenzene | 13-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW11-P | Nitrobenzene | 13-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW11 | Nitrophenol-2 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Nitrophenol-2 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Nitrophenol-4 | 13-Feb-12 | 9.52 U ug/l | | | | | |
| HW11-P | Nitrophenol-4 | 13-Feb-12 | 10 U ug/l | | | | | |
| HW11 | Nitrosodimethylamine-n | 13-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW11-P | Nitrosodimethylamine-n | 13-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW11 | Nitrosodiphenylamine-n | 13-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW11-P | Nitrosodiphenylamine-n | 13-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW11 | Pentachlorophenol | 13-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW11-P | Pentachlorophenol | 13-Feb-12 | 5 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW11 | Perylene-benzo(ghi) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Perylene-benzo(ghi) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Phenanthrene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Phenanthrene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Phenol | 13-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW11-P | Phenol | 13-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW11 | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW11-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW11 | Phthalate, Dimethyl | 13-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW11-P | Phthalate, Dimethyl | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW11 | Phthalate, di-n-butyl- | 13-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW11-P | Phthalate, di-n-butyl- | 13-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW11 | Phthalate, di-n-octyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW11-P | Phthalate, di-n-octyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW11 | Phthalate-diethyl | 13-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW11-P | Phthalate-diethyl | 13-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW11 | Propylamine,n-nitroso di-n- | 13-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW11-P | Propylamine,n-nitroso di-n- | 13-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |
| HW11 | Pyrene | 13-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW11-P | Pyrene | 13-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW11 | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW11 | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW11-P | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW11 | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW11-P | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW11 | Trichlorophenol-2,4,5 | 13-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW11-P | Trichlorophenol-2,4,5 | 13-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW11 | Trichlorophenol-2,4,6 | 13-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW11-P | Trichlorophenol-2,4,6 | 13-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW11 | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW11-P | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW11 | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW11-P | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW11 | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW11-P | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW11 | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW11-P | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW11 | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW11-P | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW11 | Acetone | 13-Feb-12 | 2 U ug/l | | | | | |
| HW11-P | Acetone | 13-Feb-12 | 5.7 J ug/l | | | | | |
| HW11 | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11-P | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11 | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11-P | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11 | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11 | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11-P | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11 | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW11-P | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW11 | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11-P | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11 | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW11-P | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW11 | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW11-P | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW11 | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11-P | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11 | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW11-P | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW11 | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW11-P | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW11 | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW11-P | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW11 | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11-P | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW11 | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW11-P | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW11 | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW11 | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW11-P | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW11 | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW11-P | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW11 | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW11-P | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW11 | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW11-P | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW11 | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW11-P | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW11 | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW11-P | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW11 | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW11-P | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW11 | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW11-P | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW11 | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11 | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW11-P | Methyl ethyl ketone | 13-Feb-12 | 1.4 ug/l | 4900 ug/L | | | | |
| HW11 | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11-P | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11 | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW11-P | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW11 | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW11-P | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW11 | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW11-P | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW11 | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11-P | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11 | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW11-P | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW11 | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW11-P | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW11 | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW11-P | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW11 | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW11-P | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW11 | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW11-P | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW11 | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11-P | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW11 | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW11-P | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW11 | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW11-P | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW11 | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW11-P | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW11 | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11-P | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW11 | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW11-P | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW11 | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW11-P | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW11 | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 0.142 mg/L | | 10 mg/L | | 10 mg/L | |
| HW11-P | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 0.162 mg/L | | 10 mg/L | | 10 mg/L | |
| HW11 | Total Nitrogen | 13-Feb-12 | 1 U mg/L | | | | | |
| HW11-P | Total Nitrogen | 13-Feb-12 | 1 U mg/L | | | | | |
| HW11 | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW11-P | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW12 | 2-Butanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW12 | Ethanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW12 | Methanol | 26-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW12 | Anionic Surfactants | 26-Jan-12 | 0.014 mg/L | | | | | |
| HW12 | Heterotrophic Plate Count | 26-Jan-12 | R cfu/1mL | | | | | |
| HW12 | Total Coliform Bacteria | 26-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW12 | Ethane | 26-Jan-12 | 2000 ug/L | | | | | |
| HW12 | Ethene | 26-Jan-12 | 1.1 U ug/L | | | | | |
| HW12 | Methane | 26-Jan-12 | 52000 ug/L | 28000 ug/L | | | | |
| HW12 | 2-Butoxyethanol | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | 2-Methoxyethanol | 26-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW12 | 2-Methoxyethanol | 26-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW12 | Diethylene Glycol | 26-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW12 | Diethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW12 | Ethanol, 2-ethoxy- | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW12 | Ethanol, 2-methoxy- | 26-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW12 | Ethylene glycol | 26-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW12 | Tetraethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | Triethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW12 | Triethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW12 | Bromide | 26-Jan-12 | 0.5 U mg/L | | | | | |
| HW12 | Chloride | 26-Jan-12 | 3.64 mg/L | | | 250 mg/L | | 250 mg/L |
| HW12 | Fluoride | 26-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW12 | Sulfate | 26-Jan-12 | 5.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW12 | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW12-F | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW12 | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW12-F | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW12 | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW12-F | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW12 | Arsenic | 26-Jan-12 | 6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW12-F | Arsenic | 26-Jan-12 | 5.8 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW12 | Barium | 26-Jan-12 | 707 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW12-F | Barium | 26-Jan-12 | 716 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW12 | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW12-F | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW12 | Boron | 26-Jan-12 | 53.8 ug/L | 3100 ug/L | | | | |
| HW12-F | Boron | 26-Jan-12 | 52.2 ug/L | 3100 ug/L | | | | |
| HW12 | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW12-F | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW12 | Calcium | 26-Jan-12 | 28500 ug/L | | | | | |
| HW12-F | Calcium | 26-Jan-12 | 28100 ug/L | | | | | |
| HW12 | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW12-F | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW12 | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW12-F | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW12 | Copper | 26-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW12-F | Copper | 26-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW12 | Iron | 26-Jan-12 | 1240 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW12-F | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW12 | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW12-F | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW12 | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12-F | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW12 | Magnesium | 26-Jan-12 | 4770 ug/L | | | | | |
| HW12-F | Magnesium | 26-Jan-12 | 4670 ug/L | | | | | |
| HW12 | Manganese | 26-Jan-12 | 120 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW12-F | Manganese | 26-Jan-12 | 139 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW12 | Nickel | 26-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW12-F | Nickel | 26-Jan-12 | 1 ug/L | 300 ug/L | | | | |
| HW12 | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW12-F | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW12 | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW12-F | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW12 | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW12-F | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW12 | Sodium | 26-Jan-12 | 19300 ug/L | 20000 ug/L | | | | |
| HW12-F | Sodium | 26-Jan-12 | 19300 ug/L | 20000 ug/L | | | | |
| HW12 | Strontium | 26-Jan-12 | 629 ug/L | 9300 ug/L | | | | |
| HW12-F | Strontium | 26-Jan-12 | 618 ug/L | 9300 ug/L | | | | |
| HW12 | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW12-F | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW12 | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW12-F | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW12 | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW12-F | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW12 | Uranium | 26-Jan-12 | 1.8 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW12-F | Uranium | 26-Jan-12 | 1.6 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW12 | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW12-F | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW12 | Zinc | 26-Jan-12 | 5.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW12-F | Zinc | 26-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW12 | Oil and Grease | 26-Jan-12 | 5.6 U mg/L | | | | | |
| HW12 | Total Dissolved Solids | 26-Jan-12 | 67 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW12 | Total Suspended Solids | 26-Jan-12 | 10 U mg/L | | | | | |
| HW12 | 1-Methylnaphthalene | 26-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW12 | Acenaphthene | 26-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW12 | Acenaphthylene | 26-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | Acetophenone | 26-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW12 | Anthracene | 26-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW12 | Atrazine | 26-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW12 | Benzo(a)anthracene | 26-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW12 | Benzo(a)pyrene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW12 | Biphenyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Bromophenyl-4 Phenyl Ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Butylbenzyl phthalate | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW12 | Caprolactam | 26-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW12 | Carbazole | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Chlorobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW12 | Chloronaphthalene-2 | 26-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW12 | Chlorophenol-2 | 26-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW12 | Chlorophenyl-4 phenyl ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Chrysene | 26-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW12 | Cresol, parachloro meta- | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Cresol-4,6-dinitro-ortho | 26-Jan-12 | 10 U ug/L | | | | | |
| HW12 | Cresol-o | 26-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW12 | Cresol-p | 26-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW12 | Dibenz(a,h)anthracene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW12 | Dibenzofuran | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Dichlorobenzidine-3,3' | 26-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW12 | Dichlorophenol-2,4 | 26-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW12 | Dimethylphenol, 2,4- | 26-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW12 | Dinitrophenol-2,4 | 26-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW12 | Dinitrotoluene-2,4 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Dinitrotoluene-2,6 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Ether, bis(2-chloroethyl) | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW12 | Ether-bis(2-chloroisopropyl) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Fluoranthene | 26-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW12 | Fluoranthene benzo(k) | 26-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW12 | Fluoranthene-benzo(b) | 26-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW12 | Fluorene | 26-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW12 | Hexachlorobenzene | 26-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW12 | Hexachlorobutadiene | 26-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | Hexachlorobutadiene | 26-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW12 | Hexachlorocyclopentadiene | 26-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW12 | Hexachloroethane | 26-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW12 | Isophorone | 26-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW12 | Methane, bis(2-chloroethoxy) | 26-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW12 | Methylnaphthalene-2 | 26-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW12 | Naphthalene | 26-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW12 | Naphthalene | 26-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW12 | Nitroaniline, ortho | 26-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW12 | Nitroaniline-3 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Nitrobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW12 | Nitrobenzene | 26-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW12 | Nitrophenol-2 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Nitrophenol-4 | 26-Jan-12 | 10 U ug/L | | | | | |
| HW12 | Nitrosodimethylamine-n | 26-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW12 | Nitrosodiphenylamine-n | 26-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW12 | Pentachlorophenol | 26-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW12 | Perylene-benzo(ghi) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Phenanthrene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Phenol | 26-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW12 | Phthalate, bis(2-ethylhexyl) (DEHP) | 26-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW12 | Phthalate, Dimethyl | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW12 | Phthalate, di-n-butyl- | 26-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW12 | Phthalate, di-n-octyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW12 | Phthalate-diethyl | 26-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW12 | Propylamine,n-nitroso di-n- | 26-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW12 | Pyrene | 26-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW12 | Pyrene-indeno(1,2,3-cd) | 26-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW12 | Tetrachlorobenzene, 1,2,4,5- | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW12 | Tetrachlorophenol, 2,3,4,6- | 26-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW12 | Trichlorophenol-2,4,5 | 26-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW12 | Trichlorophenol-2,4,6 | 26-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW12 | TPH - Diesel Range Organics | 26-Jan-12 | 250 U ug/L | | | | | |
| HW12 | TPH - Gasoline Range Organics | 26-Jan-12 | 50 U ug/L | | | | | |
| HW12 | TPH - Oil Range Organics | 26-Jan-12 | 1000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | 1,2-Dibromo-3-chloropropane (DBCP) | 26-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW12 | 4-Methyl-2-pentanone | 26-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW12 | Acetone | 26-Jan-12 | 2 U ug/L | | | | | |
| HW12 | Benzene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW12 | Bromobenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Bromoform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW12 | Butylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Butylbenzene, sec- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Butylbenzene, tert- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Carbon disulfide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Carbon Tetrachloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW12 | Chlorobenzene | 26-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW12 | Chlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Chloroethane | 26-Jan-12 | 0.2 J ug/L | | | | | |
| HW12 | Chloroform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW12 | Chlorotoluene | 26-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW12 | Chlorotoluene-p | 26-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW12 | Cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dibromochloromethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW12 | Dibromoethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW12 | Dibromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dichlorobenzene-1,2 | 26-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW12 | Dichlorobenzene-1,3 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dichlorobenzene-1,4 | 26-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW12 | Dichlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW12 | Dichlorodifluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dichloroethane-1,1 | 26-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW12 | Dichloroethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW12 | Dichloroethene-1,2 trans | 26-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW12 | Dichloroethylene-1,1 | 26-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW12 | Dichloroethylene-1,2 cis | 26-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW12 | Dichloropropane, 1,2- | 26-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW12 | Dichloropropane, 1,3- | 26-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW12 | Dichloropropane, 2,2- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dichloropropene, 1,1- | 26-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | Dichloropropene, 1,3 cis- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Dichloropropene, 1,3 trans- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Ethylbenzene | 26-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW12 | Freon 113 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Hexanone, 2- | 26-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW12 | Isopropylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Isopropylbenzene-4,methyl-1 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | m,p-Xylene | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW12 | Methyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Methyl bromide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Methyl chloride | 26-Jan-12 | 0.6 ug/L | | | | | |
| HW12 | Methyl cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Methyl ethyl ketone | 26-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW12 | Methyl tertiary butyl ether (MTBE) | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Methylene chloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW12 | Propylbenzene-n | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Styrene | 26-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW12 | Tetrachloroethane, 1,1,1,2- | 26-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW12 | Tetrachloroethane, 1,1,2,2- | 26-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW12 | Tetrachloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW12 | Toluene | 26-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW12 | Trichlorobenzene-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW12 | Trichlorobenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW12 | Trichloroethane-1,1,1 | 26-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW12 | Trichloroethane-1,1,2 | 26-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW12 | Trichloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW12 | Trichlorofluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Trichloropropane-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW12 | Trimethylbenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW12 | Trimethylbenzene-1,3,5 | 26-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW12 | Vinyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW12 | Vinyl chloride | 26-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW12 | Xylene-o | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW12 | Nitrogen, Nitrite + Nitrate | 26-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW12 | Total Nitrogen | 26-Jan-12 | 1 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW12 | Total Phosphorus as P | 26-Jan-12 | 0.05 U mg/L | | | | | |
| HW13 | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW13 | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW13 | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW13 | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW13 | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW13 | Anionic Surfactants | 30-Jan-12 | 0.01 U mg/L | | | | | |
| HW13 | Heterotrophic Plate Count | 30-Jan-12 | 560 J cfu/1mL | | | | | |
| HW13 | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW13 | Ethane | 30-Jan-12 | 24 ug/L | | | | | |
| HW13 | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW13 | Methane | 30-Jan-12 | 1300 ug/L | 28000 ug/L | | | | |
| HW13 | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | 2-Methoxyethanol | 30-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW13 | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW13 | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW13 | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW13 | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW13 | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW13 | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW13 | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW13 | Triethylene glycol | 30-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW13 | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW13 | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |
| HW13 | Chloride | 30-Jan-12 | 8.31 mg/L | | | 250 mg/L | | 250 mg/L |
| HW13 | Fluoride | 30-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW13 | Sulfate | 30-Jan-12 | 10.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW13 | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW13-F | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW13 | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW13-F | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW13 | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW13-F | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW13 | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW13-F | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13 | Barium | 30-Jan-12 | 225 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW13-F | Barium | 30-Jan-12 | 235 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW13 | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW13-F | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW13 | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW13-F | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW13 | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW13-F | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW13 | Calcium | 30-Jan-12 | 31900 ug/L | | | | | |
| HW13-F | Calcium | 30-Jan-12 | 33100 ug/L | | | | | |
| HW13 | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW13-F | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW13 | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW13-F | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW13 | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW13-F | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW13 | Iron | 30-Jan-12 | 2870 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW13-F | Iron | 30-Jan-12 | 333 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW13 | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW13-F | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW13 | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW13-F | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW13 | Magnesium | 30-Jan-12 | 6620 ug/L | | | | | |
| HW13-F | Magnesium | 30-Jan-12 | 6840 ug/L | | | | | |
| HW13 | Manganese | 30-Jan-12 | 31 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW13-F | Manganese | 30-Jan-12 | 16.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW13 | Nickel | 30-Jan-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW13-F | Nickel | 30-Jan-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW13 | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW13-F | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW13 | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW13-F | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW13 | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW13-F | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW13 | Sodium | 30-Jan-12 | 12600 ug/L | 20000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13-F | Sodium | 30-Jan-12 | 12900 ug/L | 20000 ug/L | | | | |
| HW13 | Strontium | 30-Jan-12 | 764 ug/L | 9300 ug/L | | | | |
| HW13-F | Strontium | 30-Jan-12 | 774 ug/L | 9300 ug/L | | | | |
| HW13 | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW13-F | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW13 | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW13-F | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW13 | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW13-F | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW13 | Uranium | 30-Jan-12 | 3.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW13-F | Uranium | 30-Jan-12 | 3.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW13 | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW13-F | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW13 | Zinc | 30-Jan-12 | 4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW13-F | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW13 | Oil and Grease | 30-Jan-12 | 5.4 U mg/L | | | | | |
| HW13 | Total Dissolved Solids | 30-Jan-12 | 15 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW13 | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW13 | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW13 | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW13 | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Acetophenone | 30-Jan-12 | 0.224 J ug/L | 1500 ug/L | | | | |
| HW13 | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW13 | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW13 | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW13 | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW13 | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW13 | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW13 | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW13 | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW13 | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW13 | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13 | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW13 | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 60 U ug/L | | | | | |
| HW13 | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW13 | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW13 | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW13 | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW13 | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW13 | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW13 | Dinitrophenol-2,4 | 30-Jan-12 | 60 U ug/L | 30 ug/L | | | | |
| HW13 | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW13 | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW13 | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW13 | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW13 | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW13 | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW13 | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW13 | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW13 | Hexachlorocyclopentadiene | 30-Jan-12 | 60 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW13 | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW13 | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW13 | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW13 | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW13 | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW13 | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW13 | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW13 | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW13 | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW13 | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Nitrophenol-4 | 30-Jan-12 | 60 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13 | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW13 | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW13 | Pentachlorophenol | 30-Jan-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW13 | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW13 | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW13 | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW13 | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW13 | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW13 | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW13 | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW13 | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW13 | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW13 | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW13 | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 60 U ug/L | 170 ug/L | | | | |
| HW13 | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW13 | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW13 | TPH - Diesel Range Organics | 30-Jan-12 | 250 U ug/L | | | | | |
| HW13 | TPH - Gasoline Range Organics | 30-Jan-12 | 34 J ug/L | | | | | |
| HW13 | TPH - Oil Range Organics | 30-Jan-12 | 1000 U ug/L | | | | | |
| HW13 | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW13 | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW13 | Acetone | 30-Jan-12 | 3.3 U ug/L | | | | | |
| HW13 | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW13 | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW13 | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW13 | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW13 | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13 | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW13 | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW13 | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW13 | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW13 | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW13 | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW13 | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW13 | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW13 | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW13 | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW13 | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW13 | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW13 | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW13 | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW13 | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW13 | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW13 | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW13 | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW13 | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW13 | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW13 | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW13 | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW13 | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW13 | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW13 | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW13 | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW13 | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW13 | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW13 | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW13 | Toluene | 30-Jan-12 | 12 ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW13 | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW13 | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW13 | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW13 | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW13 | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW13 | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW13 | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW13 | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW13 | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW13 | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW13 | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW13 | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.784 mg/L | | 10 mg/L | | 10 mg/L | |
| HW13 | Total Nitrogen | 30-Jan-12 | 1.45 mg/L | | | | | |
| HW13 | Total Phosphorus as P | 30-Jan-12 | 0.05 U mg/L | | | | | |
| HW14 | 2-Butanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14-P | 2-Butanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14 | Ethanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14-P | Ethanol | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14 | Methanol | 26-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW14-P | Methanol | 26-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW14 | Anionic Surfactants | 26-Jan-12 | 0.032 mg/L | | | | | |
| HW14-P | Anionic Surfactants | 26-Jan-12 | 0.014 mg/L | | | | | |
| HW14 | Heterotrophic Plate Count | 26-Jan-12 | R cfu/1mL | | | | | |
| HW14-P | Heterotrophic Plate Count | 26-Jan-12 | R cfu/1mL | | | | | |
| HW14 | Total Coliform Bacteria | 26-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW14-P | Total Coliform Bacteria | 26-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW14 | Ethane | 26-Jan-12 | 29 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Ethane | 26-Jan-12 | 1.5 ug/L | | | | | |
| HW14 | Ethene | 26-Jan-12 | 1.1 U ug/L | | | | | |
| HW14-P | Ethene | 26-Jan-12 | 1.1 U ug/L | | | | | |
| HW14 | Methane | 26-Jan-12 | 3800 ug/L | 28000 ug/L | | | | |
| HW14-P | Methane | 26-Jan-12 | 49 ug/L | 28000 ug/L | | | | |
| HW14 | 2-Butoxyethanol | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | 2-Butoxyethanol | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | 2-Methoxyethanol | 26-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW14 | 2-Methoxyethanol | 26-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW14-P | 2-Methoxyethanol | 26-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW14-P | 2-Methoxyethanol | 26-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW14 | Diethylene glycol | 26-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW14 | Diethylene Glycol | 26-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW14-P | Diethylene Glycol | 26-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW14-P | Diethylene glycol | 26-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW14 | Ethanol, 2-ethoxy- | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14-P | Ethanol, 2-ethoxy- | 26-Jan-12 | 10000 U ug/L | | | | | |
| HW14 | Ethanol, 2-methoxy- | 26-Jan-12 | 10000 UJ ug/L | 78 ug/L | | | | |
| HW14-P | Ethanol, 2-methoxy- | 26-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW14 | Ethylene glycol | 26-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW14-P | Ethylene glycol | 26-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW14 | Tetraethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW14-P | Tetraethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW14 | Triethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW14 | Triethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW14-P | Triethylene glycol | 26-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW14-P | Triethylene glycol | 26-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW14 | Bromide | 26-Jan-12 | 0.5 U mg/L | | | | | |
| HW14-P | Bromide | 26-Jan-12 | 0.5 U mg/L | | | | | |
| HW14 | Chloride | 26-Jan-12 | 17.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW14-P | Chloride | 26-Jan-12 | 17.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW14 | Fluoride | 26-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW14-P | Fluoride | 26-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW14 | Sulfate | 26-Jan-12 | 14.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW14-P | Sulfate | 26-Jan-12 | 14.3 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14 | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-F | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-P | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-PF | Mercury | 26-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW14 | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW14-F | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW14-P | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW14-PF | Aluminum | 26-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW14 | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW14-F | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW14-P | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW14-PF | Antimony | 26-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW14 | Arsenic | 26-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW14-F | Arsenic | 26-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW14-P | Arsenic | 26-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW14-PF | Arsenic | 26-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW14 | Barium | 26-Jan-12 | 89.3 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW14-F | Barium | 26-Jan-12 | 85.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW14-P | Barium | 26-Jan-12 | 98.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW14-PF | Barium | 26-Jan-12 | 95.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW14 | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW14-F | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW14-P | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW14-PF | Beryllium | 26-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW14 | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW14-F | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW14-P | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW14-PF | Boron | 26-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW14 | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-F | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-P | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-PF | Cadmium | 26-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW14 | Calcium | 26-Jan-12 | 29900 ug/L | | | | | |
| HW14-F | Calcium | 26-Jan-12 | 29700 ug/L | | | | | |
| HW14-P | Calcium | 26-Jan-12 | 29600 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-PF | Calcium | 26-Jan-12 | 29600 ug/L | | | | | |
| HW14 | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW14-F | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW14-P | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW14-PF | Chromium | 26-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW14 | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW14-F | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW14-P | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW14-PF | Cobalt | 26-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW14 | Copper | 26-Jan-12 | 2.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW14-F | Copper | 26-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW14-P | Copper | 26-Jan-12 | 6.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW14-PF | Copper | 26-Jan-12 | 6.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW14 | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW14-F | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW14-P | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW14-PF | Iron | 26-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW14 | Lead | 26-Jan-12 | 1 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW14-F | Lead | 26-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW14-P | Lead | 26-Jan-12 | 1.5 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW14-PF | Lead | 26-Jan-12 | 1.3 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW14 | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW14-F | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW14-P | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW14-PF | Lithium | 26-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW14 | Magnesium | 26-Jan-12 | 5270 ug/L | | | | | |
| HW14-F | Magnesium | 26-Jan-12 | 5280 ug/L | | | | | |
| HW14-P | Magnesium | 26-Jan-12 | 5250 ug/L | | | | | |
| HW14-PF | Magnesium | 26-Jan-12 | 5330 ug/L | | | | | |
| HW14 | Manganese | 26-Jan-12 | 8.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW14-F | Manganese | 26-Jan-12 | 7.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW14-P | Manganese | 26-Jan-12 | 1.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW14-PF | Manganese | 26-Jan-12 | 1.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW14 | Nickel | 26-Jan-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW14-F | Nickel | 26-Jan-12 | 1.6 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Nickel | 26-Jan-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW14-PF | Nickel | 26-Jan-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW14 | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW14-F | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW14-P | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW14-PF | Potassium | 26-Jan-12 | 2000 U ug/L | | | | | |
| HW14 | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW14-F | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW14-P | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW14-PF | Selenium | 26-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW14 | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW14-F | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW14-P | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW14-PF | Silver | 26-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW14 | Sodium | 26-Jan-12 | 9420 ug/L | 20000 ug/L | | | | |
| HW14-F | Sodium | 26-Jan-12 | 9260 ug/L | 20000 ug/L | | | | |
| HW14-P | Sodium | 26-Jan-12 | 10800 ug/L | 20000 ug/L | | | | |
| HW14-PF | Sodium | 26-Jan-12 | 10700 ug/L | 20000 ug/L | | | | |
| HW14 | Strontium | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-F | Strontium | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-P | Strontium | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-PF | Strontium | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14 | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-F | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-P | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW14-PF | Thallium | 26-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW14 | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-F | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-P | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14-PF | Tin | 26-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW14 | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW14-F | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW14-P | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW14-PF | Titanium | 26-Jan-12 | 200 U ug/L | | | | | |
| HW14 | Uranium | 26-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-F | Uranium | 26-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW14-P | Uranium | 26-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW14-PF | Uranium | 26-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW14 | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW14-F | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW14-P | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW14-PF | Vanadium | 26-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW14 | Zinc | 26-Jan-12 | 3.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW14-F | Zinc | 26-Jan-12 | 5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW14-P | Zinc | 26-Jan-12 | 26.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW14-PF | Zinc | 26-Jan-12 | 24.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW14 | Oil and Grease | 26-Jan-12 | 5.2 U mg/L | | | | | |
| HW14-P | Oil and Grease | 26-Jan-12 | 5.2 U mg/L | | | | | |
| HW14 | Total Dissolved Solids | 26-Jan-12 | 10 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW14-P | Total Dissolved Solids | 26-Jan-12 | 10 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW14 | Total Suspended Solids | 26-Jan-12 | 10 U mg/L | | | | | |
| HW14-P | Total Suspended Solids | 26-Jan-12 | 10 U mg/L | | | | | |
| HW14 | 1-Methylnaphthalene | 26-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW14-P | 1-Methylnaphthalene | 26-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW14 | Acenaphthene | 26-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW14-P | Acenaphthene | 26-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW14 | Acenaphthylene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Acenaphthylene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Acetophenone | 26-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW14-P | Acetophenone | 26-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW14 | Anthracene | 26-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW14-P | Anthracene | 26-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW14 | Atrazine | 26-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW14-P | Atrazine | 26-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW14 | Benzo(a)anthracene | 26-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW14-P | Benzo(a)anthracene | 26-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW14 | Benzo(a)pyrene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW14-P | Benzo(a)pyrene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW14 | Biphenyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Biphenyl | 26-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14 | Bromophenyl-4 Phenyl Ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Bromophenyl-4 Phenyl Ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Butylbenzyl phthalate | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW14-P | Butylbenzyl phthalate | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW14 | Caprolactam | 26-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW14-P | Caprolactam | 26-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW14 | Carbazole | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Carbazole | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Chlorobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW14-P | Chlorobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW14 | Chloronaphthalene-2 | 26-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW14-P | Chloronaphthalene-2 | 26-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW14 | Chlorophenol-2 | 26-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW14-P | Chlorophenol-2 | 26-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW14 | Chlorophenyl-4 phenyl ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Chlorophenyl-4 phenyl ether | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Chrysene | 26-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW14-P | Chrysene | 26-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW14 | Cresol, parachloro meta- | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Cresol, parachloro meta- | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Cresol-4,6-dinitro-ortho | 26-Jan-12 | 10 U ug/L | | | | | |
| HW14-P | Cresol-4,6-dinitro-ortho | 26-Jan-12 | 10 U ug/L | | | | | |
| HW14 | Cresol-o | 26-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW14-P | Cresol-o | 26-Jan-12 | 0.313 J ug/L | 720 ug/L | | | | |
| HW14 | Cresol-p | 26-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW14-P | Cresol-p | 26-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW14 | Dibenz(a,h)anthracene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW14-P | Dibenz(a,h)anthracene | 26-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW14 | Dibenzofuran | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Dibenzofuran | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Dichlorobenzidine-3,3' | 26-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW14-P | Dichlorobenzidine-3,3' | 26-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW14 | Dichlorophenol-2,4 | 26-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW14-P | Dichlorophenol-2,4 | 26-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW14 | Dimethylphenol, 2,4- | 26-Jan-12 | 5 U ug/L | 270 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Dimethylphenol, 2,4- | 26-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW14 | Dinitrophenol-2,4 | 26-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW14-P | Dinitrophenol-2,4 | 26-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW14 | Dinitrotoluene-2,4 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Dinitrotoluene-2,4 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Dinitrotoluene-2,6 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Dinitrotoluene-2,6 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Ether, bis(2-chloroethyl) | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW14-P | Ether, bis(2-chloroethyl) | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW14 | Ether-bis(2-chloroisopropyl) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Ether-bis(2-chloroisopropyl) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Fluoranthene | 26-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW14-P | Fluoranthene | 26-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW14 | Fluoranthene benzo(k) | 26-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW14-P | Fluoranthene benzo(k) | 26-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW14 | Fluoranthene-benzo(b) | 26-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW14-P | Fluoranthene-benzo(b) | 26-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW14 | Fluorene | 26-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW14-P | Fluorene | 26-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW14 | Hexachlorobenzene | 26-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW14-P | Hexachlorobenzene | 26-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW14 | Hexachlorobutadiene | 26-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW14 | Hexachlorobutadiene | 26-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW14-P | Hexachlorobutadiene | 26-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW14-P | Hexachlorobutadiene | 26-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW14 | Hexachlorocyclopentadiene | 26-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW14-P | Hexachlorocyclopentadiene | 26-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW14 | Hexachloroethane | 26-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW14-P | Hexachloroethane | 26-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW14 | Isophorone | 26-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW14-P | Isophorone | 26-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW14 | Methane, bis(2-chloroethoxy) | 26-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW14-P | Methane, bis(2-chloroethoxy) | 26-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW14 | Methylnaphthalene-2 | 26-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW14-P | Methylnaphthalene-2 | 26-Jan-12 | 5 U ug/L | 27 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14 | Naphthalene | 26-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW14 | Naphthalene | 26-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW14-P | Naphthalene | 26-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW14-P | Naphthalene | 26-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW14 | Nitroaniline, ortho | 26-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW14-P | Nitroaniline, ortho | 26-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW14 | Nitroaniline-3 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Nitroaniline-3 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Nitrobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW14-P | Nitrobenzenamine-4 | 26-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW14 | Nitrobenzene | 26-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW14-P | Nitrobenzene | 26-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW14 | Nitrophenol-2 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Nitrophenol-2 | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Nitrophenol-4 | 26-Jan-12 | 10 U ug/L | | | | | |
| HW14-P | Nitrophenol-4 | 26-Jan-12 | 10 U ug/L | | | | | |
| HW14 | Nitrosodimethylamine-n | 26-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW14-P | Nitrosodimethylamine-n | 26-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW14 | Nitrosodiphenylamine-n | 26-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW14-P | Nitrosodiphenylamine-n | 26-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW14 | Pentachlorophenol | 26-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW14-P | Pentachlorophenol | 26-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW14 | Perylene-benzo(ghi) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Perylene-benzo(ghi) | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Phenanthrene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14-P | Phenanthrene | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Phenol | 26-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW14-P | Phenol | 26-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW14 | Phthalate, bis(2-ethylhexyl) (DEHP) | 26-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW14-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 26-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW14 | Phthalate, Dimethyl | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW14-P | Phthalate, Dimethyl | 26-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW14 | Phthalate, di-n-butyl- | 26-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW14-P | Phthalate, di-n-butyl- | 26-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW14 | Phthalate, di-n-octyl | 26-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Phthalate, di-n-octyl | 26-Jan-12 | 5 U ug/L | | | | | |
| HW14 | Phthalate-diethyl | 26-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW14-P | Phthalate-diethyl | 26-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW14 | Propylamine,n-nitroso di-n- | 26-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW14-P | Propylamine,n-nitroso di-n- | 26-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW14 | Pyrene | 26-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW14-P | Pyrene | 26-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW14 | Pyrene-indeno(1,2,3-cd) | 26-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW14-P | Pyrene-indeno(1,2,3-cd) | 26-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW14 | Tetrachlorobenzene, 1,2,4,5- | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW14-P | Tetrachlorobenzene, 1,2,4,5- | 26-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW14 | Tetrachlorophenol, 2,3,4,6- | 26-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW14-P | Tetrachlorophenol, 2,3,4,6- | 26-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW14 | Trichlorophenol-2,4,5 | 26-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW14-P | Trichlorophenol-2,4,5 | 26-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW14 | Trichlorophenol-2,4,6 | 26-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW14-P | Trichlorophenol-2,4,6 | 26-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW14 | TPH - Diesel Range Organics | 26-Jan-12 | 250 U ug/L | | | | | |
| HW14-P | TPH - Diesel Range Organics | 26-Jan-12 | 250 U ug/L | | | | | |
| HW14 | TPH - Gasoline Range Organics | 26-Jan-12 | 50 U ug/L | | | | | |
| HW14-P | TPH - Gasoline Range Organics | 26-Jan-12 | 25 J ug/L | | | | | |
| HW14 | TPH - Oil Range Organics | 26-Jan-12 | 1000 U ug/L | | | | | |
| HW14-P | TPH - Oil Range Organics | 26-Jan-12 | 1000 U ug/L | | | | | |
| HW14 | 1,2-Dibromo-3-chloropropane (DBCP) | 26-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW14-P | 1,2-Dibromo-3-chloropropane (DBCP) | 26-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW14 | 4-Methyl-2-pentanone | 26-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW14-P | 4-Methyl-2-pentanone | 26-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW14 | Acetone | 26-Jan-12 | 2 U ug/L | | | | | |
| HW14-P | Acetone | 26-Jan-12 | 81 J ug/L | | | | | |
| HW14 | Benzene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14-P | Benzene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14 | Bromobenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Bromobenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Bromoform | 26-Jan-12 | 0.2 J ug/L | | 80 ug/L | | 80 ug/L | |
| HW14-P | Bromoform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14 | Butylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Butylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Butylbenzene, sec- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Butylbenzene, sec- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Butylbenzene, tert- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Butylbenzene, tert- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Carbon disulfide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Carbon disulfide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Carbon Tetrachloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14-P | Carbon Tetrachloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14 | Chlorobenzene | 26-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW14-P | Chlorobenzene | 26-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW14 | Chlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Chlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Chloroethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Chloroethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Chloroform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14-P | Chloroform | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14 | Chlorotoluene | 26-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW14-P | Chlorotoluene | 26-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW14 | Chlorotoluene-p | 26-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW14-P | Chlorotoluene-p | 26-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW14 | Cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dibromochloromethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14-P | Dibromochloromethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14 | Dibromoethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW14-P | Dibromoethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW14 | Dibromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dibromomethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichlorobenzene-1,2 | 26-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW14-P | Dichlorobenzene-1,2 | 26-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW14 | Dichlorobenzene-1,3 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichlorobenzene-1,3 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichlorobenzene-1,4 | 26-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Dichlorobenzene-1,4 | 26-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW14 | Dichlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14-P | Dichlorobromomethane | 26-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW14 | Dichlorodifluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichlorodifluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichloroethane-1,1 | 26-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW14-P | Dichloroethane-1,1 | 26-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW14 | Dichloroethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-P | Dichloroethane-1,2 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW14 | Dichloroethene-1,2 trans | 26-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW14-P | Dichloroethene-1,2 trans | 26-Jan-12 | 0.08 J ug/L | | 100 ug/L | | 100 ug/L | |
| HW14 | Dichloroethylene-1,1 | 26-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW14-P | Dichloroethylene-1,1 | 26-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW14 | Dichloroethylene-1,2 cis | 26-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW14-P | Dichloroethylene-1,2 cis | 26-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW14 | Dichloropropane, 1,2- | 26-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-P | Dichloropropane, 1,2- | 26-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW14 | Dichloropropane, 1,3- | 26-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW14-P | Dichloropropane, 1,3- | 26-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW14 | Dichloropropane, 2,2- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichloropropane, 2,2- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichloropropene, 1,1- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichloropropene, 1,1- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichloropropene, 1,3 cis- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichloropropene, 1,3 cis- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Dichloropropene, 1,3 trans- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Dichloropropene, 1,3 trans- | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Ethylbenzene | 26-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW14-P | Ethylbenzene | 26-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW14 | Freon 113 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Freon 113 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Hexanone, 2- | 26-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW14-P | Hexanone, 2- | 26-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW14 | Isopropylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Isopropylbenzene | 26-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14 | Isopropylbenzene-4,methyl-1 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Isopropylbenzene-4,methyl-1 | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | m,p-Xylene | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW14-P | m,p-Xylene | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW14 | Methyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Methyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Methyl bromide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Methyl bromide | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Methyl chloride | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Methyl chloride | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Methyl cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Methyl cyclohexane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Methyl ethyl ketone | 26-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW14-P | Methyl ethyl ketone | 26-Jan-12 | 1 J ug/L | 4900 ug/L | | | | |
| HW14 | Methyl tertiary butyl ether (MTBE) | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Methyl tertiary butyl ether (MTBE) | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Methylene chloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14-P | Methylene chloride | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14 | Propylbenzene-n | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Propylbenzene-n | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Styrene | 26-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW14-P | Styrene | 26-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW14 | Tetrachloroethane, 1,1,1,2- | 26-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW14-P | Tetrachloroethane, 1,1,1,2- | 26-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW14 | Tetrachloroethane, 1,1,2,2- | 26-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW14-P | Tetrachloroethane, 1,1,2,2- | 26-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW14 | Tetrachloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14-P | Tetrachloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14 | Toluene | 26-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW14-P | Toluene | 26-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW14 | Trichlorobenzene-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW14-P | Trichlorobenzene-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW14 | Trichlorobenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW14-P | Trichlorobenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW14 | Trichloroethane-1,1,1 | 26-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW14-P | Trichloroethane-1,1,1 | 26-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW14 | Trichloroethane-1,1,2 | 26-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW14-P | Trichloroethane-1,1,2 | 26-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW14 | Trichloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14-P | Trichloroethylene | 26-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW14 | Trichlorofluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Trichlorofluoromethane | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Trichloropropane-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW14-P | Trichloropropane-1,2,3 | 26-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW14 | Trimethylbenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW14-P | Trimethylbenzene-1,2,4 | 26-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW14 | Trimethylbenzene-1,3,5 | 26-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW14-P | Trimethylbenzene-1,3,5 | 26-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW14 | Vinyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14-P | Vinyl acetate | 26-Jan-12 | 0.5 U ug/L | | | | | |
| HW14 | Vinyl chloride | 26-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW14-P | Vinyl chloride | 26-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW14 | Xylene-o | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW14-P | Xylene-o | 26-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW14 | Nitrogen, Nitrite + Nitrate | 26-Jan-12 | 1.48 mg/L | | 10 mg/L | | 10 mg/L | |
| HW14-P | Nitrogen, Nitrite + Nitrate | 26-Jan-12 | 1.33 mg/L | | 10 mg/L | | 10 mg/L | |
| HW14 | Total Nitrogen | 26-Jan-12 | 1.31 mg/L | | | | | |
| HW14-P | Total Nitrogen | 26-Jan-12 | 1.48 mg/L | | | | | |
| HW14 | Total Phosphorus as P | 26-Jan-12 | 0.05 U mg/L | | | | | |
| HW14-P | Total Phosphorus as P | 26-Jan-12 | 0.05 U mg/L | | | | | |
| HW15a | 1-Butanol | 07-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW15a-P | 1-Butanol | 07-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW15a | 1-Propanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a-P | 1-Propanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a | 2-Butanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a-P | 2-Butanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a | Ethanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a-P | Ethanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW15a | Methanol | 07-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW15a-P | Methanol | 07-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Anionic Surfactants | 07-Feb-12 | 0.01 U mg/L | | | | | |
| HW15a-P | Anionic Surfactants | 07-Feb-12 | 0.01 U mg/L | | | | | |
| HW15a | Heterotrophic Plate Count | 07-Feb-12 | R cfu/1mL | | | | | |
| HW15a-P | Heterotrophic Plate Count | 07-Feb-12 | R cfu/1mL | | | | | |
| HW15a | Total Coliform Bacteria | 07-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW15a-P | Total Coliform Bacteria | 07-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW15a | Ethane | 07-Feb-12 | 130 ug/L | | | | | |
| HW15a-P | Ethane | 07-Feb-12 | 1.2 U ug/L | | | | | |
| HW15a | Ethene | 07-Feb-12 | 1.1 U ug/L | | | | | |
| HW15a-P | Ethene | 07-Feb-12 | 1.1 U ug/L | | | | | |
| HW15a | Methane | 07-Feb-12 | 14000 ug/L | 28000 ug/L | | | | |
| HW15a-P | Methane | 07-Feb-12 | 27 ug/L | 28000 ug/L | | | | |
| HW15a | 2-Butoxyethanol | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | 2-Butoxyethanol | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | 2-Methoxyethanol | 07-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW15a | 2-Methoxyethanol | 07-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW15a-P | 2-Methoxyethanol | 07-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW15a-P | 2-Methoxyethanol | 07-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW15a | Diethylene Glycol | 07-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW15a-P | Diethylene Glycol | 07-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW15a | Ethylene Glycol | 07-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW15a-p | Ethylene Glycol | 07-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW15a | Tetraethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW15a-P | Tetraethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW15a | Triethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW15a-P | Triethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW15a | Bromide | 07-Feb-12 | 0.5 U mg/L | | | | | |
| HW15a-P | Bromide | 07-Feb-12 | 0.5 U mg/L | | | | | |
| HW15a | Chloride | 07-Feb-12 | 15.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW15a-P | Chloride | 07-Feb-12 | 15 mg/L | | | 250 mg/L | | 250 mg/L |
| HW15a | Fluoride | 07-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW15a-P | Fluoride | 07-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW15a | Sulfate | 07-Feb-12 | 3.95 mg/L | | | 250 mg/L | | 250 mg/L |
| HW15a-P | Sulfate | 07-Feb-12 | 3.74 mg/L | | | 250 mg/L | | 250 mg/L |
| HW15a | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-F | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a-P | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a-PF | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW15a-F | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW15a-P | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW15a-PF | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW15a | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a-F | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a-P | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a-PF | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a | Arsenic | 07-Feb-12 | 5.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW15a-F | Arsenic | 07-Feb-12 | 4.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW15a-P | Arsenic | 07-Feb-12 | 3.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW15a-PF | Arsenic | 07-Feb-12 | 2.8 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW15a | Barium | 07-Feb-12 | 582 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW15a-F | Barium | 07-Feb-12 | 545 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW15a-P | Barium | 07-Feb-12 | 18.4 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW15a-PF | Barium | 07-Feb-12 | 19.5 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW15a | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW15a-F | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW15a-P | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW15a-PF | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW15a | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW15a-F | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW15a-P | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW15a-PF | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW15a | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-F | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-P | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-PF | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a | Calcium | 07-Feb-12 | 31900 ug/L | | | | | |
| HW15a-F | Calcium | 07-Feb-12 | 31900 ug/L | | | | | |
| HW15a-P | Calcium | 07-Feb-12 | 1560 ug/L | | | | | |
| HW15a-PF | Calcium | 07-Feb-12 | 1560 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW15a-F | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW15a-P | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW15a-PF | Chromium | 07-Feb-12 | 2.2 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW15a | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW15a-F | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW15a-P | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW15a-PF | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW15a | Copper | 07-Feb-12 | 2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW15a-F | Copper | 07-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW15a-P | Copper | 07-Feb-12 | 13.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW15a-PF | Copper | 07-Feb-12 | 11.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW15a | Iron | 07-Feb-12 | 109 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW15a-F | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW15a-P | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW15a-PF | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW15a | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW15a-F | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW15a-P | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW15a-PF | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW15a | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW15a-F | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW15a-P | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW15a-PF | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW15a | Magnesium | 07-Feb-12 | 10300 ug/L | | | | | |
| HW15a-F | Magnesium | 07-Feb-12 | 10000 ug/L | | | | | |
| HW15a-P | Magnesium | 07-Feb-12 | 629 ug/L | | | | | |
| HW15a-PF | Magnesium | 07-Feb-12 | 632 ug/L | | | | | |
| HW15a | Manganese | 07-Feb-12 | 157 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW15a-F | Manganese | 07-Feb-12 | 160 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW15a-P | Manganese | 07-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW15a-PF | Manganese | 07-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW15a | Nickel | 07-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW15a-F | Nickel | 07-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW15a-P | Nickel | 07-Feb-12 | 1 U ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-PF | Nickel | 07-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW15a | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW15a-F | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW15a-P | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW15a-PF | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW15a | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a-F | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a-P | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a-PF | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW15a-F | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW15a-P | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW15a-PF | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW15a | Sodium | 07-Feb-12 | 16900 ug/L | 20000 ug/L | | | | |
| HW15a-F | Sodium | 07-Feb-12 | 16200 ug/L | 20000 ug/L | | | | |
| HW15a-P | Sodium | 07-Feb-12 | 64600 ug/L | 20000 ug/L | | | | |
| HW15a-PF | Sodium | 07-Feb-12 | 66000 ug/L | 20000 ug/L | | | | |
| HW15a | Strontium | 07-Feb-12 | 803 ug/L | 9300 ug/L | | | | |
| HW15a-F | Strontium | 07-Feb-12 | 789 ug/L | 9300 ug/L | | | | |
| HW15a-P | Strontium | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a-PF | Strontium | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a-F | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a-P | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a-PF | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW15a | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a-F | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a-P | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a-PF | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW15a | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW15a-F | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW15a-P | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW15a-PF | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW15a | Uranium | 07-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW15a-F | Uranium | 07-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-P | Uranium | 07-Feb-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW15a-PF | Uranium | 07-Feb-12 | 1.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW15a | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW15a-F | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW15a-P | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW15a-PF | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW15a | Zinc | 07-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW15a-F | Zinc | 07-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW15a-P | Zinc | 07-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW15a-PF | Zinc | 07-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW15a | Oil and Grease | 07-Feb-12 | 5.4 U mg/L | | | | | |
| HW15a-P | Oil and Grease | 07-Feb-12 | 5 UJ mg/L | | | | | |
| HW15a | Total Dissolved Solids | 07-Feb-12 | 158 mg/L | | | 500 mg/L | | 500 mg/L |
| HW15a-P | Total Dissolved Solids | 07-Feb-12 | 175 mg/L | | | 500 mg/L | | 500 mg/L |
| HW15a | Total Suspended Solids | 07-Feb-12 | 10 U mg/L | | | | | |
| HW15a-P | Total Suspended Solids | 07-Feb-12 | 10 U mg/L | | | | | |
| HW15a | 1-Methylnaphthalene | 07-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW15a-P | 1-Methylnaphthalene | 07-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW15a | Acenaphthene | 07-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW15a-P | Acenaphthene | 07-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW15a | Acenaphthylene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Acenaphthylene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Acetophenone | 07-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW15a-P | Acetophenone | 07-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW15a | Anthracene | 07-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW15a-P | Anthracene | 07-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW15a | Atrazine | 07-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW15a-P | Atrazine | 07-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW15a | Benzo(a)anthracene | 07-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW15a-P | Benzo(a)anthracene | 07-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW15a | Benzo(a)pyrene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW15a-P | Benzo(a)pyrene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW15a | Biphenyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Biphenyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Bromophenyl-4 Phenyl Ether | 07-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-P | Bromophenyl-4 Phenyl Ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Butylbenzyl phthalate | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW15a-P | Butylbenzyl phthalate | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW15a | Caprolactam | 07-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW15a-P | Caprolactam | 07-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW15a | Carbazole | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Carbazole | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Chlorobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW15a-P | Chlorobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW15a | Chloronaphthalene-2 | 07-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW15a-P | Chloronaphthalene-2 | 07-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW15a | Chlorophenol-2 | 07-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW15a-P | Chlorophenol-2 | 07-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW15a | Chlorophenyl-4 phenyl ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Chlorophenyl-4 phenyl ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Chrysene | 07-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW15a-P | Chrysene | 07-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW15a | Cresol, parachloro meta- | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Cresol, parachloro meta- | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Cresol-4,6-dinitro-ortho | 07-Feb-12 | 10 U ug/L | | | | | |
| HW15a-P | Cresol-4,6-dinitro-ortho | 07-Feb-12 | 10 U ug/L | | | | | |
| HW15a | Cresol-o | 07-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW15a-P | Cresol-o | 07-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW15a | Cresol-p | 07-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW15a-P | Cresol-p | 07-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW15a | Dibenz(a,h)anthracene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW15a-P | Dibenz(a,h)anthracene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW15a | Dibenzofuran | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Dibenzofuran | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Dichlorobenzidine-3,3' | 07-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW15a-P | Dichlorobenzidine-3,3' | 07-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW15a | Dichlorophenol-2,4 | 07-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW15a-P | Dichlorophenol-2,4 | 07-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW15a | Dimethylphenol, 2,4- | 07-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW15a-P | Dimethylphenol, 2,4- | 07-Feb-12 | 5 U ug/L | 270 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Dinitrophenol-2,4 | 07-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW15a-P | Dinitrophenol-2,4 | 07-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW15a | Dinitrotoluene-2,4 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Dinitrotoluene-2,4 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Dinitrotoluene-2,6 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Dinitrotoluene-2,6 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Ether, bis(2-chloroethyl) | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW15a-P | Ether, bis(2-chloroethyl) | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW15a | Ether-bis(2-chloroisopropyl) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Ether-bis(2-chloroisopropyl) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Fluoranthene | 07-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW15a-P | Fluoranthene | 07-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW15a | Fluoranthene benzo(k) | 07-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW15a-P | Fluoranthene benzo(k) | 07-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW15a | Fluoranthene-benzo(b) | 07-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW15a-P | Fluoranthene-benzo(b) | 07-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW15a | Fluorene | 07-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW15a-P | Fluorene | 07-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW15a | Hexachlorobenzene | 07-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW15a-P | Hexachlorobenzene | 07-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW15a | Hexachlorobutadiene | 07-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW15a | Hexachlorobutadiene | 07-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW15a-P | Hexachlorobutadiene | 07-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW15a-P | Hexachlorobutadiene | 07-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW15a | Hexachlorocyclopentadiene | 07-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a-P | Hexachlorocyclopentadiene | 07-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW15a | Hexachloroethane | 07-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW15a-P | Hexachloroethane | 07-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW15a | Isophorone | 07-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW15a-P | Isophorone | 07-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW15a | Methane, bis(2-chloroethoxy) | 07-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW15a-P | Methane, bis(2-chloroethoxy) | 07-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW15a | Methylnaphthalene-2 | 07-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW15a-P | Methylnaphthalene-2 | 07-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW15a | Naphthalene | 07-Feb-12 | 5 U ug/L | 14 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Naphthalene | 07-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW15a-P | Naphthalene | 07-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW15a-P | Naphthalene | 07-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW15a | Nitroaniline, ortho | 07-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW15a-P | Nitroaniline, ortho | 07-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW15a | Nitroaniline-3 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Nitroaniline-3 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Nitrobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW15a-P | Nitrobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW15a | Nitrobenzene | 07-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW15a-P | Nitrobenzene | 07-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW15a | Nitrophenol-2 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Nitrophenol-2 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Nitrophenol-4 | 07-Feb-12 | 10 U ug/L | | | | | |
| HW15a-P | Nitrophenol-4 | 07-Feb-12 | 10 U ug/L | | | | | |
| HW15a | Nitrosodimethylamine-n | 07-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW15a-P | Nitrosodimethylamine-n | 07-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW15a | Nitrosodiphenylamine-n | 07-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW15a-P | Nitrosodiphenylamine-n | 07-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW15a | Pentachlorophenol | 07-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW15a-P | Pentachlorophenol | 07-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW15a | Perylene-benzo(ghi) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Perylene-benzo(ghi) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Phenanthrene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Phenanthrene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a | Phenol | 07-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW15a-P | Phenol | 07-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW15a | Phthalate, bis(2-ethylhexyl) (DEHP) | 07-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 07-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW15a | Phthalate, Dimethyl | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW15a-P | Phthalate, Dimethyl | 07-Feb-12 | 0.01 J ug/L | 1400 ug/L | | | | |
| HW15a | Phthalate, di-n-butyl- | 07-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW15a-P | Phthalate, di-n-butyl- | 07-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW15a | Phthalate, di-n-octyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW15a-P | Phthalate, di-n-octyl | 07-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Phthalate-diethyl | 07-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW15a-P | Phthalate-diethyl | 07-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW15a | Propylamine,n-nitroso di-n- | 07-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW15a-P | Propylamine,n-nitroso di-n- | 07-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW15a | Pyrene | 07-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW15a-P | Pyrene | 07-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW15a | Pyrene-indeno(1,2,3-cd) | 07-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW15a-P | Pyrene-indeno(1,2,3-cd) | 07-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW15a | Tetrachlorobenzene, 1,2,4,5- | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW15a-P | Tetrachlorobenzene, 1,2,4,5- | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW15a | Tetrachlorophenol, 2,3,4,6- | 07-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW15a-P | Tetrachlorophenol, 2,3,4,6- | 07-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW15a | Trichlorophenol-2,4,5 | 07-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW15a-P | Trichlorophenol-2,4,5 | 07-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW15a | Trichlorophenol-2,4,6 | 07-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW15a-P | Trichlorophenol-2,4,6 | 07-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW15a | TPH - Diesel Range Organics | 07-Feb-12 | 250 U ug/L | | | | | |
| HW15a-P | TPH - Diesel Range Organics | 07-Feb-12 | 240 U ug/L | | | | | |
| HW15a | TPH - Gasoline Range Organics | 07-Feb-12 | 50 U ug/L | | | | | |
| HW15a-P | TPH - Gasoline Range Organics | 07-Feb-12 | 50 U ug/L | | | | | |
| HW15a | TPH - Oil Range Organics | 07-Feb-12 | 1000 U ug/L | | | | | |
| HW15a-P | TPH - Oil Range Organics | 07-Feb-12 | 950 U ug/L | | | | | |
| HW15a | 1,2-Dibromo-3-chloropropane (DBCP) | 07-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW15a-P | 1,2-Dibromo-3-chloropropane (DBCP) | 07-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW15a | 4-Methyl-2-pentanone | 07-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW15a-P | 4-Methyl-2-pentanone | 07-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW15a | Acetone | 07-Feb-12 | 2 U ug/L | | | | | |
| HW15a-P | Acetone | 07-Feb-12 | 3.3 U ug/L | | | | | |
| HW15a | Benzene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a-P | Benzene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a | Bromobenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Bromobenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Bromoform | 07-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a-P | Bromoform | 07-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a | Butylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-P | Butylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Butylbenzene, sec- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Butylbenzene, sec- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Butylbenzene, tert- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Butylbenzene, tert- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Carbon disulfide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Carbon disulfide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Carbon Tetrachloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a-P | Carbon Tetrachloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a | Chlorobenzene | 07-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW15a-P | Chlorobenzene | 07-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW15a | Chlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Chlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Chloroethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Chloroethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Chloroform | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a-P | Chloroform | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a | Chlorotoluene | 07-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW15a-P | Chlorotoluene | 07-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW15a | Chlorotoluene-p | 07-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW15a-P | Chlorotoluene-p | 07-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW15a | Cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dibromochloromethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a-P | Dibromochloromethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a | Dibromoethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW15a-P | Dibromoethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW15a | Dibromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dibromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichlorobenzene-1,2 | 07-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW15a-P | Dichlorobenzene-1,2 | 07-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW15a | Dichlorobenzene-1,3 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichlorobenzene-1,3 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichlorobenzene-1,4 | 07-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW15a-P | Dichlorobenzene-1,4 | 07-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Dichlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a-P | Dichlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW15a | Dichlorodifluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichlorodifluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichloroethane-1,1 | 07-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW15a-P | Dichloroethane-1,1 | 07-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW15a | Dichloroethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-P | Dichloroethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a | Dichloroethene-1,2 trans | 07-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW15a-P | Dichloroethene-1,2 trans | 07-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW15a | Dichloroethylene-1,1 | 07-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW15a-P | Dichloroethylene-1,1 | 07-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW15a | Dichloroethylene-1,2 cis | 07-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW15a-P | Dichloroethylene-1,2 cis | 07-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW15a | Dichloropropane, 1,2- | 07-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-P | Dichloropropane, 1,2- | 07-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a | Dichloropropane, 1,3- | 07-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW15a-P | Dichloropropane, 1,3- | 07-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW15a | Dichloropropane, 2,2- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichloropropane, 2,2- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichloropropene, 1,1- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichloropropene, 1,1- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichloropropene, 1,3 cis- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichloropropene, 1,3 cis- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Dichloropropene, 1,3 trans- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Dichloropropene, 1,3 trans- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Ethylbenzene | 07-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW15a-P | Ethylbenzene | 07-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW15a | Freon 113 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Freon 113 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Hexanone, 2- | 07-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW15a-P | Hexanone, 2- | 07-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW15a | Isopropylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Isopropylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Isopropylbenzene-4,methyl-1 | 07-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a-P | Isopropylbenzene-4,methyl-1 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | m,p-Xylene | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW15a-P | m,p-Xylene | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW15a | Methyl acetate | 07-Feb-12 | 1 U ug/L | | | | | |
| HW15a-P | Methyl acetate | 07-Feb-12 | 1 U ug/L | | | | | |
| HW15a | Methyl bromide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Methyl bromide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Methyl chloride | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Methyl chloride | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Methyl cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Methyl cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Methyl ethyl ketone | 07-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW15a-P | Methyl ethyl ketone | 07-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW15a | Methyl tertiary butyl ether (MTBE) | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Methyl tertiary butyl ether (MTBE) | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Methylene chloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a-P | Methylene chloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a | Propylbenzene-n | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Propylbenzene-n | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Styrene | 07-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW15a-P | Styrene | 07-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW15a | Tetrachloroethane, 1,1,1,2- | 07-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW15a-P | Tetrachloroethane, 1,1,1,2- | 07-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW15a | Tetrachloroethane, 1,1,2,2- | 07-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW15a-P | Tetrachloroethane, 1,1,2,2- | 07-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW15a | Tetrachloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a-P | Tetrachloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a | Toluene | 07-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW15a-P | Toluene | 07-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW15a | Trichlorobenzene-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW15a-P | Trichlorobenzene-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW15a | Trichlorobenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW15a-P | Trichlorobenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW15a | Trichloroethane-1,1,1 | 07-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW15a-P | Trichloroethane-1,1,1 | 07-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW15a | Trichloroethane-1,1,2 | 07-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a-P | Trichloroethane-1,1,2 | 07-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW15a | Trichloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a-P | Trichloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW15a | Trichlorofluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Trichlorofluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Trichloropropane-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW15a-P | Trichloropropane-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW15a | Trimethylbenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW15a-P | Trimethylbenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW15a | Trimethylbenzene-1,3,5 | 07-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW15a-P | Trimethylbenzene-1,3,5 | 07-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW15a | Vinyl acetate | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a-P | Vinyl acetate | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW15a | Vinyl chloride | 07-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW15a-P | Vinyl chloride | 07-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW15a | Xylene-o | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW15a-P | Xylene-o | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW15a | Nitrogen, Nitrite + Nitrate | 07-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW15a-P | Nitrogen, Nitrite + Nitrate | 07-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW15a | Total Nitrogen | 07-Feb-12 | 1 U mg/L | | | | | |
| HW15a-P | Total Nitrogen | 07-Feb-12 | 1 UJ mg/L | | | | | |
| HW15a | Total Phosphorus as P | 07-Feb-12 | 0.05 U mg/L | | | | | |
| HW15a-P | Total Phosphorus as P | 07-Feb-12 | 0.05 U mg/L | | | | | |
| HW16 | 1-Butanol | 10-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW16-P | 1-Butanol | 10-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW16z | 1-Butanol | 10-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW16 | 1-Propanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16-P | 1-Propanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16z | 1-Propanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16 | 2-Butanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16-P | 2-Butanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16z | 2-Butanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16 | Ethanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16-P | Ethanol | 10-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z | Ethanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW16 | Methanol | 10-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW16-P | Methanol | 10-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW16z | Methanol | 10-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW16 | Anionic Surfactants | 10-Feb-12 | 0.023 mg/L | | | | | |
| HW16-P | Anionic Surfactants | 10-Feb-12 | 0.01 U mg/L | | | | | |
| HW16z | Anionic Surfactants | 10-Feb-12 | 0.023 mg/L | | | | | |
| HW16 | Heterotrophic Plate Count | 10-Feb-12 | R cfu/1mL | | | | | |
| HW16-P | Heterotrophic Plate Count | 10-Feb-12 | R cfu/1mL | | | | | |
| HW16z | Heterotrophic Plate Count | 10-Feb-12 | R cfu/1mL | | | | | |
| HW16 | Total Coliform Bacteria | 10-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW16-P | Total Coliform Bacteria | 10-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW16z | Total Coliform Bacteria | 10-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW16 | Ethane | 10-Feb-12 | 11 ug/L | | | | | |
| HW16-P | Ethane | 10-Feb-12 | 1.2 U ug/L | | | | | |
| HW16z | Ethane | 10-Feb-12 | 10 ug/L | | | | | |
| HW16 | Ethene | 10-Feb-12 | 1.1 U ug/L | | | | | |
| HW16-P | Ethene | 10-Feb-12 | 1.1 U ug/L | | | | | |
| HW16z | Ethene | 10-Feb-12 | 1.1 U ug/L | | | | | |
| HW16 | Methane | 10-Feb-12 | 25000 ug/L | 28000 ug/L | | | | |
| HW16-P | Methane | 10-Feb-12 | 380 ug/L | 28000 ug/L | | | | |
| HW16z | Methane | 10-Feb-12 | 26000 ug/L | 28000 ug/L | | | | |
| HW16 | 2-Butoxyethanol | 10-Feb-12 | 5 U ug/L | | | | | |
| HW16-P | 2-Butoxyethanol | 10-Feb-12 | 5 U ug/L | | | | | |
| HW16z | 2-Butoxyethanol | 10-Feb-12 | 5 U ug/L | | | | | |
| HW16 | 2-Methoxyethanol | 10-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW16 | 2-Methoxyethanol | 10-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW16-P | 2-Methoxyethanol | 10-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW16-P | 2-Methoxyethanol | 10-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW16z | 2-Methoxyethanol | 10-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW16z | 2-Methoxyethanol | 10-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW16 | Diethylene Glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16-P | Diethylene Glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16z | Diethylene Glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16 | Ethylene Glycol | 10-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | Ethylene Glycol | 10-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW16z | Ethylene Glycol | 10-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW16 | Tetraethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16-P | Tetraethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16z | Tetraethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16 | Triethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16-P | Triethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16z | Triethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW16 | Bromide | 10-Feb-12 | 0.856 mg/L | | | | | |
| HW16-P | Bromide | 10-Feb-12 | 0.857 mg/L | | | | | |
| HW16z | Bromide | 10-Feb-12 | 0.851 mg/L | | | | | |
| HW16 | Chloride | 10-Feb-12 | 94.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW16-P | Chloride | 10-Feb-12 | 94.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW16z | Chloride | 10-Feb-12 | 93.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW16 | Fluoride | 10-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW16-P | Fluoride | 10-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW16z | Fluoride | 10-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW16 | Sulfate | 10-Feb-12 | 0.628 mg/L | | | 250 mg/L | | 250 mg/L |
| HW16-P | Sulfate | 10-Feb-12 | 0.5 U mg/L | | | 250 mg/L | | 250 mg/L |
| HW16z | Sulfate | 10-Feb-12 | 0.595 mg/L | | | 250 mg/L | | 250 mg/L |
| HW16 | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-F | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-P | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-PF | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16z | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16z-F | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW16 | Aluminum | 10-Feb-12 | 102 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16-F | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16-P | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16-PF | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16z | Aluminum | 10-Feb-12 | 95.4 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16z-F | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW16 | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW16-F | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW16-P | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-PF | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW16z | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW16z-F | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW16 | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16-F | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16-P | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16-PF | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16z | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16z-F | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW16 | Barium | 10-Feb-12 | 2910 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16-F | Barium | 10-Feb-12 | 2870 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16-P | Barium | 10-Feb-12 | 2850 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16-PF | Barium | 10-Feb-12 | 2860 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16z | Barium | 10-Feb-12 | 2890 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16z-F | Barium | 10-Feb-12 | 3040 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW16 | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16-F | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16-P | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16-PF | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16z | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16z-F | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW16 | Boron | 10-Feb-12 | 88.4 ug/L | 3100 ug/L | | | | |
| HW16-F | Boron | 10-Feb-12 | 83.8 ug/L | 3100 ug/L | | | | |
| HW16-P | Boron | 10-Feb-12 | 85.6 ug/L | 3100 ug/L | | | | |
| HW16-PF | Boron | 10-Feb-12 | 86.2 ug/L | 3100 ug/L | | | | |
| HW16z | Boron | 10-Feb-12 | 91.5 ug/L | 3100 ug/L | | | | |
| HW16z-F | Boron | 10-Feb-12 | 89.1 ug/L | 3100 ug/L | | | | |
| HW16 | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-F | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-P | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-PF | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16z | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16z-F | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW16 | Calcium | 10-Feb-12 | 35000 ug/L | | | | | |
| HW16-F | Calcium | 10-Feb-12 | 34700 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | Calcium | 10-Feb-12 | 34500 ug/L | | | | | |
| HW16-PF | Calcium | 10-Feb-12 | 34800 ug/L | | | | | |
| HW16z | Calcium | 10-Feb-12 | 34900 ug/L | | | | | |
| HW16z-F | Calcium | 10-Feb-12 | 36700 ug/L | | | | | |
| HW16 | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16-F | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16-P | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16-PF | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16z | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16z-F | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW16 | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16-F | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16-P | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16-PF | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16z | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16z-F | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW16 | Copper | 10-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16-F | Copper | 10-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16-P | Copper | 10-Feb-12 | 3.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16-PF | Copper | 10-Feb-12 | 3.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16z | Copper | 10-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16z-F | Copper | 10-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW16 | Iron | 10-Feb-12 | 464 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16-F | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16-P | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16-PF | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16z | Iron | 10-Feb-12 | 415 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16z-F | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW16 | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16-F | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16-P | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16-PF | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16z | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16z-F | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW16 | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-F | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW16-P | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW16-PF | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW16z | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW16z-F | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW16 | Magnesium | 10-Feb-12 | 10200 ug/L | | | | | |
| HW16-F | Magnesium | 10-Feb-12 | 10100 ug/L | | | | | |
| HW16-P | Magnesium | 10-Feb-12 | 9980 ug/L | | | | | |
| HW16-PF | Magnesium | 10-Feb-12 | 10100 ug/L | | | | | |
| HW16z | Magnesium | 10-Feb-12 | 10100 ug/L | | | | | |
| HW16z-F | Magnesium | 10-Feb-12 | 10700 ug/L | | | | | |
| HW16 | Manganese | 10-Feb-12 | 64.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16-F | Manganese | 10-Feb-12 | 62 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16-P | Manganese | 10-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16-PF | Manganese | 10-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16z | Manganese | 10-Feb-12 | 64.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16z-F | Manganese | 10-Feb-12 | 55.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW16 | Nickel | 10-Feb-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW16-F | Nickel | 10-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW16-P | Nickel | 10-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW16-PF | Nickel | 10-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW16z | Nickel | 10-Feb-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW16z-F | Nickel | 10-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW16 | Potassium | 10-Feb-12 | 2110 ug/L | | | | | |
| HW16-F | Potassium | 10-Feb-12 | 2030 ug/L | | | | | |
| HW16-P | Potassium | 10-Feb-12 | 2040 ug/L | | | | | |
| HW16-PF | Potassium | 10-Feb-12 | 2030 ug/L | | | | | |
| HW16z | Potassium | 10-Feb-12 | 2100 ug/L | | | | | |
| HW16z-F | Potassium | 10-Feb-12 | 2120 ug/L | | | | | |
| HW16 | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW16-F | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW16-P | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW16-PF | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW16z | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW16z-F | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16-F | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16-P | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16-PF | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16z | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16z-F | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW16 | Sodium | 10-Feb-12 | 50200 ug/L | 20000 ug/L | | | | |
| HW16-F | Sodium | 10-Feb-12 | 49500 ug/L | 20000 ug/L | | | | |
| HW16-P | Sodium | 10-Feb-12 | 50200 ug/L | 20000 ug/L | | | | |
| HW16-PF | Sodium | 10-Feb-12 | 49500 ug/L | 20000 ug/L | | | | |
| HW16z | Sodium | 10-Feb-12 | 50200 ug/L | 20000 ug/L | | | | |
| HW16z-F | Sodium | 10-Feb-12 | 52000 ug/L | 20000 ug/L | | | | |
| HW16 | Strontium | 10-Feb-12 | 1800 ug/L | 9300 ug/L | | | | |
| HW16-F | Strontium | 10-Feb-12 | 1770 ug/L | 9300 ug/L | | | | |
| HW16-P | Strontium | 10-Feb-12 | 1790 ug/L | 9300 ug/L | | | | |
| HW16-PF | Strontium | 10-Feb-12 | 1760 ug/L | 9300 ug/L | | | | |
| HW16z | Strontium | 10-Feb-12 | 1800 ug/L | 9300 ug/L | | | | |
| HW16z-F | Strontium | 10-Feb-12 | 1870 ug/L | 9300 ug/L | | | | |
| HW16 | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-F | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-P | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16-PF | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16z | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16z-F | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW16 | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16-F | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16-P | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16-PF | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16z | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16z-F | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW16 | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW16-F | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW16-P | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW16-PF | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW16z | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z-F | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW16 | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16-F | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16-P | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16-PF | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16z | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16z-F | Uranium | 10-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW16 | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16-F | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16-P | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16-PF | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16z | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16z-F | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW16 | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16-F | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16-P | Zinc | 10-Feb-12 | 24.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16-PF | Zinc | 10-Feb-12 | 24.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16z | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16z-F | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW16 | Oil and Grease | 10-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW16-P | Oil and Grease | 10-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW16z | Oil and Grease | 10-Feb-12 | 5.4 UJ mg/L | | | | | |
| HW16 | Total Dissolved Solids | 10-Feb-12 | 258 mg/L | | | 500 mg/L | | 500 mg/L |
| HW16-P | Total Dissolved Solids | 10-Feb-12 | 239 mg/L | | | 500 mg/L | | 500 mg/L |
| HW16z | Total Dissolved Solids | 10-Feb-12 | 270 mg/L | | | 500 mg/L | | 500 mg/L |
| HW16 | Total Suspended Solids | 10-Feb-12 | 10 U mg/L | | | | | |
| HW16-P | Total Suspended Solids | 10-Feb-12 | 10 U mg/L | | | | | |
| HW16z | Total Suspended Solids | 10-Feb-12 | 10 U mg/L | | | | | |
| HW16 | 1-Methylnaphthalene | 10-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW16-P | 1-Methylnaphthalene | 10-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW16z | 1-Methylnaphthalene | 10-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW16 | Acenaphthene | 10-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW16-P | Acenaphthene | 10-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW16z | Acenaphthene | 10-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW16 | Acenaphthylene | 10-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | Acenaphthylene | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Acenaphthylene | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Acetophenone | 10-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW16-P | Acetophenone | 10-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW16z | Acetophenone | 10-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW16 | Anthracene | 10-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW16-P | Anthracene | 10-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW16z | Anthracene | 10-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW16 | Atrazine | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW16-P | Atrazine | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW16z | Atrazine | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW16 | Benzo(a)anthracene | 10-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW16-P | Benzo(a)anthracene | 10-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW16z | Benzo(a)anthracene | 10-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW16 | Benzo(a)pyrene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16-P | Benzo(a)pyrene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16z | Benzo(a)pyrene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16 | Biphenyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Biphenyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Biphenyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Bromophenyl-4 Phenyl Ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Bromophenyl-4 Phenyl Ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Bromophenyl-4 Phenyl Ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Butylbenzyl phthalate | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16-P | Butylbenzyl phthalate | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16z | Butylbenzyl phthalate | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16 | Caprolactam | 10-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW16-P | Caprolactam | 10-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW16z | Caprolactam | 10-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW16 | Carbazole | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Carbazole | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Carbazole | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Chlorobenzenamine-4 | 10-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW16-P | Chlorobenzenamine-4 | 10-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW16z | Chlorobenzenamine-4 | 10-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Chloronaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW16-P | Chloronaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW16z | Chloronaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW16 | Chlorophenol-2 | 10-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW16-P | Chlorophenol-2 | 10-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW16z | Chlorophenol-2 | 10-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW16 | Chlorophenyl-4 phenyl ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Chlorophenyl-4 phenyl ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Chlorophenyl-4 phenyl ether | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Chrysene | 10-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW16-P | Chrysene | 10-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW16z | Chrysene | 10-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW16 | Cresol, parachloro meta- | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Cresol, parachloro meta- | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Cresol, parachloro meta- | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Cresol-4,6-dinitro-ortho | 10-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW16-P | Cresol-4,6-dinitro-ortho | 10-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW16z | Cresol-4,6-dinitro-ortho | 10-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW16 | Cresol-o | 10-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW16-P | Cresol-o | 10-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW16z | Cresol-o | 10-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW16 | Cresol-p | 10-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW16-P | Cresol-p | 10-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW16z | Cresol-p | 10-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW16 | Dibenz(a,h)anthracene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW16-P | Dibenz(a,h)anthracene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW16z | Dibenz(a,h)anthracene | 10-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW16 | Dibenzofuran | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Dibenzofuran | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Dibenzofuran | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Dichlorobenzidine-3,3' | 10-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW16-P | Dichlorobenzidine-3,3' | 10-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW16z | Dichlorobenzidine-3,3' | 10-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW16 | Dichlorophenol-2,4 | 10-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW16-P | Dichlorophenol-2,4 | 10-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z | Dichlorophenol-2,4 | 10-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW16 | Dimethylphenol, 2,4- | 10-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW16-P | Dimethylphenol, 2,4- | 10-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW16z | Dimethylphenol, 2,4- | 10-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW16 | Dinitrophenol-2,4 | 10-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW16-P | Dinitrophenol-2,4 | 10-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW16z | Dinitrophenol-2,4 | 10-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW16 | Dinitrotoluene-2,4 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Dinitrotoluene-2,4 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Dinitrotoluene-2,4 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Dinitrotoluene-2,6 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Dinitrotoluene-2,6 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Dinitrotoluene-2,6 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Ether, bis(2-chloroethyl) | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16-P | Ether, bis(2-chloroethyl) | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16z | Ether, bis(2-chloroethyl) | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16 | Ether-bis(2-chloroisopropyl) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Ether-bis(2-chloroisopropyl) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Ether-bis(2-chloroisopropyl) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Fluoranthene | 10-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW16-P | Fluoranthene | 10-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW16z | Fluoranthene | 10-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW16 | Fluoranthene benzo(k) | 10-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW16-P | Fluoranthene benzo(k) | 10-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW16z | Fluoranthene benzo(k) | 10-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW16 | Fluoranthene-benzo(b) | 10-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW16-P | Fluoranthene-benzo(b) | 10-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW16z | Fluoranthene-benzo(b) | 10-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW16 | Fluorene | 10-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW16-P | Fluorene | 10-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW16z | Fluorene | 10-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW16 | Hexachlorobenzene | 10-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW16-P | Hexachlorobenzene | 10-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW16z | Hexachlorobenzene | 10-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW16 | Hexachlorobutadiene | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Hexachlorobutadiene | 10-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW16-P | Hexachlorobutadiene | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW16-P | Hexachlorobutadiene | 10-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW16z | Hexachlorobutadiene | 10-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW16z | Hexachlorobutadiene | 10-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW16 | Hexachlorocyclopentadiene | 10-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW16-P | Hexachlorocyclopentadiene | 10-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW16z | Hexachlorocyclopentadiene | 10-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW16 | Hexachloroethane | 10-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW16-P | Hexachloroethane | 10-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW16z | Hexachloroethane | 10-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW16 | Isophorone | 10-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW16-P | Isophorone | 10-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW16z | Isophorone | 10-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW16 | Methane, bis(2-chloroethoxy) | 10-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW16-P | Methane, bis(2-chloroethoxy) | 10-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW16z | Methane, bis(2-chloroethoxy) | 10-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW16 | Methylnaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW16-P | Methylnaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW16z | Methylnaphthalene-2 | 10-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW16 | Naphthalene | 10-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW16 | Naphthalene | 10-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW16-P | Naphthalene | 10-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW16-P | Naphthalene | 10-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW16z | Naphthalene | 10-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW16z | Naphthalene | 10-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW16 | Nitroaniline, ortho | 10-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW16-P | Nitroaniline, ortho | 10-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW16z | Nitroaniline, ortho | 10-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW16 | Nitroaniline-3 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Nitroaniline-3 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Nitroaniline-3 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Nitrobenzenamine-4 | 10-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW16-P | Nitrobenzenamine-4 | 10-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW16z | Nitrobenzenamine-4 | 10-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Nitrobenzene | 10-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW16-P | Nitrobenzene | 10-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW16z | Nitrobenzene | 10-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW16 | Nitrophenol-2 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Nitrophenol-2 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Nitrophenol-2 | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Nitrophenol-4 | 10-Feb-12 | 9.52 U ug/L | | | | | |
| HW16-P | Nitrophenol-4 | 10-Feb-12 | 9.52 U ug/L | | | | | |
| HW16z | Nitrophenol-4 | 10-Feb-12 | 9.52 U ug/L | | | | | |
| HW16 | Nitrosodimethylamine-n | 10-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW16-P | Nitrosodimethylamine-n | 10-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW16z | Nitrosodimethylamine-n | 10-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW16 | Nitrosodiphenylamine-n | 10-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW16-P | Nitrosodiphenylamine-n | 10-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW16z | Nitrosodiphenylamine-n | 10-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW16 | Pentachlorophenol | 10-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW16-P | Pentachlorophenol | 10-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW16z | Pentachlorophenol | 10-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW16 | Perylene-benzo(ghi) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Perylene-benzo(ghi) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Perylene-benzo(ghi) | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Phenanthrene | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Phenanthrene | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Phenanthrene | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Phenol | 10-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW16-P | Phenol | 10-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW16z | Phenol | 10-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW16 | Phthalate, bis(2-ethylhexyl) (DEHP) | 10-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW16-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 10-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW16z | Phthalate, bis(2-ethylhexyl) (DEHP) | 10-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW16 | Phthalate, Dimethyl | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16-P | Phthalate, Dimethyl | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16z | Phthalate, Dimethyl | 10-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW16 | Phthalate, di-n-butyl- | 10-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW16-P | Phthalate, di-n-butyl- | 10-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z | Phthalate, di-n-butyl- | 10-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW16 | Phthalate, di-n-octyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16-P | Phthalate, di-n-octyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16z | Phthalate, di-n-octyl | 10-Feb-12 | 4.76 U ug/L | | | | | |
| HW16 | Phthalate-diethyl | 10-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW16-P | Phthalate-diethyl | 10-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW16z | Phthalate-diethyl | 10-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW16 | Propylamine,n-nitroso di-n- | 10-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW16-P | Propylamine,n-nitroso di-n- | 10-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW16z | Propylamine,n-nitroso di-n- | 10-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW16 | Pyrene | 10-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW16-P | Pyrene | 10-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW16z | Pyrene | 10-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW16 | Pyrene-indeno(1,2,3-cd) | 10-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW16-P | Pyrene-indeno(1,2,3-cd) | 10-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW16z | Pyrene-indeno(1,2,3-cd) | 10-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW16 | Tetrachlorobenzene, 1,2,4,5- | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16-P | Tetrachlorobenzene, 1,2,4,5- | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16z | Tetrachlorobenzene, 1,2,4,5- | 10-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW16 | Tetrachlorophenol, 2,3,4,6- | 10-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW16-P | Tetrachlorophenol, 2,3,4,6- | 10-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW16z | Tetrachlorophenol, 2,3,4,6- | 10-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW16 | Trichlorophenol-2,4,5 | 10-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW16-P | Trichlorophenol-2,4,5 | 10-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW16z | Trichlorophenol-2,4,5 | 10-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW16 | Trichlorophenol-2,4,6 | 10-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW16-P | Trichlorophenol-2,4,6 | 10-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW16z | Trichlorophenol-2,4,6 | 10-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW16 | TPH - Diesel Range Organics | 10-Feb-12 | 250 U ug/L | | | | | |
| HW16-P | TPH - Diesel Range Organics | 10-Feb-12 | 250 U ug/L | | | | | |
| HW16z | TPH - Diesel Range Organics | 10-Feb-12 | 250 U ug/L | | | | | |
| HW16 | TPH - Gasoline Range Organics | 10-Feb-12 | 50 U ug/L | | | | | |
| HW16-P | TPH - Gasoline Range Organics | 10-Feb-12 | 50 U ug/L | | | | | |
| HW16z | TPH - Gasoline Range Organics | 10-Feb-12 | 50 U ug/L | | | | | |
| HW16 | TPH - Oil Range Organics | 10-Feb-12 | 1000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | TPH - Oil Range Organics | 10-Feb-12 | 1000 U ug/L | | | | | |
| HW16z | TPH - Oil Range Organics | 10-Feb-12 | 1000 U ug/L | | | | | |
| HW16 | 1,2-Dibromo-3-chloropropane (DBCP) | 10-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16-P | 1,2-Dibromo-3-chloropropane (DBCP) | 10-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16z | 1,2-Dibromo-3-chloropropane (DBCP) | 10-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW16 | 4-Methyl-2-pentanone | 10-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW16-P | 4-Methyl-2-pentanone | 10-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW16z | 4-Methyl-2-pentanone | 10-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW16 | Acetone | 10-Feb-12 | 2 U ug/L | | | | | |
| HW16-P | Acetone | 10-Feb-12 | 4.2 J ug/L | | | | | |
| HW16z | Acetone | 10-Feb-12 | 2 U ug/L | | | | | |
| HW16 | Benzene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16-P | Benzene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16z | Benzene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16 | Bromobenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Bromobenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Bromobenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Bromoform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16-P | Bromoform | 10-Feb-12 | 2.4 ug/L | | 80 ug/L | | 80 ug/L | |
| HW16z | Bromoform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16 | Butylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Butylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Butylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Butylbenzene, sec- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Butylbenzene, sec- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Butylbenzene, sec- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Butylbenzene, tert- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Butylbenzene, tert- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Butylbenzene, tert- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Carbon disulfide | 10-Feb-12 | 0.05 J ug/L | | | | | |
| HW16-P | Carbon disulfide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Carbon disulfide | 10-Feb-12 | 0.06 J ug/L | | | | | |
| HW16 | Carbon Tetrachloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16-P | Carbon Tetrachloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16z | Carbon Tetrachloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Chlorobenzene | 10-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW16-P | Chlorobenzene | 10-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW16z | Chlorobenzene | 10-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW16 | Chlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Chlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Chlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Chloroethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Chloroethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Chloroethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Chloroform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16-P | Chloroform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16z | Chloroform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16 | Chlorotoluene | 10-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW16-P | Chlorotoluene | 10-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW16z | Chlorotoluene | 10-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW16 | Chlorotoluene-p | 10-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW16-P | Chlorotoluene-p | 10-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW16z | Chlorotoluene-p | 10-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW16 | Cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dibromochloromethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16-P | Dibromochloromethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16z | Dibromochloromethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16 | Dibromoethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW16-P | Dibromoethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW16z | Dibromoethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW16 | Dibromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dibromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dibromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichlorobenzene-1,2 | 10-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW16-P | Dichlorobenzene-1,2 | 10-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW16z | Dichlorobenzene-1,2 | 10-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW16 | Dichlorobenzene-1,3 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dichlorobenzene-1,3 | 10-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z | Dichlorobenzene-1,3 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichlorobenzene-1,4 | 10-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW16-P | Dichlorobenzene-1,4 | 10-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW16z | Dichlorobenzene-1,4 | 10-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW16 | Dichlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16-P | Dichlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16z | Dichlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW16 | Dichlorodifluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dichlorodifluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dichlorodifluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichloroethane-1,1 | 10-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW16-P | Dichloroethane-1,1 | 10-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW16z | Dichloroethane-1,1 | 10-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW16 | Dichloroethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-P | Dichloroethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW16z | Dichloroethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW16 | Dichloroethene-1,2 trans | 10-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW16-P | Dichloroethene-1,2 trans | 10-Feb-12 | 0.5 ug/L | | 100 ug/L | | 100 ug/L | |
| HW16z | Dichloroethene-1,2 trans | 10-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW16 | Dichloroethylene-1,1 | 10-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW16-P | Dichloroethylene-1,1 | 10-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW16z | Dichloroethylene-1,1 | 10-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW16 | Dichloroethylene-1,2 cis | 10-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW16-P | Dichloroethylene-1,2 cis | 10-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW16z | Dichloroethylene-1,2 cis | 10-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW16 | Dichloropropane, 1,2- | 10-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-P | Dichloropropane, 1,2- | 10-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW16z | Dichloropropane, 1,2- | 10-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW16 | Dichloropropane, 1,3- | 10-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW16-P | Dichloropropane, 1,3- | 10-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW16z | Dichloropropane, 1,3- | 10-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW16 | Dichloropropane, 2,2- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dichloropropane, 2,2- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dichloropropane, 2,2- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichloropropene, 1,1- | 10-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | Dichloropropene, 1,1- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dichloropropene, 1,1- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichloropropene, 1,3 cis- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dichloropropene, 1,3 cis- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dichloropropene, 1,3 cis- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Dichloropropene, 1,3 trans- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Dichloropropene, 1,3 trans- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Dichloropropene, 1,3 trans- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Ethylbenzene | 10-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW16-P | Ethylbenzene | 10-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW16z | Ethylbenzene | 10-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW16 | Freon 113 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Freon 113 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Freon 113 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Hexanone, 2- | 10-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW16-P | Hexanone, 2- | 10-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW16z | Hexanone, 2- | 10-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW16 | Isopropylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Isopropylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Isopropylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Isopropylbenzene-4,methyl-1 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Isopropylbenzene-4,methyl-1 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Isopropylbenzene-4,methyl-1 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | m,p-Xylene | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16-P | m,p-Xylene | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16z | m,p-Xylene | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16 | Methyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Methyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Methyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Methyl bromide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Methyl bromide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Methyl bromide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Methyl chloride | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Methyl chloride | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Methyl chloride | 10-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16 | Methyl cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Methyl cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Methyl cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Methyl ethyl ketone | 10-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW16-P | Methyl ethyl ketone | 10-Feb-12 | 3.1 ug/L | 4900 ug/L | | | | |
| HW16z | Methyl ethyl ketone | 10-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW16 | Methyl tertiary butyl ether (MTBE) | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Methyl tertiary butyl ether (MTBE) | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Methyl tertiary butyl ether (MTBE) | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Methylene chloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16-P | Methylene chloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16z | Methylene chloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16 | Propylbenzene-n | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Propylbenzene-n | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Propylbenzene-n | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Styrene | 10-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW16-P | Styrene | 10-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW16z | Styrene | 10-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW16 | Tetrachloroethane, 1,1,1,2- | 10-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW16-P | Tetrachloroethane, 1,1,1,2- | 10-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW16z | Tetrachloroethane, 1,1,1,2- | 10-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW16 | Tetrachloroethane, 1,1,2,2- | 10-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW16-P | Tetrachloroethane, 1,1,2,2- | 10-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW16z | Tetrachloroethane, 1,1,2,2- | 10-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW16 | Tetrachloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16-P | Tetrachloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16z | Tetrachloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16 | Toluene | 10-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW16-P | Toluene | 10-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW16z | Toluene | 10-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW16 | Trichlorobenzene-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW16-P | Trichlorobenzene-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW16z | Trichlorobenzene-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW16 | Trichlorobenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW16-P | Trichlorobenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16z | Trichlorobenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW16 | Trichloroethane-1,1,1 | 10-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW16-P | Trichloroethane-1,1,1 | 10-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW16z | Trichloroethane-1,1,1 | 10-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW16 | Trichloroethane-1,1,2 | 10-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW16-P | Trichloroethane-1,1,2 | 10-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW16z | Trichloroethane-1,1,2 | 10-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW16 | Trichloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16-P | Trichloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16z | Trichloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW16 | Trichlorofluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Trichlorofluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Trichlorofluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Trichloropropane-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW16-P | Trichloropropane-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW16z | Trichloropropane-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW16 | Trimethylbenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW16-P | Trimethylbenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW16z | Trimethylbenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW16 | Trimethylbenzene-1,3,5 | 10-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW16-P | Trimethylbenzene-1,3,5 | 10-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW16z | Trimethylbenzene-1,3,5 | 10-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW16 | Vinyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16-P | Vinyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16z | Vinyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW16 | Vinyl chloride | 10-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW16-P | Vinyl chloride | 10-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW16z | Vinyl chloride | 10-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW16 | Xylene-o | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16-P | Xylene-o | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16z | Xylene-o | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW16 | Nitrogen, Nitrite + Nitrate | 10-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW16-P | Nitrogen, Nitrite + Nitrate | 10-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW16z | Nitrogen, Nitrite + Nitrate | 10-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW16 | Total Nitrogen | 10-Feb-12 | 1 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW16-P | Total Nitrogen | 10-Feb-12 | 1 U mg/L | | | | | |
| HW16z | Total Nitrogen | 10-Feb-12 | 1 U mg/L | | | | | |
| HW16 | Total Phosphorus as P | 10-Feb-12 | 0.05 U mg/L | | | | | |
| HW16-P | Total Phosphorus as P | 10-Feb-12 | 0.05 U mg/L | | | | | |
| HW16z | Total Phosphorus as P | 10-Feb-12 | 0.05 U mg/L | | | | | |
| HW17 | 2-Butanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW17 | Ethanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW17 | Methanol | 27-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW17 | Anionic Surfactants | 27-Jan-12 | 0.01 U mg/L | | | | | |
| HW17 | Heterotrophic Plate Count | 27-Jan-12 | R cfu/1mL | | | | | |
| HW17 | Total Coliform Bacteria | 27-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW17 | Ethane | 27-Jan-12 | 40 ug/L | | | | | |
| HW17 | Ethene | 27-Jan-12 | 1.1 U ug/L | | | | | |
| HW17 | Methane | 27-Jan-12 | 3300 ug/L | 28000 ug/L | | | | |
| HW17 | 2-Butoxyethanol | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | 2-Methoxyethanol | 27-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW17 | 2-Methoxyethanol | 27-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW17 | Diethylene glycol | 27-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW17 | Diethylene Glycol | 27-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW17 | Ethanol, 2-ethoxy- | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW17 | Ethanol, 2-methoxy- | 27-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW17 | Ethylene glycol | 27-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW17 | Tetraethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW17 | Triethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW17 | Triethylene glycol | 27-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW17 | Bromide | 27-Jan-12 | 0.5 U mg/L | | | | | |
| HW17 | Chloride | 27-Jan-12 | 7.12 mg/L | | | 250 mg/L | | 250 mg/L |
| HW17 | Fluoride | 27-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW17 | Sulfate | 27-Jan-12 | 10.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW17 | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW17-F | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW17 | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW17-F | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW17 | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW17-F | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17 | Arsenic | 27-Jan-12 | 2.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW17-F | Arsenic | 27-Jan-12 | 2.4 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW17 | Barium | 27-Jan-12 | 239 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW17-F | Barium | 27-Jan-12 | 218 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW17 | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW17-F | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW17 | Boron | 27-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW17-F | Boron | 27-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW17 | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW17-F | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW17 | Calcium | 27-Jan-12 | 33100 ug/L | | | | | |
| HW17-F | Calcium | 27-Jan-12 | 32700 ug/L | | | | | |
| HW17 | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW17-F | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW17 | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW17-F | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW17 | Copper | 27-Jan-12 | 3.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW17-F | Copper | 27-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW17 | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW17-F | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW17 | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW17-F | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW17 | Lithium | 27-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW17-F | Lithium | 27-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW17 | Magnesium | 27-Jan-12 | 6640 ug/L | | | | | |
| HW17-F | Magnesium | 27-Jan-12 | 6540 ug/L | | | | | |
| HW17 | Manganese | 27-Jan-12 | 40 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW17-F | Manganese | 27-Jan-12 | 35.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW17 | Nickel | 27-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW17-F | Nickel | 27-Jan-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW17 | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW17-F | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW17 | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW17-F | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW17 | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17-F | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW17 | Sodium | 27-Jan-12 | 12100 ug/L | 20000 ug/L | | | | |
| HW17-F | Sodium | 27-Jan-12 | 12000 ug/L | 20000 ug/L | | | | |
| HW17 | Strontium | 27-Jan-12 | 835 ug/L | 9300 ug/L | | | | |
| HW17-F | Strontium | 27-Jan-12 | 831 ug/L | 9300 ug/L | | | | |
| HW17 | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW17-F | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW17 | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW17-F | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW17 | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW17-F | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW17 | Uranium | 27-Jan-12 | 3.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW17-F | Uranium | 27-Jan-12 | 3.4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW17 | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW17-F | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW17 | Zinc | 27-Jan-12 | 6.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW17-F | Zinc | 27-Jan-12 | 4.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW17 | Oil and Grease | 27-Jan-12 | 5.3 U mg/L | | | | | |
| HW17 | Total Dissolved Solids | 27-Jan-12 | 52 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW17 | Total Suspended Solids | 27-Jan-12 | 10 U mg/L | | | | | |
| HW17 | 1-Methylnaphthalene | 27-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW17 | Acenaphthene | 27-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW17 | Acenaphthylene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Acetophenone | 27-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW17 | Anthracene | 27-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW17 | Atrazine | 27-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW17 | Benzo(a)anthracene | 27-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW17 | Benzo(a)pyrene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW17 | Biphenyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Bromophenyl-4 Phenyl Ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Butylbenzyl phthalate | 27-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW17 | Caprolactam | 27-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW17 | Carbazole | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Chlorobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW17 | Chloronaphthalene-2 | 27-Jan-12 | 5 U ug/L | 550 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17 | Chlorophenol-2 | 27-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW17 | Chlorophenyl-4 phenyl ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Chrysene | 27-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW17 | Cresol, parachloro meta- | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Cresol-4,6-dinitro-ortho | 27-Jan-12 | 10 U ug/L | | | | | |
| HW17 | Cresol-o | 27-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW17 | Cresol-p | 27-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW17 | Dibenz(a,h)anthracene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW17 | Dibenzofuran | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Dichlorobenzidine-3,3' | 27-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW17 | Dichlorophenol-2,4 | 27-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW17 | Dimethylphenol, 2,4- | 27-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW17 | Dinitrophenol-2,4 | 27-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW17 | Dinitrotoluene-2,4 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Dinitrotoluene-2,6 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Ether, bis(2-chloroethyl) | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW17 | Ether-bis(2-chloroisopropyl) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Fluoranthene | 27-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW17 | Fluoranthene benzo(k) | 27-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW17 | Fluoranthene-benzo(b) | 27-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW17 | Fluorene | 27-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW17 | Hexachlorobenzene | 27-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW17 | Hexachlorobutadiene | 27-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW17 | Hexachlorobutadiene | 27-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW17 | Hexachlorocyclopentadiene | 27-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW17 | Hexachloroethane | 27-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW17 | Isophorone | 27-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW17 | Methane, bis(2-chloroethoxy) | 27-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW17 | Methylnaphthalene-2 | 27-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW17 | Naphthalene | 27-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW17 | Naphthalene | 27-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW17 | Nitroaniline, ortho | 27-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW17 | Nitroaniline-3 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Nitrobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW17 | Nitrobenzene | 27-Jan-12 | 5 U ug/L | 12 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17 | Nitrophenol-2 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Nitrophenol-4 | 27-Jan-12 | 10 U ug/L | | | | | |
| HW17 | Nitrosodimethylamine-n | 27-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW17 | Nitrosodiphenylamine-n | 27-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW17 | Pentachlorophenol | 27-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW17 | Perylene-benzo(ghi) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Phenanthrene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Phenol | 27-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW17 | Phthalate, bis(2-ethylhexyl) (DEHP) | 27-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW17 | Phthalate, Dimethyl | 27-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW17 | Phthalate, di-n-butyl- | 27-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW17 | Phthalate, di-n-octyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW17 | Phthalate-diethyl | 27-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW17 | Propylamine,n-nitroso di-n- | 27-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW17 | Pyrene | 27-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW17 | Pyrene-indeno(1,2,3-cd) | 27-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW17 | Tetrachlorobenzene, 1,2,4,5- | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW17 | Tetrachlorophenol, 2,3,4,6- | 27-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW17 | Trichlorophenol-2,4,5 | 27-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW17 | Trichlorophenol-2,4,6 | 27-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW17 | TPH - Diesel Range Organics | 27-Jan-12 | 250 U ug/L | | | | | |
| HW17 | TPH - Gasoline Range Organics | 27-Jan-12 | 50 U ug/L | | | | | |
| HW17 | TPH - Oil Range Organics | 27-Jan-12 | 1000 U ug/L | | | | | |
| HW17 | 1,2-Dibromo-3-chloropropane (DBCP) | 27-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW17 | 4-Methyl-2-pentanone | 27-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW17 | Acetone | 27-Jan-12 | 2 U ug/L | | | | | |
| HW17 | Benzene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW17 | Bromobenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Bromoform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW17 | Butylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Butylbenzene, sec- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Butylbenzene, tert- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Carbon disulfide | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Carbon Tetrachloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW17 | Chlorobenzene | 27-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17 | Chlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Chloroethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Chloroform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW17 | Chlorotoluene | 27-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW17 | Chlorotoluene-p | 27-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW17 | Cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dibromochloromethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW17 | Dibromoethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW17 | Dibromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichlorobenzene-1,2 | 27-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW17 | Dichlorobenzene-1,3 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichlorobenzene-1,4 | 27-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW17 | Dichlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW17 | Dichlorodifluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichloroethane-1,1 | 27-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW17 | Dichloroethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW17 | Dichloroethene-1,2 trans | 27-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW17 | Dichloroethylene-1,1 | 27-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW17 | Dichloroethylene-1,2 cis | 27-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW17 | Dichloropropane, 1,2- | 27-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW17 | Dichloropropane, 1,3- | 27-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW17 | Dichloropropane, 2,2- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichloropropene, 1,1- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichloropropene, 1,3 cis- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Dichloropropene, 1,3 trans- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Ethylbenzene | 27-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW17 | Freon 113 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Hexanone, 2- | 27-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW17 | Isopropylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Isopropylbenzene-4,methyl-1 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | m,p-Xylene | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW17 | Methyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Methyl bromide | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Methyl chloride | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Methyl cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW17 | Methyl ethyl ketone | 27-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW17 | Methyl tertiary butyl ether (MTBE) | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Methylene chloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW17 | Propylbenzene-n | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Styrene | 27-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW17 | Tetrachloroethane, 1,1,1,2- | 27-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW17 | Tetrachloroethane, 1,1,2,2- | 27-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW17 | Tetrachloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW17 | Toluene | 27-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW17 | Trichlorobenzene-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW17 | Trichlorobenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW17 | Trichloroethane-1,1,1 | 27-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW17 | Trichloroethane-1,1,2 | 27-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW17 | Trichloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW17 | Trichlorofluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Trichloropropane-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW17 | Trimethylbenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW17 | Trimethylbenzene-1,3,5 | 27-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW17 | Vinyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW17 | Vinyl chloride | 27-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW17 | Xylene-o | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW17 | Nitrogen, Nitrite + Nitrate | 27-Jan-12 | 0.707 mg/L | | 10 mg/L | | 10 mg/L | |
| HW17 | Total Nitrogen | 27-Jan-12 | 1 U mg/L | | | | | |
| HW17 | Total Phosphorus as P | 27-Jan-12 | 0.05 U mg/L | | | | | |
| HW18 | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW18-P | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW18 | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18-P | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18 | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18-P | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18 | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18-P | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18 | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW18-P | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW18 | Anionic Surfactants | 30-Jan-12 | 0.01 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-P | Anionic Surfactants | 30-Jan-12 | 0.01 U mg/L | | | | | |
| HW18 | Heterotrophic Plate Count | 30-Jan-12 | 73 J cfu/1mL | | | | | |
| HW18-P | Heterotrophic Plate Count | 30-Jan-12 | 68 J cfu/1mL | | | | | |
| HW18 | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW18-P | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW18 | Ethane | 30-Jan-12 | 1.2 U ug/L | | | | | |
| HW18-P | Ethane | 30-Jan-12 | 1.2 U ug/L | | | | | |
| HW18 | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW18-P | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW18 | Methane | 30-Jan-12 | 190 ug/L | 28000 ug/L | | | | |
| HW18-P | Methane | 30-Jan-12 | 160 ug/L | 28000 ug/L | | | | |
| HW18 | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW18 | 2-Methoxyethanol | 30-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW18-P | 2-Methoxyethanol | 30-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW18-P | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW18 | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW18 | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW18-P | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW18-P | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW18 | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18-P | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW18 | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW18-P | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW18 | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW18-P | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW18 | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW18-P | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW18 | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW18 | Triethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW18-P | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW18-P | Triethylene glycol | 30-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW18 | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |
| HW18-P | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Chloride | 30-Jan-12 | 2.84 mg/L | | | 250 mg/L | | 250 mg/L |
| HW18-P | Chloride | 30-Jan-12 | 5.05 mg/L | | | 250 mg/L | | 250 mg/L |
| HW18 | Fluoride | 30-Jan-12 | 0.117 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW18-P | Fluoride | 30-Jan-12 | 0.26 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW18 | Sulfate | 30-Jan-12 | 7.53 mg/L | | | 250 mg/L | | 250 mg/L |
| HW18-P | Sulfate | 30-Jan-12 | 7.22 mg/L | | | 250 mg/L | | 250 mg/L |
| HW18 | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-F | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-P | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-PF | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW18 | Aluminum | 30-Jan-12 | 34.6 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW18-F | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW18-P | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW18-PF | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW18 | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW18-F | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW18-P | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW18-PF | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW18 | Arsenic | 30-Jan-12 | 2.2 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW18-F | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW18-P | Arsenic | 30-Jan-12 | 2.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW18-PF | Arsenic | 30-Jan-12 | 2.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW18 | Barium | 30-Jan-12 | 276 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW18-F | Barium | 30-Jan-12 | 291 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW18-P | Barium | 30-Jan-12 | 309 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW18-PF | Barium | 30-Jan-12 | 303 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW18 | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW18-F | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW18-P | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW18-PF | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW18 | Boron | 30-Jan-12 | 186 ug/L | 3100 ug/L | | | | |
| HW18-F | Boron | 30-Jan-12 | 161 ug/L | 3100 ug/L | | | | |
| HW18-P | Boron | 30-Jan-12 | 159 ug/L | 3100 ug/L | | | | |
| HW18-PF | Boron | 30-Jan-12 | 156 ug/L | 3100 ug/L | | | | |
| HW18 | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-F | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW18-P | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW18-PF | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW18 | Calcium | 30-Jan-12 | 16000 ug/L | | | | | |
| HW18-F | Calcium | 30-Jan-12 | 17400 ug/L | | | | | |
| HW18-P | Calcium | 30-Jan-12 | 18200 ug/L | | | | | |
| HW18-PF | Calcium | 30-Jan-12 | 18300 ug/L | | | | | |
| HW18 | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW18-F | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW18-P | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW18-PF | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW18 | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW18-F | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW18-P | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW18-PF | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW18 | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW18-F | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW18-P | Copper | 30-Jan-12 | 7.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW18-PF | Copper | 30-Jan-12 | 7.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW18 | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW18-F | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW18-P | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW18-PF | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW18 | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW18-F | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW18-P | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW18-PF | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW18 | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW18-F | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW18-P | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW18-PF | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW18 | Magnesium | 30-Jan-12 | 2730 ug/L | | | | | |
| HW18-F | Magnesium | 30-Jan-12 | 2910 ug/L | | | | | |
| HW18-P | Magnesium | 30-Jan-12 | 3070 ug/L | | | | | |
| HW18-PF | Magnesium | 30-Jan-12 | 3090 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Manganese | 30-Jan-12 | 6.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW18-F | Manganese | 30-Jan-12 | 5.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW18-P | Manganese | 30-Jan-12 | 7.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW18-PF | Manganese | 30-Jan-12 | 8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW18 | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW18-F | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW18-P | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW18-PF | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW18 | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW18-F | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW18-P | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW18-PF | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW18 | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW18-F | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW18-P | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW18-PF | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW18 | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW18-F | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW18-P | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW18-PF | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW18 | Sodium | 30-Jan-12 | 45600 ug/L | 20000 ug/L | | | | |
| HW18-F | Sodium | 30-Jan-12 | 40800 ug/L | 20000 ug/L | | | | |
| HW18-P | Sodium | 30-Jan-12 | 37000 ug/L | 20000 ug/L | | | | |
| HW18-PF | Sodium | 30-Jan-12 | 37700 ug/L | 20000 ug/L | | | | |
| HW18 | Strontium | 30-Jan-12 | 954 ug/L | 9300 ug/L | | | | |
| HW18-F | Strontium | 30-Jan-12 | 1030 ug/L | 9300 ug/L | | | | |
| HW18-P | Strontium | 30-Jan-12 | 1090 ug/L | 9300 ug/L | | | | |
| HW18-PF | Strontium | 30-Jan-12 | 1100 ug/L | 9300 ug/L | | | | |
| HW18 | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-F | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-P | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW18-PF | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW18 | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW18-F | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW18-P | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-PF | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW18 | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW18-F | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW18-P | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW18-PF | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW18 | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW18-F | Uranium | 30-Jan-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW18-P | Uranium | 30-Jan-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW18-PF | Uranium | 30-Jan-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW18 | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW18-F | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW18-P | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW18-PF | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW18 | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW18-F | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW18-P | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW18-PF | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW18 | Oil and Grease | 30-Jan-12 | 5.1 U mg/L | | | | | |
| HW18-P | Oil and Grease | 30-Jan-12 | 5.2 U mg/L | | | | | |
| HW18 | Total Dissolved Solids | 30-Jan-12 | 138 mg/L | | | 500 mg/L | | 500 mg/L |
| HW18-P | Total Dissolved Solids | 30-Jan-12 | 73 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW18 | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW18-P | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW18 | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW18-P | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW18 | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW18-P | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW18 | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Acetophenone | 30-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW18-P | Acetophenone | 30-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW18 | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW18-P | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW18 | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW18-P | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW18-P | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW18 | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW18-P | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW18 | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW18-P | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW18 | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW18-P | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW18 | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW18-P | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW18 | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW18-P | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW18 | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW18-P | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW18 | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW18-P | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW18 | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 60 U ug/L | | | | | |
| HW18-P | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 60 U ug/L | | | | | |
| HW18 | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW18-P | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW18 | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW18-P | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW18 | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW18-P | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW18 | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-P | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW18-P | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW18 | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW18-P | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW18 | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW18-P | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW18 | Dinitrophenol-2,4 | 30-Jan-12 | 60 U ug/L | 30 ug/L | | | | |
| HW18-P | Dinitrophenol-2,4 | 30-Jan-12 | 60 U ug/L | 30 ug/L | | | | |
| HW18 | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW18-P | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW18 | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW18-P | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW18 | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW18-P | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW18 | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW18-P | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW18 | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW18-P | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW18 | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW18-P | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW18 | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW18 | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW18-P | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW18-P | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW18 | Hexachlorocyclopentadiene | 30-Jan-12 | 60 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW18-P | Hexachlorocyclopentadiene | 30-Jan-12 | 60 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW18 | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW18-P | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW18-P | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW18 | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW18-P | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW18 | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW18-P | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW18 | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW18 | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW18-P | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW18-P | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW18 | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW18-P | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW18 | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW18-P | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW18 | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW18-P | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW18 | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Nitrophenol-4 | 30-Jan-12 | 60 U ug/L | | | | | |
| HW18-P | Nitrophenol-4 | 30-Jan-12 | 60 U ug/L | | | | | |
| HW18 | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW18-P | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW18 | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW18-P | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW18 | Pentachlorophenol | 30-Jan-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW18-P | Pentachlorophenol | 30-Jan-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW18 | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW18-P | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW18 | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW18 | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW18-P | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW18 | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW18-P | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW18 | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18-P | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW18 | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW18-P | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW18 | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW18-P | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW18 | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW18-P | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW18 | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW18-P | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW18 | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW18-P | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW18 | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 60 U ug/L | 170 ug/L | | | | |
| HW18-P | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 60 U ug/L | 170 ug/L | | | | |
| HW18 | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW18-P | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW18 | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW18-P | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW18 | TPH - Diesel Range Organics | 30-Jan-12 | 240 U ug/L | | | | | |
| HW18-P | TPH - Diesel Range Organics | 30-Jan-12 | 250 U ug/L | | | | | |
| HW18 | TPH - Gasoline Range Organics | 30-Jan-12 | 50 U ug/L | | | | | |
| HW18-P | TPH - Gasoline Range Organics | 30-Jan-12 | 50 U ug/L | | | | | |
| HW18 | TPH - Oil Range Organics | 30-Jan-12 | 950 U ug/L | | | | | |
| HW18-P | TPH - Oil Range Organics | 30-Jan-12 | 1000 U ug/L | | | | | |
| HW18 | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW18-P | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW18 | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW18-P | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW18 | Acetone | 30-Jan-12 | 2 U ug/L | | | | | |
| HW18-P | Acetone | 30-Jan-12 | 3.3 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18-P | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18 | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18-P | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18 | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18-P | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18 | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW18-P | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW18 | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18-P | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18 | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW18-P | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW18 | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW18-P | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW18 | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18-P | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18 | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18-P | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18 | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW18-P | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW18 | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-P | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW18-P | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW18 | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW18-P | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW18 | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18-P | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW18 | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW18-P | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW18 | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW18-P | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW18 | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW18-P | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW18 | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW18-P | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW18 | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW18-P | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW18 | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW18-P | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW18 | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW18-P | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW18 | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW18-P | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18 | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18-P | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18 | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW18-P | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW18 | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW18-P | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW18 | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18-P | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18 | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18-P | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18 | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW18-P | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW18 | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18-P | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW18 | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18-P | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18 | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW18-P | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW18 | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW18-P | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW18 | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW18-P | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW18 | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18-P | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18 | Toluene | 30-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW18-P | Toluene | 30-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW18 | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW18-P | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW18 | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW18-P | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW18 | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW18-P | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW18 | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW18-P | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW18 | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18-P | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW18 | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW18-P | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW18 | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW18-P | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW18 | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW18-P | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW18 | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18-P | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW18 | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW18-P | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW18 | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW18-P | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW18 | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW18-P | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW18 | Total Nitrogen | 30-Jan-12 | 1 U mg/L | | | | | |
| HW18-P | Total Nitrogen | 30-Jan-12 | 1 U mg/L | | | | | |
| HW18 | Total Phosphorus as P | 30-Jan-12 | 0.05 U mg/L | | | | | |
| HW18-P | Total Phosphorus as P | 30-Jan-12 | 0.05 U mg/L | | | | | |
| HW19 | 2-Butanol | 23-Jan-12 | 10000 U ug/L | | | | | |
| HW19-P | 2-Butanol | 23-Jan-12 | 10000 U ug/L | | | | | |
| HW19 | Ethanol | 23-Jan-12 | 10000 U ug/L | | | | | |
| HW19-P | Ethanol | 23-Jan-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Methanol | 23-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW19-P | Methanol | 23-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW19 | Anionic Surfactants | 23-Jan-12 | 0.014 mg/L | | | | | |
| HW19-P | Anionic Surfactants | 23-Jan-12 | 0.01 U mg/L | | | | | |
| HW19 | Heterotrophic Plate Count | 23-Jan-12 | 20 J cfu/1mL | | | | | |
| HW19-P | Heterotrophic Plate Count | 23-Jan-12 | 24 J cfu/1mL | | | | | |
| HW19 | Total Coliform Bacteria | 23-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW19-P | Total Coliform Bacteria | 23-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW19 | Ethane | 23-Jan-12 | 1.2 U ug/L | | | | | |
| HW19-P | Ethane | 23-Jan-12 | 1.2 U ug/L | | | | | |
| HW19 | Ethene | 23-Jan-12 | 1.1 U ug/L | | | | | |
| HW19-P | Ethene | 23-Jan-12 | 1.1 U ug/L | | | | | |
| HW19 | Methane | 23-Jan-12 | 2 J ug/L | 28000 ug/L | | | | |
| HW19-P | Methane | 23-Jan-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW19 | 2-Butoxyethanol | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | 2-Butoxyethanol | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | 2-Methoxyethanol | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19 | 2-Methoxyethanol | 23-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW19-P | 2-Methoxyethanol | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19-P | 2-Methoxyethanol | 23-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW19 | Diethylene Glycol | 23-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW19-P | Diethylene Glycol | 23-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW19 | Ethylene glycol | 23-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW19-P | Ethylene glycol | 23-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW19 | Tetraethylene glycol | 23-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW19-P | Tetraethylene glycol | 23-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW19 | Triethylene glycol | 23-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW19-P | Triethylene glycol | 23-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW19 | Bromide | 23-Jan-12 | 0.5 U mg/L | | | | | |
| HW19-P | Bromide | 23-Jan-12 | 0.5 U mg/L | | | | | |
| HW19 | Chloride | 23-Jan-12 | 18.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW19-P | Chloride | 23-Jan-12 | 19.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW19 | Fluoride | 23-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW19-P | Fluoride | 23-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW19 | Sulfate | 23-Jan-12 | 18.2 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Sulfate | 23-Jan-12 | 18.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW19 | Mercury | 23-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-F | Mercury | 23-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-P | Mercury | 23-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-PF | Mercury | 23-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW19 | Aluminum | 23-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW19-F | Aluminum | 23-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW19-P | Aluminum | 23-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW19-PF | Aluminum | 23-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW19 | Antimony | 23-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW19-F | Antimony | 23-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW19-P | Antimony | 23-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW19-PF | Antimony | 23-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW19 | Arsenic | 23-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW19-F | Arsenic | 23-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW19-P | Arsenic | 23-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW19-PF | Arsenic | 23-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW19 | Barium | 23-Jan-12 | 229 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW19-F | Barium | 23-Jan-12 | 234 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW19-P | Barium | 23-Jan-12 | 228 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW19-PF | Barium | 23-Jan-12 | 247 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW19 | Beryllium | 23-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW19-F | Beryllium | 23-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW19-P | Beryllium | 23-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW19-PF | Beryllium | 23-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW19 | Boron | 23-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW19-F | Boron | 23-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW19-P | Boron | 23-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW19-PF | Boron | 23-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW19 | Cadmium | 23-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-F | Cadmium | 23-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-P | Cadmium | 23-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-PF | Cadmium | 23-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW19 | Calcium | 23-Jan-12 | 37600 ug/L | | | | | |
| HW19-F | Calcium | 23-Jan-12 | 41600 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Calcium | 23-Jan-12 | 40700 ug/L | | | | | |
| HW19-PF | Calcium | 23-Jan-12 | 40400 ug/L | | | | | |
| HW19 | Chromium | 23-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW19-F | Chromium | 23-Jan-12 | 3.2 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW19-P | Chromium | 23-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW19-PF | Chromium | 23-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW19 | Cobalt | 23-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW19-F | Cobalt | 23-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW19-P | Cobalt | 23-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW19-PF | Cobalt | 23-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW19 | Copper | 23-Jan-12 | 7.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW19-F | Copper | 23-Jan-12 | 6.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW19-P | Copper | 23-Jan-12 | 8.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW19-PF | Copper | 23-Jan-12 | 8.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW19 | Iron | 23-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW19-F | Iron | 23-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW19-P | Iron | 23-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW19-PF | Iron | 23-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW19 | Lead | 23-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW19-F | Lead | 23-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW19-P | Lead | 23-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW19-PF | Lead | 23-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW19 | Lithium | 23-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW19-F | Lithium | 23-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW19-P | Lithium | 23-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW19-PF | Lithium | 23-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW19 | Magnesium | 23-Jan-12 | 7120 ug/L | | | | | |
| HW19-F | Magnesium | 23-Jan-12 | 7720 ug/L | | | | | |
| HW19-P | Magnesium | 23-Jan-12 | 7560 ug/L | | | | | |
| HW19-PF | Magnesium | 23-Jan-12 | 7470 ug/L | | | | | |
| HW19 | Manganese | 23-Jan-12 | 8.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW19-F | Manganese | 23-Jan-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW19-P | Manganese | 23-Jan-12 | 8.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW19-PF | Manganese | 23-Jan-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW19 | Nickel | 23-Jan-12 | 1.6 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-F | Nickel | 23-Jan-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW19-P | Nickel | 23-Jan-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW19-PF | Nickel | 23-Jan-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW19 | Potassium | 23-Jan-12 | 2000 U ug/L | | | | | |
| HW19-F | Potassium | 23-Jan-12 | 2000 U ug/L | | | | | |
| HW19-P | Potassium | 23-Jan-12 | 2000 U ug/L | | | | | |
| HW19-PF | Potassium | 23-Jan-12 | 2000 U ug/L | | | | | |
| HW19 | Selenium | 23-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW19-F | Selenium | 23-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW19-P | Selenium | 23-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW19-PF | Selenium | 23-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW19 | Silver | 23-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW19-F | Silver | 23-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW19-P | Silver | 23-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW19-PF | Silver | 23-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW19 | Sodium | 23-Jan-12 | 9030 ug/L | 20000 ug/L | | | | |
| HW19-F | Sodium | 23-Jan-12 | 10000 ug/L | 20000 ug/L | | | | |
| HW19-P | Sodium | 23-Jan-12 | 11500 ug/L | 20000 ug/L | | | | |
| HW19-PF | Sodium | 23-Jan-12 | 11400 ug/L | 20000 ug/L | | | | |
| HW19 | Strontium | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-F | Strontium | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-P | Strontium | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-PF | Strontium | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19 | Thallium | 23-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-F | Thallium | 23-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-P | Thallium | 23-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW19-PF | Thallium | 23-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW19 | Tin | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-F | Tin | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-P | Tin | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19-PF | Tin | 23-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW19 | Titanium | 23-Jan-12 | 200 U ug/L | | | | | |
| HW19-F | Titanium | 23-Jan-12 | 200 U ug/L | | | | | |
| HW19-P | Titanium | 23-Jan-12 | 200 U ug/L | | | | | |
| HW19-PF | Titanium | 23-Jan-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Uranium | 23-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW19-F | Uranium | 23-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW19-P | Uranium | 23-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW19-PF | Uranium | 23-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW19 | Vanadium | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19-F | Vanadium | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19-P | Vanadium | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19-PF | Vanadium | 23-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW19 | Zinc | 23-Jan-12 | 6.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW19-F | Zinc | 23-Jan-12 | 5.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW19-P | Zinc | 23-Jan-12 | 5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW19-PF | Zinc | 23-Jan-12 | 5.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW19 | Oil and Grease | 23-Jan-12 | 5.1 UJ mg/L | | | | | |
| HW19-P | Oil and Grease | 23-Jan-12 | 5.3 UJ mg/L | | | | | |
| HW19 | Total Dissolved Solids | 23-Jan-12 | 148 mg/L | | | 500 mg/L | | 500 mg/L |
| HW19-P | Total Dissolved Solids | 23-Jan-12 | 173 mg/L | | | 500 mg/L | | 500 mg/L |
| HW19 | Total Suspended Solids | 23-Jan-12 | 10 U mg/L | | | | | |
| HW19-P | Total Suspended Solids | 23-Jan-12 | 10 U mg/L | | | | | |
| HW19 | 1-Methylnaphthalene | 23-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW19-P | 1-Methylnaphthalene | 23-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW19 | Acenaphthene | 23-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW19-P | Acenaphthene | 23-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW19 | Acenaphthylene | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Acenaphthylene | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Acetophenone | 23-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW19-P | Acetophenone | 23-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW19 | Anthracene | 23-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW19-P | Anthracene | 23-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW19 | Atrazine | 23-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW19-P | Atrazine | 23-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW19 | Benzo(a)anthracene | 23-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW19-P | Benzo(a)anthracene | 23-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW19 | Benzo(a)pyrene | 23-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW19-P | Benzo(a)pyrene | 23-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW19 | Biphenyl | 23-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Biphenyl | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Bromophenyl-4 Phenyl Ether | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Bromophenyl-4 Phenyl Ether | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Butylbenzyl phthalate | 23-Jan-12 | 0.04 J ug/L | 1400 ug/L | | | | |
| HW19-P | Butylbenzyl phthalate | 23-Jan-12 | 0.063 J ug/L | 1400 ug/L | | | | |
| HW19 | Caprolactam | 23-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW19-P | Caprolactam | 23-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW19 | Carbazole | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Carbazole | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Chlorobenzenamine-4 | 23-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW19-P | Chlorobenzenamine-4 | 23-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW19 | Chloronaphthalene-2 | 23-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW19-P | Chloronaphthalene-2 | 23-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW19 | Chlorophenol-2 | 23-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW19-P | Chlorophenol-2 | 23-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW19 | Chlorophenyl-4 phenyl ether | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Chlorophenyl-4 phenyl ether | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Chrysene | 23-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW19-P | Chrysene | 23-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW19 | Cresol, parachloro meta- | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Cresol, parachloro meta- | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Cresol-4,6-dinitro-ortho | 23-Jan-12 | 10 U ug/L | | | | | |
| HW19-P | Cresol-4,6-dinitro-ortho | 23-Jan-12 | 10 U ug/L | | | | | |
| HW19 | Cresol-o | 23-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW19-P | Cresol-o | 23-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW19 | Cresol-p | 23-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW19-P | Cresol-p | 23-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW19 | Dibenz(a,h)anthracene | 23-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW19-P | Dibenz(a,h)anthracene | 23-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW19 | Dibenzofuran | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Dibenzofuran | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Dichlorobenzidine-3,3' | 23-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW19-P | Dichlorobenzidine-3,3' | 23-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW19 | Dichlorophenol-2,4 | 23-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW19-P | Dichlorophenol-2,4 | 23-Jan-12 | 5 U ug/L | 35 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Dimethylphenol, 2,4- | 23-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW19-P | Dimethylphenol, 2,4- | 23-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW19 | Dinitrophenol-2,4 | 23-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW19-P | Dinitrophenol-2,4 | 23-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW19 | Dinitrotoluene-2,4 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Dinitrotoluene-2,4 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Dinitrotoluene-2,6 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Dinitrotoluene-2,6 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Ether, bis(2-chloroethyl) | 23-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW19-P | Ether, bis(2-chloroethyl) | 23-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW19 | Ether-bis(2-chloroisopropyl) | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Ether-bis(2-chloroisopropyl) | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Fluoranthene | 23-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW19-P | Fluoranthene | 23-Jan-12 | 0.015 J ug/L | 630 ug/L | | | | |
| HW19 | Fluoranthene benzo(k) | 23-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW19-P | Fluoranthene benzo(k) | 23-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW19 | Fluoranthene-benzo(b) | 23-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW19-P | Fluoranthene-benzo(b) | 23-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW19 | Fluorene | 23-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW19-P | Fluorene | 23-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW19 | Hexachlorobenzene | 23-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW19-P | Hexachlorobenzene | 23-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW19 | Hexachlorobutadiene | 23-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW19 | Hexachlorobutadiene | 23-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW19-P | Hexachlorobutadiene | 23-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW19-P | Hexachlorobutadiene | 23-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW19 | Hexachlorocyclopentadiene | 23-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW19-P | Hexachlorocyclopentadiene | 23-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW19 | Hexachloroethane | 23-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW19-P | Hexachloroethane | 23-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW19 | Isophorone | 23-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW19-P | Isophorone | 23-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW19 | Methane, bis(2-chloroethoxy) | 23-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW19-P | Methane, bis(2-chloroethoxy) | 23-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW19 | Methylnaphthalene-2 | 23-Jan-12 | 5 U ug/L | 27 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Methylnaphthalene-2 | 23-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW19 | Naphthalene | 23-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW19 | Naphthalene | 23-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW19-P | Naphthalene | 23-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW19-P | Naphthalene | 23-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW19 | Nitroaniline, ortho | 23-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW19-P | Nitroaniline, ortho | 23-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW19 | Nitroaniline-3 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Nitroaniline-3 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Nitrobenzenamine-4 | 23-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW19-P | Nitrobenzenamine-4 | 23-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW19 | Nitrobenzene | 23-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW19-P | Nitrobenzene | 23-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW19 | Nitrophenol-2 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Nitrophenol-2 | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Nitrophenol-4 | 23-Jan-12 | 10 U ug/L | | | | | |
| HW19-P | Nitrophenol-4 | 23-Jan-12 | 10 U ug/L | | | | | |
| HW19 | Nitrosodimethylamine-n | 23-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW19-P | Nitrosodimethylamine-n | 23-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW19 | Nitrosodiphenylamine-n | 23-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW19-P | Nitrosodiphenylamine-n | 23-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW19 | Pentachlorophenol | 23-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW19-P | Pentachlorophenol | 23-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW19 | Perylene-benzo(ghi) | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Perylene-benzo(ghi) | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Phenanthrene | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Phenanthrene | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Phenol | 23-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW19-P | Phenol | 23-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW19 | Phthalate, bis(2-ethylhexyl) (DEHP) | 23-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW19-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 23-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW19 | Phthalate, Dimethyl | 23-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW19-P | Phthalate, Dimethyl | 23-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW19 | Phthalate, di-n-butyl- | 23-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW19-P | Phthalate, di-n-butyl- | 23-Jan-12 | 5 U ug/L | 670 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Phthalate, di-n-octyl | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19-P | Phthalate, di-n-octyl | 23-Jan-12 | 5 U ug/L | | | | | |
| HW19 | Phthalate-diethyl | 23-Jan-12 | 0.029 J ug/L | 11000 ug/L | | | | |
| HW19-P | Phthalate-diethyl | 23-Jan-12 | 0.025 J ug/L | 11000 ug/L | | | | |
| HW19 | Propylamine,n-nitroso di-n- | 23-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW19-P | Propylamine,n-nitroso di-n- | 23-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW19 | Pyrene | 23-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW19-P | Pyrene | 23-Jan-12 | 0.011 J ug/L | 87 ug/L | | | | |
| HW19 | Pyrene-indeno(1,2,3-cd) | 23-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW19-P | Pyrene-indeno(1,2,3-cd) | 23-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW19 | Tetrachlorobenzene, 1,2,4,5- | 23-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW19-P | Tetrachlorobenzene, 1,2,4,5- | 23-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW19 | Tetrachlorophenol, 2,3,4,6- | 23-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW19-P | Tetrachlorophenol, 2,3,4,6- | 23-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW19 | Trichlorophenol-2,4,5 | 23-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW19-P | Trichlorophenol-2,4,5 | 23-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW19 | Trichlorophenol-2,4,6 | 23-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW19-P | Trichlorophenol-2,4,6 | 23-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW19 | TPH - Diesel Range Organics | 23-Jan-12 | 250 U ug/L | | | | | |
| HW19-P | TPH - Diesel Range Organics | 23-Jan-12 | 240 U ug/L | | | | | |
| HW19 | TPH - Gasoline Range Organics | 23-Jan-12 | 50 U ug/L | | | | | |
| HW19-P | TPH - Gasoline Range Organics | 23-Jan-12 | 50 U ug/L | | | | | |
| HW19 | TPH - Oil Range Organics | 23-Jan-12 | 1000 U ug/L | | | | | |
| HW19-P | TPH - Oil Range Organics | 23-Jan-12 | 950 U ug/L | | | | | |
| HW19 | 1,2-Dibromo-3-chloropropane (DBCP) | 23-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW19-P | 1,2-Dibromo-3-chloropropane (DBCP) | 23-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW19 | 4-Methyl-2-pentanone | 23-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW19-P | 4-Methyl-2-pentanone | 23-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW19 | Acetone | 23-Jan-12 | 2 U ug/L | | | | | |
| HW19-P | Acetone | 23-Jan-12 | 2 U ug/L | | | | | |
| HW19 | Benzene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19-P | Benzene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19 | Bromobenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Bromobenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Bromoform | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Bromoform | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19 | Butylbenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Butylbenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Butylbenzene, sec- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Butylbenzene, sec- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Butylbenzene, tert- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Butylbenzene, tert- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Carbon disulfide | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Carbon disulfide | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Carbon Tetrachloride | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19-P | Carbon Tetrachloride | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19 | Chlorobenzene | 23-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW19-P | Chlorobenzene | 23-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW19 | Chlorobromomethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Chlorobromomethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Chloroethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Chloroethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Chloroform | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19-P | Chloroform | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19 | Chlorotoluene | 23-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW19-P | Chlorotoluene | 23-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW19 | Chlorotoluene-p | 23-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW19-P | Chlorotoluene-p | 23-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW19 | Cyclohexane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Cyclohexane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dibromochloromethane | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19-P | Dibromochloromethane | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19 | Dibromoethane-1,2 | 23-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW19-P | Dibromoethane-1,2 | 23-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW19 | Dibromomethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dibromomethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dichlorobenzene-1,2 | 23-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW19-P | Dichlorobenzene-1,2 | 23-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW19 | Dichlorobenzene-1,3 | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichlorobenzene-1,3 | 23-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Dichlorobenzene-1,4 | 23-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW19-P | Dichlorobenzene-1,4 | 23-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW19 | Dichlorobromomethane | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19-P | Dichlorobromomethane | 23-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW19 | Dichlorodifluoromethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichlorodifluoromethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dichloroethane-1,1 | 23-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW19-P | Dichloroethane-1,1 | 23-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW19 | Dichloroethane-1,2 | 23-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-P | Dichloroethane-1,2 | 23-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW19 | Dichloroethene-1,2 trans | 23-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW19-P | Dichloroethene-1,2 trans | 23-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW19 | Dichloroethylene-1,1 | 23-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW19-P | Dichloroethylene-1,1 | 23-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW19 | Dichloroethylene-1,2 cis | 23-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW19-P | Dichloroethylene-1,2 cis | 23-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW19 | Dichloropropane, 1,2- | 23-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-P | Dichloropropane, 1,2- | 23-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW19 | Dichloropropane, 1,3- | 23-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW19-P | Dichloropropane, 1,3- | 23-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW19 | Dichloropropane, 2,2- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichloropropane, 2,2- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dichloropropene, 1,1- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichloropropene, 1,1- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dichloropropene, 1,3 cis- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichloropropene, 1,3 cis- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Dichloropropene, 1,3 trans- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Dichloropropene, 1,3 trans- | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Ethylbenzene | 23-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW19-P | Ethylbenzene | 23-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW19 | Freon 113 | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Freon 113 | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Hexanone, 2- | 23-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW19-P | Hexanone, 2- | 23-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW19 | Isopropylbenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19-P | Isopropylbenzene | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Isopropylbenzene-4,methyl-1 | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Isopropylbenzene-4,methyl-1 | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | m,p-Xylene | 23-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW19-P | m,p-Xylene | 23-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW19 | Methyl acetate | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Methyl acetate | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Methyl bromide | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Methyl bromide | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Methyl chloride | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Methyl chloride | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Methyl cyclohexane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Methyl cyclohexane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Methyl ethyl ketone | 23-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW19-P | Methyl ethyl ketone | 23-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW19 | Methyl tertiary butyl ether (MTBE) | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Methyl tertiary butyl ether (MTBE) | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Methylene chloride | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19-P | Methylene chloride | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19 | Propylbenzene-n | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Propylbenzene-n | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Styrene | 23-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW19-P | Styrene | 23-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW19 | Tetrachloroethane, 1,1,1,2- | 23-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW19-P | Tetrachloroethane, 1,1,1,2- | 23-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW19 | Tetrachloroethane, 1,1,2,2- | 23-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW19-P | Tetrachloroethane, 1,1,2,2- | 23-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW19 | Tetrachloroethylene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19-P | Tetrachloroethylene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19 | Toluene | 23-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW19-P | Toluene | 23-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW19 | Trichlorobenzene-1,2,3 | 23-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW19-P | Trichlorobenzene-1,2,3 | 23-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW19 | Trichlorobenzene-1,2,4 | 23-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW19-P | Trichlorobenzene-1,2,4 | 23-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW19 | Trichloroethane-1,1,1 | 23-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW19-P | Trichloroethane-1,1,1 | 23-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW19 | Trichloroethane-1,1,2 | 23-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW19-P | Trichloroethane-1,1,2 | 23-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW19 | Trichloroethylene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19-P | Trichloroethylene | 23-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW19 | Trichlorofluoromethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Trichlorofluoromethane | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Trichloropropane-1,2,3 | 23-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW19-P | Trichloropropane-1,2,3 | 23-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW19 | Trimethylbenzene-1,2,4 | 23-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW19-P | Trimethylbenzene-1,2,4 | 23-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW19 | Trimethylbenzene-1,3,5 | 23-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW19-P | Trimethylbenzene-1,3,5 | 23-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW19 | Vinyl acetate | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19-P | Vinyl acetate | 23-Jan-12 | 0.5 U ug/L | | | | | |
| HW19 | Vinyl chloride | 23-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW19-P | Vinyl chloride | 23-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW19 | Xylene-o | 23-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW19-P | Xylene-o | 23-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW19 | Nitrogen, Nitrite + Nitrate | 23-Jan-12 | 2.39 mg/L | | 10 mg/L | | 10 mg/L | |
| HW19-P | Nitrogen, Nitrite + Nitrate | 23-Jan-12 | 2.38 mg/L | | 10 mg/L | | 10 mg/L | |
| HW19 | Total Nitrogen | 23-Jan-12 | 2.61 mg/L | | | | | |
| HW19-P | Total Nitrogen | 23-Jan-12 | 2.33 mg/L | | | | | |
| HW19 | Total Phosphorus as P | 23-Jan-12 | 0.05 U mg/L | | | | | |
| HW19-P | Total Phosphorus as P | 23-Jan-12 | 0.05 U mg/L | | | | | |
| HW20 | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW20-P | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW20 | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20-P | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20 | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20-P | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20 | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20-P | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20 | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW20 | Anionic Surfactants | 30-Jan-12 | 0.01 U mg/L | | | | | |
| HW20-P | Anionic Surfactants | 30-Jan-12 | 0.01 U mg/L | | | | | |
| HW20 | Heterotrophic Plate Count | 30-Jan-12 | 67 J cfu/1mL | | | | | |
| HW20-P | Heterotrophic Plate Count | 30-Jan-12 | 57 J cfu/1mL | | | | | |
| HW20 | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW20-P | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW20 | Ethane | 30-Jan-12 | 1.2 U ug/L | | | | | |
| HW20-P | Ethane | 30-Jan-12 | 1.2 U ug/L | | | | | |
| HW20 | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW20-P | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW20 | Methane | 30-Jan-12 | 9.5 U ug/L | 28000 ug/L | | | | |
| HW20-P | Methane | 30-Jan-12 | 9.5 U ug/L | 28000 ug/L | | | | |
| HW20 | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW20 | 2-Methoxyethanol | 30-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW20-P | 2-Methoxyethanol | 30-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW20-P | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW20 | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW20 | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW20-P | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW20-P | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW20 | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20-P | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW20 | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW20-P | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW20 | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW20-P | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW20 | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW20-P | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW20 | Triethylene glycol | 30-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW20 | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW20-P | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW20-P | Triethylene glycol | 30-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20 | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |
| HW20-P | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |
| HW20 | Chloride | 30-Jan-12 | 3.41 mg/L | | | 250 mg/L | | 250 mg/L |
| HW20-P | Chloride | 30-Jan-12 | 3.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW20 | Fluoride | 30-Jan-12 | 0.109 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW20-P | Fluoride | 30-Jan-12 | 0.124 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW20 | Sulfate | 30-Jan-12 | 5.73 mg/L | | | 250 mg/L | | 250 mg/L |
| HW20-P | Sulfate | 30-Jan-12 | 5.39 mg/L | | | 250 mg/L | | 250 mg/L |
| HW20 | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-F | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-P | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-PF | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW20 | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW20-F | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW20-P | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW20-PF | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW20 | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW20-F | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW20-P | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW20-PF | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW20 | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW20-F | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW20-P | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW20-PF | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW20 | Barium | 30-Jan-12 | 32.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW20-F | Barium | 30-Jan-12 | 33.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW20-P | Barium | 30-Jan-12 | 32.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW20-PF | Barium | 30-Jan-12 | 32.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW20 | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW20-F | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW20-P | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW20-PF | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW20 | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW20-F | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW20-P | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-PF | Boron | 30-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW20 | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-F | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-P | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-PF | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW20 | Calcium | 30-Jan-12 | 22400 ug/L | | | | | |
| HW20-F | Calcium | 30-Jan-12 | 23300 ug/L | | | | | |
| HW20-P | Calcium | 30-Jan-12 | 22100 ug/L | | | | | |
| HW20-PF | Calcium | 30-Jan-12 | 22200 ug/L | | | | | |
| HW20 | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW20-F | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW20-P | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW20-PF | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW20 | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW20-F | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW20-P | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW20-PF | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW20 | Copper | 30-Jan-12 | 4.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW20-F | Copper | 30-Jan-12 | 2.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW20-P | Copper | 30-Jan-12 | 3.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW20-PF | Copper | 30-Jan-12 | 4.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW20 | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW20-F | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW20-P | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW20-PF | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW20 | Lead | 30-Jan-12 | 2.4 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW20-F | Lead | 30-Jan-12 | 1.4 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW20-P | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW20-PF | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW20 | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW20-F | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW20-P | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW20-PF | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW20 | Magnesium | 30-Jan-12 | 5710 ug/L | | | | | |
| HW20-F | Magnesium | 30-Jan-12 | 5890 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Magnesium | 30-Jan-12 | 5570 ug/L | | | | | |
| HW20-PF | Magnesium | 30-Jan-12 | 5590 ug/L | | | | | |
| HW20 | Manganese | 30-Jan-12 | 2.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW20-F | Manganese | 30-Jan-12 | 2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW20-P | Manganese | 30-Jan-12 | 2.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW20-PF | Manganese | 30-Jan-12 | 2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW20 | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW20-F | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW20-P | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW20-PF | Nickel | 30-Jan-12 | 1 ug/L | 300 ug/L | | | | |
| HW20 | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW20-F | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW20-P | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW20-PF | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW20 | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW20-F | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW20-P | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW20-PF | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW20 | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW20-F | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW20-P | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW20-PF | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW20 | Sodium | 30-Jan-12 | 6210 ug/L | 20000 ug/L | | | | |
| HW20-F | Sodium | 30-Jan-12 | 6350 ug/L | 20000 ug/L | | | | |
| HW20-P | Sodium | 30-Jan-12 | 6040 ug/L | 20000 ug/L | | | | |
| HW20-PF | Sodium | 30-Jan-12 | 6050 ug/L | 20000 ug/L | | | | |
| HW20 | Strontium | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20-F | Strontium | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20-P | Strontium | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20-PF | Strontium | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20 | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-F | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-P | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW20-PF | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW20 | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-F | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20-P | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20-PF | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW20 | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW20-F | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW20-P | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW20-PF | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW20 | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW20-F | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW20-P | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW20-PF | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW20 | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW20-F | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW20-P | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW20-PF | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW20 | Zinc | 30-Jan-12 | 12.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW20-F | Zinc | 30-Jan-12 | 9.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW20-P | Zinc | 30-Jan-12 | 15.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW20-PF | Zinc | 30-Jan-12 | 15.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW20 | Oil and Grease | 30-Jan-12 | 5.2 U mg/L | | | | | |
| HW20-P | Oil and Grease | 30-Jan-12 | 5.1 U mg/L | | | | | |
| HW20 | Total Dissolved Solids | 30-Jan-12 | 48 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW20-P | Total Dissolved Solids | 30-Jan-12 | 109 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW20 | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW20-P | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW20 | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW20-P | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW20 | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW20-P | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW20 | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Acetophenone | 30-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW20-P | Acetophenone | 30-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW20 | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW20-P | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20 | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW20-P | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW20 | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW20-P | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW20 | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW20-P | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW20 | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW20-P | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW20 | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW20-P | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW20 | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW20-P | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW20 | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW20-P | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW20 | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW20-P | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW20 | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW20-P | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW20 | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 10 U ug/L | | | | | |
| HW20-P | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 10 U ug/L | | | | | |
| HW20 | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW20-P | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW20 | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW20-P | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW20 | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW20 | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW20-P | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW20 | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW20-P | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW20 | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW20-P | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW20 | Dinitrophenol-2,4 | 30-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW20-P | Dinitrophenol-2,4 | 30-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW20 | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW20-P | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW20 | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW20-P | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW20 | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW20-P | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW20 | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW20-P | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW20 | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW20-P | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW20 | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW20-P | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW20 | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW20 | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW20-P | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW20-P | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW20 | Hexachlorocyclopentadiene | 30-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW20-P | Hexachlorocyclopentadiene | 30-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20 | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW20-P | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW20 | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW20-P | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW20 | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW20-P | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW20 | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW20-P | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW20 | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW20 | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW20-P | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW20-P | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW20 | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW20-P | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW20 | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW20-P | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW20 | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW20-P | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW20 | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Nitrophenol-4 | 30-Jan-12 | 10 U ug/L | | | | | |
| HW20-P | Nitrophenol-4 | 30-Jan-12 | 10 U ug/L | | | | | |
| HW20 | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW20-P | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW20 | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW20-P | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW20 | Pentachlorophenol | 30-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW20-P | Pentachlorophenol | 30-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW20 | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW20 | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW20-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW20 | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW20-P | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW20 | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW20-P | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW20 | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20-P | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW20 | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW20-P | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW20 | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW20-P | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW20 | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW20-P | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW20 | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW20-P | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW20 | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW20-P | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW20 | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW20-P | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW20 | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW20-P | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW20 | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW20-P | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW20 | TPH - Diesel Range Organics | 30-Jan-12 | 250 U ug/L | | | | | |
| HW20-P | TPH - Diesel Range Organics | 30-Jan-12 | 250 U ug/L | | | | | |
| HW20 | TPH - Gasoline Range Organics | 30-Jan-12 | 50 U ug/L | | | | | |
| HW20-P | TPH - Gasoline Range Organics | 30-Jan-12 | 50 U ug/L | | | | | |
| HW20 | TPH - Oil Range Organics | 30-Jan-12 | 1000 U ug/L | | | | | |
| HW20-P | TPH - Oil Range Organics | 30-Jan-12 | 1000 U ug/L | | | | | |
| HW20 | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW20-P | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW20 | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW20-P | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20 | Acetone | 30-Jan-12 | 2 U ug/L | | | | | |
| HW20-P | Acetone | 30-Jan-12 | 2 U ug/L | | | | | |
| HW20 | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20-P | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20 | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20-P | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20 | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20-P | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20 | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW20-P | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW20 | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20-P | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20 | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW20-P | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW20 | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW20-P | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW20 | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20-P | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20 | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20-P | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20 | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW20 | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW20-P | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW20 | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW20-P | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW20 | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20-P | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW20 | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW20-P | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW20 | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-P | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW20 | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW20-P | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW20 | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW20-P | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW20 | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW20-P | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW20 | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-P | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW20 | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW20-P | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW20 | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20 | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW20-P | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW20 | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20-P | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20 | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW20-P | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW20 | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW20-P | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW20 | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20-P | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20 | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20-P | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20 | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW20-P | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW20 | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20-P | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW20 | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20-P | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20 | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW20-P | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW20 | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW20-P | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW20 | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW20-P | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW20 | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW20-P | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20 | Toluene | 30-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW20-P | Toluene | 30-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW20 | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW20-P | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW20 | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW20-P | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW20 | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW20-P | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW20 | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW20-P | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW20 | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20-P | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW20 | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW20-P | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW20 | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW20-P | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW20 | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW20-P | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW20 | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20-P | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW20 | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW20-P | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW20 | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW20-P | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW20 | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.42 mg/L | | 10 mg/L | | 10 mg/L | |
| HW20-P | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.414 mg/L | | 10 mg/L | | 10 mg/L | |
| HW20 | Total Nitrogen | 30-Jan-12 | 1 U mg/L | | | | | |
| HW20-P | Total Nitrogen | 30-Jan-12 | 1 U mg/L | | | | | |
| HW20 | Total Phosphorus as P | 30-Jan-12 | 0.05 UJ mg/L | | | | | |
| HW20-P | Total Phosphorus as P | 30-Jan-12 | 0.05 U mg/L | | | | | |
| HW21 | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW21z | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21z | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21 | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21z | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21 | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21z | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW21 | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW21z | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW21 | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW21z | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW21 | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW21z | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW21 | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW21z | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW21 | Ethane | 09-Feb-12 | 1.2 U ug/L | | | | | |
| HW21z | Ethane | 09-Feb-12 | 1.2 U ug/L | | | | | |
| HW21 | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW21z | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW21 | Methane | 09-Feb-12 | 19 ug/L | 28000 ug/L | | | | |
| HW21z | Methane | 09-Feb-12 | 8.2 ug/L | 28000 ug/L | | | | |
| HW21 | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21 | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW21 | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW21z | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW21z | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW21 | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21z | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21 | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW21z | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW21 | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21z | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21 | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21z | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW21 | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |
| HW21 | Chloride | 09-Feb-12 | 14.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW21z | Chloride | 09-Feb-12 | 14.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW21 | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW21z | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW21 | Sulfate | 09-Feb-12 | 11.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW21z | Sulfate | 09-Feb-12 | 11.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW21 | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW21-F | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW21z | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW21z-F | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW21 | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW21-F | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW21z | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW21z-F | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW21 | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW21-F | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW21z | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW21z-F | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW21 | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW21-F | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW21z | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW21z-F | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW21 | Barium | 09-Feb-12 | 31.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW21-F | Barium | 09-Feb-12 | 32.5 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW21z | Barium | 09-Feb-12 | 30.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW21z-F | Barium | 09-Feb-12 | 30.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW21 | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW21-F | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW21z | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW21z-F | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW21 | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW21-F | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW21z | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW21z-F | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW21-F | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW21z | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW21z-F | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW21 | Calcium | 09-Feb-12 | 18600 ug/L | | | | | |
| HW21-F | Calcium | 09-Feb-12 | 18200 ug/L | | | | | |
| HW21z | Calcium | 09-Feb-12 | 18500 ug/L | | | | | |
| HW21z-F | Calcium | 09-Feb-12 | 18600 ug/L | | | | | |
| HW21 | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW21-F | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW21z | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW21z-F | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW21 | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW21-F | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW21z | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW21z-F | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW21 | Copper | 09-Feb-12 | 6.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW21-F | Copper | 09-Feb-12 | 4.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW21z | Copper | 09-Feb-12 | 7.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW21z-F | Copper | 09-Feb-12 | 4.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW21 | Iron | 09-Feb-12 | 366 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW21-F | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW21z | Iron | 09-Feb-12 | 365 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW21z-F | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW21 | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW21-F | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW21z | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW21z-F | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW21 | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW21-F | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW21z | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW21z-F | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW21 | Magnesium | 09-Feb-12 | 2450 ug/L | | | | | |
| HW21-F | Magnesium | 09-Feb-12 | 2390 ug/L | | | | | |
| HW21z | Magnesium | 09-Feb-12 | 2430 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z-F | Magnesium | 09-Feb-12 | 2460 ug/L | | | | | |
| HW21 | Manganese | 09-Feb-12 | 7.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW21-F | Manganese | 09-Feb-12 | 4.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW21z | Manganese | 09-Feb-12 | 7.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW21z-F | Manganese | 09-Feb-12 | 3.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW21 | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW21-F | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW21z | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW21z-F | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW21 | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW21-F | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW21z | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW21z-F | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW21 | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW21-F | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW21z | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW21z-F | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW21 | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW21-F | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW21z | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW21z-F | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW21 | Sodium | 09-Feb-12 | 9770 ug/L | 20000 ug/L | | | | |
| HW21-F | Sodium | 09-Feb-12 | 9580 ug/L | 20000 ug/L | | | | |
| HW21z | Sodium | 09-Feb-12 | 9770 ug/L | 20000 ug/L | | | | |
| HW21z-F | Sodium | 09-Feb-12 | 9790 ug/L | 20000 ug/L | | | | |
| HW21 | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21-F | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21z | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21z-F | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21 | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW21-F | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW21z | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW21z-F | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW21 | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21-F | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21z-F | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW21 | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW21-F | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW21z | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW21z-F | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW21 | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW21-F | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW21z | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW21z-F | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW21 | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW21-F | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW21z | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW21z-F | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW21 | Zinc | 09-Feb-12 | 9.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW21-F | Zinc | 09-Feb-12 | 7.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW21z | Zinc | 09-Feb-12 | 11.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW21z-F | Zinc | 09-Feb-12 | 7.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW21 | Oil and Grease | 09-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW21z | Oil and Grease | 09-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW21 | Total Dissolved Solids | 09-Feb-12 | 83 mg/L | | | 500 mg/L | | 500 mg/L |
| HW21z | Total Dissolved Solids | 09-Feb-12 | 94 mg/L | | | 500 mg/L | | 500 mg/L |
| HW21 | Total Suspended Solids | 09-Feb-12 | 10 U mg/L | | | | | |
| HW21z | Total Suspended Solids | 09-Feb-12 | 10 U mg/L | | | | | |
| HW21 | 1-Methylnaphthalene | 09-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW21z | 1-Methylnaphthalene | 09-Feb-12 | R ug/L | 97 ug/L | | | | |
| HW21 | Acenaphthene | 09-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW21z | Acenaphthene | 09-Feb-12 | R ug/L | 400 ug/L | | | | |
| HW21 | Acenaphthylene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Acenaphthylene | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Acetophenone | 09-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW21z | Acetophenone | 09-Feb-12 | R ug/L | 1500 ug/L | | | | |
| HW21 | Anthracene | 09-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW21z | Anthracene | 09-Feb-12 | R ug/L | 1300 ug/L | | | | |
| HW21 | Atrazine | 09-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Atrazine | 09-Feb-12 | R ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW21 | Benzo(a)anthracene | 09-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW21z | Benzo(a)anthracene | 09-Feb-12 | R ug/L | 2.9 ug/L | | | | |
| HW21 | Benzo(a)pyrene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW21z | Benzo(a)pyrene | 09-Feb-12 | R ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW21 | Biphenyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Biphenyl | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Butylbenzyl phthalate | 09-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW21z | Butylbenzyl phthalate | 09-Feb-12 | R ug/L | 1400 ug/L | | | | |
| HW21 | Caprolactam | 09-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW21z | Caprolactam | 09-Feb-12 | R ug/L | 7700 ug/L | | | | |
| HW21 | Carbazole | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Carbazole | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Chlorobenzenamine-4 | 09-Feb-12 | 5 UJ ug/L | 3.2 ug/L | | | | |
| HW21z | Chlorobenzenamine-4 | 09-Feb-12 | R ug/L | 3.2 ug/L | | | | |
| HW21 | Chloronaphthalene-2 | 09-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW21z | Chloronaphthalene-2 | 09-Feb-12 | R ug/L | 550 ug/L | | | | |
| HW21 | Chlorophenol-2 | 09-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW21z | Chlorophenol-2 | 09-Feb-12 | R ug/L | 71 ug/L | | | | |
| HW21 | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Chlorophenyl-4 phenyl ether | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Chrysene | 09-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW21z | Chrysene | 09-Feb-12 | R ug/L | 290 ug/L | | | | |
| HW21 | Cresol, parachloro meta- | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Cresol, parachloro meta- | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 10 UJ ug/L | | | | | |
| HW21z | Cresol-4,6-dinitro-ortho | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Cresol-o | 09-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW21z | Cresol-o | 09-Feb-12 | R ug/L | 720 ug/L | | | | |
| HW21 | Cresol-p | 09-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW21z | Cresol-p | 09-Feb-12 | R ug/L | 72 ug/L | | | | |
| HW21 | Dibenz(a,h)anthracene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW21z | Dibenz(a,h)anthracene | 09-Feb-12 | R ug/L | 0.29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | Dibenzofuran | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Dibenzofuran | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW21z | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW21 | Dichlorophenol-2,4 | 09-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW21z | Dichlorophenol-2,4 | 09-Feb-12 | R ug/L | 35 ug/L | | | | |
| HW21 | Dimethylphenol, 2,4- | 09-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW21z | Dimethylphenol, 2,4- | 09-Feb-12 | R ug/L | 270 ug/L | | | | |
| HW21 | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW21z | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW21 | Dinitrotoluene-2,4 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Dinitrotoluene-2,4 | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Dinitrotoluene-2,6 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Dinitrotoluene-2,6 | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Ether, bis(2-chloroethyl) | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW21z | Ether, bis(2-chloroethyl) | 09-Feb-12 | R ug/L | 1.2 ug/L | | | | |
| HW21 | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Fluoranthene | 09-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW21z | Fluoranthene | 09-Feb-12 | R ug/L | 630 ug/L | | | | |
| HW21 | Fluoranthene benzo(k) | 09-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW21z | Fluoranthene benzo(k) | 09-Feb-12 | R ug/L | 29 ug/L | | | | |
| HW21 | Fluoranthene-benzo(b) | 09-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW21z | Fluoranthene-benzo(b) | 09-Feb-12 | R ug/L | 5.6 ug/L | | | | |
| HW21 | Fluorene | 09-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW21z | Fluorene | 09-Feb-12 | R ug/L | 220 ug/L | | | | |
| HW21 | Hexachlorobenzene | 09-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW21z | Hexachlorobenzene | 09-Feb-12 | R ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW21 | Hexachlorobutadiene | 09-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW21 | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW21z | Hexachlorobutadiene | 09-Feb-12 | R ug/L | 26 ug/L | | | | |
| HW21z | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW21 | Hexachlorocyclopentadiene | 09-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW21z | Hexachlorocyclopentadiene | 09-Feb-12 | R ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW21 | Hexachloroethane | 09-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Hexachloroethane | 09-Feb-12 | R ug/L | 5.1 ug/L | | | | |
| HW21 | Isophorone | 09-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW21z | Isophorone | 09-Feb-12 | R ug/L | 6700 ug/L | | | | |
| HW21 | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW21z | Methane, bis(2-chloroethoxy) | 09-Feb-12 | R ug/L | 47 ug/L | | | | |
| HW21 | Methylnaphthalene-2 | 09-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW21z | Methylnaphthalene-2 | 09-Feb-12 | R ug/L | 27 ug/L | | | | |
| HW21 | Naphthalene | 09-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW21 | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW21z | Naphthalene | 09-Feb-12 | R ug/L | 14 ug/L | | | | |
| HW21z | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW21 | Nitroaniline, ortho | 09-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW21z | Nitroaniline, ortho | 09-Feb-12 | R ug/L | 150 ug/L | | | | |
| HW21 | Nitroaniline-3 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Nitroaniline-3 | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Nitrobenzenamine-4 | 09-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW21z | Nitrobenzenamine-4 | 09-Feb-12 | R ug/L | 61 ug/L | | | | |
| HW21 | Nitrobenzene | 09-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW21z | Nitrobenzene | 09-Feb-12 | R ug/L | 12 ug/L | | | | |
| HW21 | Nitrophenol-2 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Nitrophenol-2 | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Nitrophenol-4 | 09-Feb-12 | 10 U ug/L | | | | | |
| HW21z | Nitrophenol-4 | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Nitrosodimethylamine-n | 09-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW21z | Nitrosodimethylamine-n | 09-Feb-12 | R ug/L | 0.042 ug/L | | | | |
| HW21 | Nitrosodiphenylamine-n | 09-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW21z | Nitrosodiphenylamine-n | 09-Feb-12 | R ug/L | 1000 ug/L | | | | |
| HW21 | Pentachlorophenol | 09-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW21z | Pentachlorophenol | 09-Feb-12 | R ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW21 | Perylene-benzo(ghi) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Perylene-benzo(ghi) | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Phenanthrene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Phenanthrene | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Phenol | 09-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW21z | Phenol | 09-Feb-12 | R ug/L | 4500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW21z | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | R ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW21 | Phthalate, Dimethyl | 09-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW21z | Phthalate, Dimethyl | 09-Feb-12 | R ug/L | 1400 ug/L | | | | |
| HW21 | Phthalate, di-n-butyl- | 09-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW21z | Phthalate, di-n-butyl- | 09-Feb-12 | R ug/L | 670 ug/L | | | | |
| HW21 | Phthalate, di-n-octyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW21z | Phthalate, di-n-octyl | 09-Feb-12 | R ug/L | | | | | |
| HW21 | Phthalate-diethyl | 09-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW21z | Phthalate-diethyl | 09-Feb-12 | R ug/L | 11000 ug/L | | | | |
| HW21 | Propylamine,n-nitroso di-n- | 09-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW21z | Propylamine,n-nitroso di-n- | 09-Feb-12 | R ug/L | 0.93 ug/L | | | | |
| HW21 | Pyrene | 09-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW21z | Pyrene | 09-Feb-12 | R ug/L | 87 ug/L | | | | |
| HW21 | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW21z | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | R ug/L | 3 ug/L | | | | |
| HW21 | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW21z | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | R ug/L | 1.2 ug/L | | | | |
| HW21 | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW21z | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | R ug/L | 170 ug/L | | | | |
| HW21 | Trichlorophenol-2,4,5 | 09-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW21z | Trichlorophenol-2,4,5 | 09-Feb-12 | R ug/L | 890 ug/L | | | | |
| HW21 | Trichlorophenol-2,4,6 | 09-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW21z | Trichlorophenol-2,4,6 | 09-Feb-12 | R ug/L | 9.04 ug/L | | | | |
| HW21 | TPH - Diesel Range Organics | 09-Feb-12 | 250 U ug/L | | | | | |
| HW21z | TPH - Diesel Range Organics | 09-Feb-12 | 250 U ug/L | | | | | |
| HW21 | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW21z | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW21 | TPH - Oil Range Organics | 09-Feb-12 | 1000 U ug/L | | | | | |
| HW21z | TPH - Oil Range Organics | 09-Feb-12 | 1000 U ug/L | | | | | |
| HW21 | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW21z | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW21 | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW21z | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW21 | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |
| HW21 | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21z | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21 | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21z | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21 | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21z | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21 | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW21z | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW21 | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21z | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21 | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW21z | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW21 | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW21z | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW21 | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21z | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21 | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW21z | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW21z | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW21 | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW21z | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW21 | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21z | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW21 | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW21z | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW21 | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW21z | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW21 | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW21z | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW21 | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW21z | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW21 | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW21z | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW21 | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW21z | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW21 | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW21z | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW21 | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21z | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW21 | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW21z | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW21 | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW21z | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW21 | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW21z | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW21 | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21z | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21 | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW21z | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW21 | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW21z | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW21 | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW21z | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW21 | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21z | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW21 | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW21z | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW21 | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW21z | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW21 | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW21z | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW21 | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW21z | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW21 | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW21z | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW21 | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21z | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW21 | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW21z | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW21 | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW21z | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW21 | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW21z | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW21 | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21z | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW21 | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW21z | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW21 | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW21z | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW21 | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.58 mg/L | | 10 mg/L | | 10 mg/L | |
| HW21z | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.575 mg/L | | 10 mg/L | | 10 mg/L | |
| HW21 | Total Nitrogen | 09-Feb-12 | 1 U mg/L | | | | | |
| HW21z | Total Nitrogen | 09-Feb-12 | 1 U mg/L | | | | | |
| HW21 | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW21z | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW22 | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW22-P | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW22 | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-P | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW22 | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW22-P | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW22 | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW22-P | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW22 | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW22-P | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW22 | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW22-P | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW22 | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW22-P | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW22 | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW22-P | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW22 | Ethane | 09-Feb-12 | 11 ug/L | | | | | |
| HW22-P | Ethane | 09-Feb-12 | 17 ug/L | | | | | |
| HW22 | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW22-P | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW22 | Methane | 09-Feb-12 | 17000 ug/L | 28000 ug/L | | | | |
| HW22-P | Methane | 09-Feb-12 | 13000 ug/L | 28000 ug/L | | | | |
| HW22 | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22-P | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW22 | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW22-P | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW22-P | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW22 | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22-P | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22 | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW22-P | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW22 | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22-P | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22 | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22-P | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW22 | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |
| HW22-P | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Chloride | 09-Feb-12 | 17.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW22-P | Chloride | 09-Feb-12 | 17 mg/L | | | 250 mg/L | | 250 mg/L |
| HW22 | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW22-P | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW22 | Sulfate | 09-Feb-12 | 3.98 mg/L | | | 250 mg/L | | 250 mg/L |
| HW22-P | Sulfate | 09-Feb-12 | 3.52 mg/L | | | 250 mg/L | | 250 mg/L |
| HW22 | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-F | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-P | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-PF | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW22 | Aluminum | 09-Feb-12 | 5220 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW22-F | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW22-P | Aluminum | 09-Feb-12 | 2680 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW22-PF | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW22 | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW22-F | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW22-P | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW22-PF | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW22 | Arsenic | 09-Feb-12 | 7.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW22-F | Arsenic | 09-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW22-P | Arsenic | 09-Feb-12 | 3.8 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW22-PF | Arsenic | 09-Feb-12 | 1.2 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW22 | Barium | 09-Feb-12 | 516 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW22-F | Barium | 09-Feb-12 | 376 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW22-P | Barium | 09-Feb-12 | 511 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW22-PF | Barium | 09-Feb-12 | 452 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW22 | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW22-F | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW22-P | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW22-PF | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW22 | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW22-F | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW22-P | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW22-PF | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW22 | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-F | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW22-P | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW22-PF | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW22 | Calcium | 09-Feb-12 | 27900 ug/L | | | | | |
| HW22-F | Calcium | 09-Feb-12 | 27500 ug/L | | | | | |
| HW22-P | Calcium | 09-Feb-12 | 26500 ug/L | | | | | |
| HW22-PF | Calcium | 09-Feb-12 | 27100 ug/L | | | | | |
| HW22 | Chromium | 09-Feb-12 | 4.9 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW22-F | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW22-P | Chromium | 09-Feb-12 | 2.5 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW22-PF | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW22 | Cobalt | 09-Feb-12 | 3.8 ug/L | 4.7 ug/L | | | | |
| HW22-F | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW22-P | Cobalt | 09-Feb-12 | 1.8 ug/L | 4.7 ug/L | | | | |
| HW22-PF | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW22 | Copper | 09-Feb-12 | 14 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW22-F | Copper | 09-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW22-P | Copper | 09-Feb-12 | 6.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW22-PF | Copper | 09-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW22 | Iron | 09-Feb-12 | 8530 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW22-F | Iron | 09-Feb-12 | 159 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW22-P | Iron | 09-Feb-12 | 4030 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW22-PF | Iron | 09-Feb-12 | 386 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW22 | Lead | 09-Feb-12 | 22.7 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW22-F | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW22-P | Lead | 09-Feb-12 | 8.1 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW22-PF | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW22 | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW22-F | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW22-P | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW22-PF | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW22 | Magnesium | 09-Feb-12 | 6510 ug/L | | | | | |
| HW22-F | Magnesium | 09-Feb-12 | 5160 ug/L | | | | | |
| HW22-P | Magnesium | 09-Feb-12 | 5630 ug/L | | | | | |
| HW22-PF | Magnesium | 09-Feb-12 | 5150 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Manganese | 09-Feb-12 | 635 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW22-F | Manganese | 09-Feb-12 | 361 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW22-P | Manganese | 09-Feb-12 | 460 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW22-PF | Manganese | 09-Feb-12 | 313 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW22 | Nickel | 09-Feb-12 | 7.7 ug/L | 300 ug/L | | | | |
| HW22-F | Nickel | 09-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW22-P | Nickel | 09-Feb-12 | 4 ug/L | 300 ug/L | | | | |
| HW22-PF | Nickel | 09-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW22 | Potassium | 09-Feb-12 | 2690 ug/L | | | | | |
| HW22-F | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW22-P | Potassium | 09-Feb-12 | 2100 ug/L | | | | | |
| HW22-PF | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW22 | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW22-F | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW22-P | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW22-PF | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW22 | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW22-F | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW22-P | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW22-PF | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW22 | Sodium | 09-Feb-12 | 18000 ug/L | 20000 ug/L | | | | |
| HW22-F | Sodium | 09-Feb-12 | 18100 ug/L | 20000 ug/L | | | | |
| HW22-P | Sodium | 09-Feb-12 | 19000 ug/L | 20000 ug/L | | | | |
| HW22-PF | Sodium | 09-Feb-12 | 19300 ug/L | 20000 ug/L | | | | |
| HW22 | Strontium | 09-Feb-12 | 433 ug/L | 9300 ug/L | | | | |
| HW22-F | Strontium | 09-Feb-12 | 426 ug/L | 9300 ug/L | | | | |
| HW22-P | Strontium | 09-Feb-12 | 503 ug/L | 9300 ug/L | | | | |
| HW22-PF | Strontium | 09-Feb-12 | 507 ug/L | 9300 ug/L | | | | |
| HW22 | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-F | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-P | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW22-PF | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW22 | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW22-F | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW22-P | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-PF | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW22 | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW22-F | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW22-P | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW22-PF | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW22 | Uranium | 09-Feb-12 | 1.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW22-F | Uranium | 09-Feb-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW22-P | Uranium | 09-Feb-12 | 1.3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW22-PF | Uranium | 09-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW22 | Vanadium | 09-Feb-12 | 5.8 ug/L | 78 ug/L | | | | |
| HW22-F | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW22-P | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW22-PF | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW22 | Zinc | 09-Feb-12 | 33.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW22-F | Zinc | 09-Feb-12 | 2.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW22-P | Zinc | 09-Feb-12 | 12.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW22-PF | Zinc | 09-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW22 | Oil and Grease | 09-Feb-12 | 5.4 UJ mg/L | | | | | |
| HW22-P | Oil and Grease | 09-Feb-12 | 5.4 UJ mg/L | | | | | |
| HW22 | Total Dissolved Solids | 09-Feb-12 | 120 mg/L | | | 500 mg/L | | 500 mg/L |
| HW22-P | Total Dissolved Solids | 09-Feb-12 | 130 mg/L | | | 500 mg/L | | 500 mg/L |
| HW22 | Total Suspended Solids | 09-Feb-12 | 141 mg/L | | | | | |
| HW22-P | Total Suspended Solids | 09-Feb-12 | 45 mg/L | | | | | |
| HW22 | 1-Methylnaphthalene | 09-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW22-P | 1-Methylnaphthalene | 09-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW22 | Acenaphthene | 09-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW22-P | Acenaphthene | 09-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW22 | Acenaphthylene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Acenaphthylene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Acetophenone | 09-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW22-P | Acetophenone | 09-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW22 | Anthracene | 09-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW22-P | Anthracene | 09-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW22 | Atrazine | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW22-P | Atrazine | 09-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Benzo(a)anthracene | 09-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW22-P | Benzo(a)anthracene | 09-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW22 | Benzo(a)pyrene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW22-P | Benzo(a)pyrene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW22 | Biphenyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Biphenyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Butylbenzyl phthalate | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW22-P | Butylbenzyl phthalate | 09-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW22 | Caprolactam | 09-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW22-P | Caprolactam | 09-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW22 | Carbazole | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Carbazole | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Chlorobenzenamine-4 | 09-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW22-P | Chlorobenzenamine-4 | 09-Feb-12 | 5 UJ ug/L | 3.2 ug/L | | | | |
| HW22 | Chloronaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW22-P | Chloronaphthalene-2 | 09-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW22 | Chlorophenol-2 | 09-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW22-P | Chlorophenol-2 | 09-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW22 | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Chrysene | 09-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW22-P | Chrysene | 09-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW22 | Cresol, parachloro meta- | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Cresol, parachloro meta- | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW22-P | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 10 UJ ug/L | | | | | |
| HW22 | Cresol-o | 09-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW22-P | Cresol-o | 09-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW22 | Cresol-p | 09-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW22-P | Cresol-p | 09-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW22 | Dibenz(a,h)anthracene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW22-P | Dibenz(a,h)anthracene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW22 | Dibenzofuran | 09-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-P | Dibenzofuran | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW22-P | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW22 | Dichlorophenol-2,4 | 09-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW22-P | Dichlorophenol-2,4 | 09-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW22 | Dimethylphenol, 2,4- | 09-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW22-P | Dimethylphenol, 2,4- | 09-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW22 | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW22-P | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW22 | Dinitrotoluene-2,4 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Dinitrotoluene-2,4 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Dinitrotoluene-2,6 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Dinitrotoluene-2,6 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Ether, bis(2-chloroethyl) | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW22-P | Ether, bis(2-chloroethyl) | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW22 | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Fluoranthene | 09-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW22-P | Fluoranthene | 09-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW22 | Fluoranthene benzo(k) | 09-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW22-P | Fluoranthene benzo(k) | 09-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW22 | Fluoranthene-benzo(b) | 09-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW22-P | Fluoranthene-benzo(b) | 09-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW22 | Fluorene | 09-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW22-P | Fluorene | 09-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW22 | Hexachlorobenzene | 09-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW22-P | Hexachlorobenzene | 09-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW22 | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW22 | Hexachlorobutadiene | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW22-P | Hexachlorobutadiene | 09-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW22-P | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW22 | Hexachlorocyclopentadiene | 09-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW22-P | Hexachlorocyclopentadiene | 09-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW22 | Hexachloroethane | 09-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW22-P | Hexachloroethane | 09-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Isophorone | 09-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW22-P | Isophorone | 09-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW22 | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW22-P | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW22 | Methylnaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW22-P | Methylnaphthalene-2 | 09-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW22 | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW22 | Naphthalene | 09-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW22-P | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW22-P | Naphthalene | 09-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW22 | Nitroaniline, ortho | 09-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW22-P | Nitroaniline, ortho | 09-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW22 | Nitroaniline-3 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Nitroaniline-3 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Nitrobenzenamine-4 | 09-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW22-P | Nitrobenzenamine-4 | 09-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW22 | Nitrobenzene | 09-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW22-P | Nitrobenzene | 09-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW22 | Nitrophenol-2 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Nitrophenol-2 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Nitrophenol-4 | 09-Feb-12 | 9.52 U ug/L | | | | | |
| HW22-P | Nitrophenol-4 | 09-Feb-12 | 10 U ug/L | | | | | |
| HW22 | Nitrosodimethylamine-n | 09-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW22-P | Nitrosodimethylamine-n | 09-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW22 | Nitrosodiphenylamine-n | 09-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW22-P | Nitrosodiphenylamine-n | 09-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW22 | Pentachlorophenol | 09-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW22-P | Pentachlorophenol | 09-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW22 | Perylene-benzo(ghi) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Perylene-benzo(ghi) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Phenanthrene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Phenanthrene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Phenol | 09-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW22-P | Phenol | 09-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW22 | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW22 | Phthalate, Dimethyl | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW22-P | Phthalate, Dimethyl | 09-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW22 | Phthalate, di-n-butyl- | 09-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW22-P | Phthalate, di-n-butyl- | 09-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW22 | Phthalate, di-n-octyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW22-P | Phthalate, di-n-octyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW22 | Phthalate-diethyl | 09-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW22-P | Phthalate-diethyl | 09-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW22 | Propylamine,n-nitroso di-n- | 09-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW22-P | Propylamine,n-nitroso di-n- | 09-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW22 | Pyrene | 09-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW22-P | Pyrene | 09-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW22 | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW22-P | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW22 | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW22-P | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW22 | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW22-P | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW22 | Trichlorophenol-2,4,5 | 09-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW22-P | Trichlorophenol-2,4,5 | 09-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW22 | Trichlorophenol-2,4,6 | 09-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW22-P | Trichlorophenol-2,4,6 | 09-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW22 | TPH - Diesel Range Organics | 09-Feb-12 | 250 U ug/L | | | | | |
| HW22-P | TPH - Diesel Range Organics | 09-Feb-12 | 250 U ug/L | | | | | |
| HW22 | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW22-P | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW22 | TPH - Oil Range Organics | 09-Feb-12 | 1000 U ug/L | | | | | |
| HW22-P | TPH - Oil Range Organics | 09-Feb-12 | 1000 U ug/L | | | | | |
| HW22 | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW22-P | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW22 | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW22-P | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW22 | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |
| HW22-P | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22-P | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22 | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22-P | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22 | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22-P | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22 | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW22-P | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW22 | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22-P | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22 | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW22-P | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW22 | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW22-P | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW22 | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22-P | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22 | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW22-P | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW22 | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-P | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW22-P | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW22 | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW22-P | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW22 | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22-P | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW22 | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW22-P | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW22 | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW22-P | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW22 | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW22-P | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW22 | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW22-P | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW22 | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW22-P | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW22 | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW22-P | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW22 | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW22-P | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW22 | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW22-P | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22 | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW22-P | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW22 | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW22-P | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW22 | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW22-P | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW22 | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22-P | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22 | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW22-P | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW22 | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW22-P | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW22 | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW22-P | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW22 | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22-P | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22 | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW22-P | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW22 | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW22-P | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW22 | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW22-P | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW22 | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW22-P | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW22 | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW22-P | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW22 | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22-P | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW22 | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW22-P | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW22 | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW22-P | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW22 | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW22-P | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW22 | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22-P | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW22 | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW22-P | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW22 | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW22-P | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW22 | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW22-P | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW22 | Total Nitrogen | 09-Feb-12 | 1 U mg/L | | | | | |
| HW22-P | Total Nitrogen | 09-Feb-12 | 1 U mg/L | | | | | |
| HW22 | Total Phosphorus as P | 09-Feb-12 | 0.103 mg/L | | | | | |
| HW22-P | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW23 | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW23-P | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW23 | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW23-P | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW23-P | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW23 | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW23-P | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW23 | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW23-P | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW23 | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW23-P | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW23 | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW23-P | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW23 | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW23-P | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW23 | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW23-P | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW23 | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW23-P | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW23 | Methane | 08-Feb-12 | 3.6 ug/L | 28000 ug/L | | | | |
| HW23-P | Methane | 08-Feb-12 | 5 ug/L | 28000 ug/L | | | | |
| HW23 | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23-P | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | 2-Methoxyethanol | 08-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW23 | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW23-P | 2-Methoxyethanol | 08-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW23-P | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW23 | Diethylene Glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23-P | Diethylene Glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23 | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW23-P | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW23 | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23-P | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23 | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23-P | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW23 | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW23-P | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW23 | Chloride | 08-Feb-12 | 21.4 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Chloride | 08-Feb-12 | 21.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW23 | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW23-P | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW23 | Sulfate | 08-Feb-12 | 8.32 mg/L | | | 250 mg/L | | 250 mg/L |
| HW23-P | Sulfate | 08-Feb-12 | 8.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW23 | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-F | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-P | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-PF | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW23 | Aluminum | 08-Feb-12 | 34.6 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW23-F | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW23-P | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW23-PF | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW23 | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW23-F | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW23-P | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW23-PF | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW23 | Arsenic | 08-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW23-F | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW23-P | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW23-PF | Arsenic | 08-Feb-12 | 1.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW23 | Barium | 08-Feb-12 | 185 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW23-F | Barium | 08-Feb-12 | 182 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW23-P | Barium | 08-Feb-12 | 193 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW23-PF | Barium | 08-Feb-12 | 188 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW23 | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW23-F | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW23-P | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW23-PF | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW23 | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW23-F | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW23-P | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW23-PF | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW23 | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW23-F | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW23-PF | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW23 | Calcium | 08-Feb-12 | 26600 ug/L | | | | | |
| HW23-F | Calcium | 08-Feb-12 | 26500 ug/L | | | | | |
| HW23-P | Calcium | 08-Feb-12 | 27400 ug/L | | | | | |
| HW23-PF | Calcium | 08-Feb-12 | 27100 ug/L | | | | | |
| HW23 | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW23-F | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW23-P | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW23-PF | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW23 | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW23-F | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW23-P | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW23-PF | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW23 | Copper | 08-Feb-12 | 15.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW23-F | Copper | 08-Feb-12 | 3.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW23-P | Copper | 08-Feb-12 | 10 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW23-PF | Copper | 08-Feb-12 | 7.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW23 | Iron | 08-Feb-12 | 375 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW23-F | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW23-P | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW23-PF | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW23 | Lead | 08-Feb-12 | 2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW23-F | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW23-P | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW23-PF | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW23 | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW23-F | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW23-P | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW23-PF | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW23 | Magnesium | 08-Feb-12 | 4980 ug/L | | | | | |
| HW23-F | Magnesium | 08-Feb-12 | 4950 ug/L | | | | | |
| HW23-P | Magnesium | 08-Feb-12 | 5110 ug/L | | | | | |
| HW23-PF | Magnesium | 08-Feb-12 | 5060 ug/L | | | | | |
| HW23 | Manganese | 08-Feb-12 | 14.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-F | Manganese | 08-Feb-12 | 2.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW23-P | Manganese | 08-Feb-12 | 4.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW23-PF | Manganese | 08-Feb-12 | 2.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW23 | Nickel | 08-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW23-F | Nickel | 08-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW23-P | Nickel | 08-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW23-PF | Nickel | 08-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW23 | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW23-F | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW23-P | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW23-PF | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW23 | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW23-F | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW23-P | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW23-PF | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW23 | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW23-F | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW23-P | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW23-PF | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW23 | Sodium | 08-Feb-12 | 13600 ug/L | 20000 ug/L | | | | |
| HW23-F | Sodium | 08-Feb-12 | 13300 ug/L | 20000 ug/L | | | | |
| HW23-P | Sodium | 08-Feb-12 | 14500 ug/L | 20000 ug/L | | | | |
| HW23-PF | Sodium | 08-Feb-12 | 14200 ug/L | 20000 ug/L | | | | |
| HW23 | Strontium | 08-Feb-12 | 359 ug/L | 9300 ug/L | | | | |
| HW23-F | Strontium | 08-Feb-12 | 357 ug/L | 9300 ug/L | | | | |
| HW23-P | Strontium | 08-Feb-12 | 370 ug/L | 9300 ug/L | | | | |
| HW23-PF | Strontium | 08-Feb-12 | 360 ug/L | 9300 ug/L | | | | |
| HW23 | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-F | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-P | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW23-PF | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW23 | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW23-F | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW23-P | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW23-PF | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW23-F | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW23-P | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW23-PF | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW23 | Uranium | 08-Feb-12 | 1.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW23-F | Uranium | 08-Feb-12 | 1.8 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW23-P | Uranium | 08-Feb-12 | 1.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW23-PF | Uranium | 08-Feb-12 | 1.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW23 | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW23-F | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW23-P | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW23-PF | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW23 | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW23-F | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW23-P | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW23-PF | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW23 | Oil and Grease | 08-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW23-P | Oil and Grease | 08-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW23 | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW23-P | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW23 | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW23-P | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW23 | 1-Methylnaphthalene | 08-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW23-P | 1-Methylnaphthalene | 08-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW23 | Acenaphthene | 08-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW23-P | Acenaphthene | 08-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW23 | Acenaphthylene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Acenaphthylene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Acetophenone | 08-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW23-P | Acetophenone | 08-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW23 | Anthracene | 08-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW23-P | Anthracene | 08-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW23 | Atrazine | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW23-P | Atrazine | 08-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW23 | Benzo(a)anthracene | 08-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Benzo(a)anthracene | 08-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW23 | Benzo(a)pyrene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW23-P | Benzo(a)pyrene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW23 | Biphenyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Biphenyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Butylbenzyl phthalate | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW23-P | Butylbenzyl phthalate | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW23 | Caprolactam | 08-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW23-P | Caprolactam | 08-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW23 | Carbazole | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Carbazole | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Chlorobenzenamine-4 | 08-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW23-P | Chlorobenzenamine-4 | 08-Feb-12 | 5 UJ ug/L | 3.2 ug/L | | | | |
| HW23 | Chloronaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW23-P | Chloronaphthalene-2 | 08-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW23 | Chlorophenol-2 | 08-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW23-P | Chlorophenol-2 | 08-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW23 | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Chrysene | 08-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW23-P | Chrysene | 08-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW23 | Cresol, parachloro meta- | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Cresol, parachloro meta- | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW23-P | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 10 UJ ug/L | | | | | |
| HW23 | Cresol-o | 08-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW23-P | Cresol-o | 08-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW23 | Cresol-p | 08-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW23-P | Cresol-p | 08-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW23 | Dibenz(a,h)anthracene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW23-P | Dibenz(a,h)anthracene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW23 | Dibenzofuran | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Dibenzofuran | 08-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | Dichlorobenzidine-3,3' | 08-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW23-P | Dichlorobenzidine-3,3' | 08-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW23 | Dichlorophenol-2,4 | 08-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW23-P | Dichlorophenol-2,4 | 08-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW23 | Dimethylphenol, 2,4- | 08-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW23-P | Dimethylphenol, 2,4- | 08-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW23 | Dinitrophenol-2,4 | 08-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW23-P | Dinitrophenol-2,4 | 08-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW23 | Dinitrotoluene-2,4 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Dinitrotoluene-2,4 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Dinitrotoluene-2,6 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Dinitrotoluene-2,6 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Ether, bis(2-chloroethyl) | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW23-P | Ether, bis(2-chloroethyl) | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW23 | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Fluoranthene | 08-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW23-P | Fluoranthene | 08-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW23 | Fluoranthene benzo(k) | 08-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW23-P | Fluoranthene benzo(k) | 08-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW23 | Fluoranthene-benzo(b) | 08-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW23-P | Fluoranthene-benzo(b) | 08-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW23 | Fluorene | 08-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW23-P | Fluorene | 08-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW23 | Hexachlorobenzene | 08-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW23-P | Hexachlorobenzene | 08-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW23 | Hexachlorobutadiene | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW23 | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW23-P | Hexachlorobutadiene | 08-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW23-P | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW23 | Hexachlorocyclopentadiene | 08-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW23-P | Hexachlorocyclopentadiene | 08-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW23 | Hexachloroethane | 08-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW23-P | Hexachloroethane | 08-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW23 | Isophorone | 08-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Isophorone | 08-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW23 | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW23-P | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW23 | Methylnaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW23-P | Methylnaphthalene-2 | 08-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW23 | Naphthalene | 08-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW23 | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW23-P | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW23-P | Naphthalene | 08-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW23 | Nitroaniline, ortho | 08-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW23-P | Nitroaniline, ortho | 08-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW23 | Nitroaniline-3 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Nitroaniline-3 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Nitrobenzenamine-4 | 08-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW23-P | Nitrobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW23 | Nitrobenzene | 08-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW23-P | Nitrobenzene | 08-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW23 | Nitrophenol-2 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Nitrophenol-2 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Nitrophenol-4 | 08-Feb-12 | 9.52 U ug/L | | | | | |
| HW23-P | Nitrophenol-4 | 08-Feb-12 | 10 U ug/L | | | | | |
| HW23 | Nitrosodimethylamine-n | 08-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW23-P | Nitrosodimethylamine-n | 08-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW23 | Nitrosodiphenylamine-n | 08-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW23-P | Nitrosodiphenylamine-n | 08-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW23 | Pentachlorophenol | 08-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW23-P | Pentachlorophenol | 08-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW23 | Perylene-benzo(ghi) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Perylene-benzo(ghi) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Phenanthrene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Phenanthrene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Phenol | 08-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW23-P | Phenol | 08-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW23 | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW23-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | Phthalate, Dimethyl | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW23-P | Phthalate, Dimethyl | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW23 | Phthalate, di-n-butyl- | 08-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW23-P | Phthalate, di-n-butyl- | 08-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW23 | Phthalate, di-n-octyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW23-P | Phthalate, di-n-octyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW23 | Phthalate-diethyl | 08-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW23-P | Phthalate-diethyl | 08-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW23 | Propylamine,n-nitroso di-n- | 08-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW23-P | Propylamine,n-nitroso di-n- | 08-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW23 | Pyrene | 08-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW23-P | Pyrene | 08-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW23 | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW23-P | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW23 | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW23-P | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW23 | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW23-P | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW23 | Trichlorophenol-2,4,5 | 08-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW23-P | Trichlorophenol-2,4,5 | 08-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW23 | Trichlorophenol-2,4,6 | 08-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW23-P | Trichlorophenol-2,4,6 | 08-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW23 | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW23-P | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW23 | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW23-P | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW23 | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW23-P | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW23 | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW23-P | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW23 | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW23-P | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW23 | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW23-P | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW23 | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23 | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Bromoform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23-P | Bromoform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23 | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23-P | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23 | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW23-P | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW23 | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23-P | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23 | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW23-P | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW23 | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW23-P | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW23 | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23-P | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23 | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW23-P | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW23 | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW23-P | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW23 | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW23-P | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW23 | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23-P | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW23 | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW23-P | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW23 | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW23-P | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW23 | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW23-P | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW23 | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW23-P | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW23 | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW23-P | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW23 | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW23-P | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW23 | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW23-P | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW23 | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW23-P | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW23 | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23-P | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW23-P | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW23 | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW23-P | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW23 | Methyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Methyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW23-P | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW23 | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23-P | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23 | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW23-P | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW23 | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW23-P | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW23 | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW23-P | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW23 | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23-P | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23 | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW23-P | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW23 | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW23-P | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW23 | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW23-P | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW23 | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW23-P | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW23 | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW23-P | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW23 | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23-P | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW23 | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW23-P | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW23 | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW23-P | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW23 | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW23-P | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW23 | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23-P | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW23 | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW23-P | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW23 | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW23-P | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW23 | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.908 mg/L | | 10 mg/L | | 10 mg/L | |
| HW23-P | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.921 mg/L | | 10 mg/L | | 10 mg/L | |
| HW23 | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW23-P | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW23 | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW23-P | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW24 | 2-Butanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24-P | 2-Butanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24 | Ethanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24-P | Ethanol | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24 | Methanol | 27-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Methanol | 27-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW24 | Anionic Surfactants | 27-Jan-12 | 0.01 U mg/L | | | | | |
| HW24-P | Anionic Surfactants | 27-Jan-12 | 0.01 U mg/L | | | | | |
| HW24 | Heterotrophic Plate Count | 27-Jan-12 | R cfu/1mL | | | | | |
| HW24-P | Heterotrophic Plate Count | 27-Jan-12 | R cfu/1mL | | | | | |
| HW24 | Total Coliform Bacteria | 27-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW24-P | Total Coliform Bacteria | 27-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW24 | Ethane | 27-Jan-12 | 1.2 U ug/L | | | | | |
| HW24-P | Ethane | 27-Jan-12 | 1.2 U ug/L | | | | | |
| HW24 | Ethene | 27-Jan-12 | 1.1 U ug/L | | | | | |
| HW24-P | Ethene | 27-Jan-12 | 1.1 U ug/L | | | | | |
| HW24 | Methane | 27-Jan-12 | 740 ug/L | 28000 ug/L | | | | |
| HW24-P | Methane | 27-Jan-12 | 630 ug/L | 28000 ug/L | | | | |
| HW24 | 2-Butoxyethanol | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | 2-Butoxyethanol | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | 2-Methoxyethanol | 27-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW24 | 2-Methoxyethanol | 27-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW24-P | 2-Methoxyethanol | 27-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW24-P | 2-Methoxyethanol | 27-Jan-12 | 57.9 U ug/L | 78 ug/L | | | | |
| HW24 | Diethylene glycol | 27-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW24 | Diethylene Glycol | 27-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW24-P | Diethylene Glycol | 27-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW24-P | Diethylene glycol | 27-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW24 | Ethanol, 2-ethoxy- | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24-P | Ethanol, 2-ethoxy- | 27-Jan-12 | 10000 U ug/L | | | | | |
| HW24 | Ethanol, 2-methoxy- | 27-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW24-P | Ethanol, 2-methoxy- | 27-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW24 | Ethylene glycol | 27-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW24-P | Ethylene glycol | 27-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW24 | Tetraethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW24-P | Tetraethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW24 | Triethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW24 | Triethylene glycol | 27-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW24-P | Triethylene glycol | 27-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW24-P | Triethylene glycol | 27-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24 | Bromide | 27-Jan-12 | 0.5 U mg/L | | | | | |
| HW24-P | Bromide | 27-Jan-12 | 0.5 U mg/L | | | | | |
| HW24 | Chloride | 27-Jan-12 | 6.63 mg/L | | | 250 mg/L | | 250 mg/L |
| HW24-P | Chloride | 27-Jan-12 | 6.62 mg/L | | | 250 mg/L | | 250 mg/L |
| HW24 | Fluoride | 27-Jan-12 | 0.359 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW24-P | Fluoride | 27-Jan-12 | 0.36 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW24 | Sulfate | 27-Jan-12 | 1.46 mg/L | | | 250 mg/L | | 250 mg/L |
| HW24-P | Sulfate | 27-Jan-12 | 1.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW24 | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-F | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-P | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-PF | Mercury | 27-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW24 | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW24-F | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW24-P | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW24-PF | Aluminum | 27-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW24 | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW24-F | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW24-P | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW24-PF | Antimony | 27-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW24 | Arsenic | 27-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW24-F | Arsenic | 27-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW24-P | Arsenic | 27-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW24-PF | Arsenic | 27-Jan-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW24 | Barium | 27-Jan-12 | 139 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW24-F | Barium | 27-Jan-12 | 132 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW24-P | Barium | 27-Jan-12 | 139 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW24-PF | Barium | 27-Jan-12 | 135 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW24 | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW24-F | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW24-P | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW24-PF | Beryllium | 27-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW24 | Boron | 27-Jan-12 | 251 ug/L | 3100 ug/L | | | | |
| HW24-F | Boron | 27-Jan-12 | 240 ug/L | 3100 ug/L | | | | |
| HW24-P | Boron | 27-Jan-12 | 260 ug/L | 3100 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-PF | Boron | 27-Jan-12 | 242 ug/L | 3100 ug/L | | | | |
| HW24 | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-F | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-P | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-PF | Cadmium | 27-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW24 | Calcium | 27-Jan-12 | 1310 ug/L | | | | | |
| HW24-F | Calcium | 27-Jan-12 | 1240 ug/L | | | | | |
| HW24-P | Calcium | 27-Jan-12 | 1380 ug/L | | | | | |
| HW24-PF | Calcium | 27-Jan-12 | 1350 ug/L | | | | | |
| HW24 | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW24-F | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW24-P | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW24-PF | Chromium | 27-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW24 | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW24-F | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW24-P | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW24-PF | Cobalt | 27-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW24 | Copper | 27-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW24-F | Copper | 27-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW24-P | Copper | 27-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW24-PF | Copper | 27-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW24 | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW24-F | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW24-P | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW24-PF | Iron | 27-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW24 | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW24-F | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW24-P | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW24-PF | Lead | 27-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW24 | Lithium | 27-Jan-12 | 204 ug/L | 31 ug/L | | | | |
| HW24-F | Lithium | 27-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW24-P | Lithium | 27-Jan-12 | 201 ug/L | 31 ug/L | | | | |
| HW24-PF | Lithium | 27-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW24 | Magnesium | 27-Jan-12 | 500 U ug/L | | | | | |
| HW24-F | Magnesium | 27-Jan-12 | 500 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Magnesium | 27-Jan-12 | 500 U ug/L | | | | | |
| HW24-PF | Magnesium | 27-Jan-12 | 500 U ug/L | | | | | |
| HW24 | Manganese | 27-Jan-12 | 3.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW24-F | Manganese | 27-Jan-12 | 3.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW24-P | Manganese | 27-Jan-12 | 4.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW24-PF | Manganese | 27-Jan-12 | 3.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW24 | Nickel | 27-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW24-F | Nickel | 27-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW24-P | Nickel | 27-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW24-PF | Nickel | 27-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW24 | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW24-F | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW24-P | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW24-PF | Potassium | 27-Jan-12 | 2000 U ug/L | | | | | |
| HW24 | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW24-F | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW24-P | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW24-PF | Selenium | 27-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW24 | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW24-F | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW24-P | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW24-PF | Silver | 27-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW24 | Sodium | 27-Jan-12 | 88000 ug/L | 20000 ug/L | | | | |
| HW24-F | Sodium | 27-Jan-12 | 84200 ug/L | 20000 ug/L | | | | |
| HW24-P | Sodium | 27-Jan-12 | 87200 ug/L | 20000 ug/L | | | | |
| HW24-PF | Sodium | 27-Jan-12 | 83900 ug/L | 20000 ug/L | | | | |
| HW24 | Strontium | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24-F | Strontium | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24-P | Strontium | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24-PF | Strontium | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24 | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-F | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-P | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW24-PF | Thallium | 27-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW24 | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-F | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24-P | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24-PF | Tin | 27-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW24 | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW24-F | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW24-P | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW24-PF | Titanium | 27-Jan-12 | 200 U ug/L | | | | | |
| HW24 | Uranium | 27-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW24-F | Uranium | 27-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW24-P | Uranium | 27-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW24-PF | Uranium | 27-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW24 | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW24-F | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW24-P | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW24-PF | Vanadium | 27-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW24 | Zinc | 27-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW24-F | Zinc | 27-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW24-P | Zinc | 27-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW24-PF | Zinc | 27-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW24 | Oil and Grease | 27-Jan-12 | 5.2 U mg/L | | | | | |
| HW24-P | Oil and Grease | 27-Jan-12 | 5.1 U mg/L | | | | | |
| HW24 | Total Dissolved Solids | 27-Jan-12 | 189 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW24-P | Total Dissolved Solids | 27-Jan-12 | 157 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW24 | Total Suspended Solids | 27-Jan-12 | 10 U mg/L | | | | | |
| HW24-P | Total Suspended Solids | 27-Jan-12 | 10 U mg/L | | | | | |
| HW24 | 1-Methylnaphthalene | 27-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW24-P | 1-Methylnaphthalene | 27-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW24 | Acenaphthene | 27-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW24-P | Acenaphthene | 27-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW24 | Acenaphthylene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Acenaphthylene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Acetophenone | 27-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW24-P | Acetophenone | 27-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW24 | Anthracene | 27-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW24-P | Anthracene | 27-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24 | Atrazine | 27-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW24-P | Atrazine | 27-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW24 | Benzo(a)anthracene | 27-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW24-P | Benzo(a)anthracene | 27-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW24 | Benzo(a)pyrene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW24-P | Benzo(a)pyrene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW24 | Biphenyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Biphenyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Bromophenyl-4 Phenyl Ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Bromophenyl-4 Phenyl Ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Butylbenzyl phthalate | 27-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW24-P | Butylbenzyl phthalate | 27-Jan-12 | 0.057 J ug/L | 1400 ug/L | | | | |
| HW24 | Caprolactam | 27-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW24-P | Caprolactam | 27-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW24 | Carbazole | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Carbazole | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Chlorobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW24-P | Chlorobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW24 | Chloronaphthalene-2 | 27-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW24-P | Chloronaphthalene-2 | 27-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW24 | Chlorophenol-2 | 27-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW24-P | Chlorophenol-2 | 27-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW24 | Chlorophenyl-4 phenyl ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Chlorophenyl-4 phenyl ether | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Chrysene | 27-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW24-P | Chrysene | 27-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW24 | Cresol, parachloro meta- | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Cresol, parachloro meta- | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Cresol-4,6-dinitro-ortho | 27-Jan-12 | 10 U ug/L | | | | | |
| HW24-P | Cresol-4,6-dinitro-ortho | 27-Jan-12 | 10 U ug/L | | | | | |
| HW24 | Cresol-o | 27-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW24-P | Cresol-o | 27-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW24 | Cresol-p | 27-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW24-P | Cresol-p | 27-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW24 | Dibenz(a,h)anthracene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Dibenz(a,h)anthracene | 27-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW24 | Dibenzofuran | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Dibenzofuran | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Dichlorobenzidine-3,3' | 27-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW24-P | Dichlorobenzidine-3,3' | 27-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW24 | Dichlorophenol-2,4 | 27-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW24-P | Dichlorophenol-2,4 | 27-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW24 | Dimethylphenol, 2,4- | 27-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW24-P | Dimethylphenol, 2,4- | 27-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW24 | Dinitrophenol-2,4 | 27-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW24-P | Dinitrophenol-2,4 | 27-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW24 | Dinitrotoluene-2,4 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Dinitrotoluene-2,4 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Dinitrotoluene-2,6 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Dinitrotoluene-2,6 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Ether, bis(2-chloroethyl) | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW24-P | Ether, bis(2-chloroethyl) | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW24 | Ether-bis(2-chloroisopropyl) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Ether-bis(2-chloroisopropyl) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Fluoranthene | 27-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW24-P | Fluoranthene | 27-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW24 | Fluoranthene benzo(k) | 27-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW24-P | Fluoranthene benzo(k) | 27-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW24 | Fluoranthene-benzo(b) | 27-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW24-P | Fluoranthene-benzo(b) | 27-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW24 | Fluorene | 27-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW24-P | Fluorene | 27-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW24 | Hexachlorobenzene | 27-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW24-P | Hexachlorobenzene | 27-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW24 | Hexachlorobutadiene | 27-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW24 | Hexachlorobutadiene | 27-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW24-P | Hexachlorobutadiene | 27-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW24-P | Hexachlorobutadiene | 27-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW24 | Hexachlorocyclopentadiene | 27-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW24-P | Hexachlorocyclopentadiene | 27-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24 | Hexachloroethane | 27-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW24-P | Hexachloroethane | 27-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW24 | Isophorone | 27-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW24-P | Isophorone | 27-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW24 | Methane, bis(2-chloroethoxy) | 27-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW24-P | Methane, bis(2-chloroethoxy) | 27-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW24 | Methylnaphthalene-2 | 27-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW24-P | Methylnaphthalene-2 | 27-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW24 | Naphthalene | 27-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW24 | Naphthalene | 27-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW24-P | Naphthalene | 27-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW24-P | Naphthalene | 27-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW24 | Nitroaniline, ortho | 27-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW24-P | Nitroaniline, ortho | 27-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW24 | Nitroaniline-3 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Nitroaniline-3 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Nitrobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW24-P | Nitrobenzenamine-4 | 27-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW24 | Nitrobenzene | 27-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW24-P | Nitrobenzene | 27-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW24 | Nitrophenol-2 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Nitrophenol-2 | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Nitrophenol-4 | 27-Jan-12 | 10 U ug/L | | | | | |
| HW24-P | Nitrophenol-4 | 27-Jan-12 | 10 U ug/L | | | | | |
| HW24 | Nitrosodimethylamine-n | 27-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW24-P | Nitrosodimethylamine-n | 27-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW24 | Nitrosodiphenylamine-n | 27-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW24-P | Nitrosodiphenylamine-n | 27-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW24 | Pentachlorophenol | 27-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW24-P | Pentachlorophenol | 27-Jan-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW24 | Perylene-benzo(ghi) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Perylene-benzo(ghi) | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Phenanthrene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Phenanthrene | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Phenol | 27-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Phenol | 27-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW24 | Phthalate, bis(2-ethylhexyl) (DEHP) | 27-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW24-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 27-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW24 | Phthalate, Dimethyl | 27-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW24-P | Phthalate, Dimethyl | 27-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW24 | Phthalate, di-n-butyl- | 27-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW24-P | Phthalate, di-n-butyl- | 27-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW24 | Phthalate, di-n-octyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24-P | Phthalate, di-n-octyl | 27-Jan-12 | 5 U ug/L | | | | | |
| HW24 | Phthalate-diethyl | 27-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW24-P | Phthalate-diethyl | 27-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW24 | Propylamine,n-nitroso di-n- | 27-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW24-P | Propylamine,n-nitroso di-n- | 27-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW24 | Pyrene | 27-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW24-P | Pyrene | 27-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW24 | Pyrene-indeno(1,2,3-cd) | 27-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW24-P | Pyrene-indeno(1,2,3-cd) | 27-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW24 | Tetrachlorobenzene, 1,2,4,5- | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW24-P | Tetrachlorobenzene, 1,2,4,5- | 27-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW24 | Tetrachlorophenol, 2,3,4,6- | 27-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW24-P | Tetrachlorophenol, 2,3,4,6- | 27-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW24 | Trichlorophenol-2,4,5 | 27-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW24-P | Trichlorophenol-2,4,5 | 27-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW24 | Trichlorophenol-2,4,6 | 27-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW24-P | Trichlorophenol-2,4,6 | 27-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW24 | TPH - Diesel Range Organics | 27-Jan-12 | 250 U ug/L | | | | | |
| HW24-P | TPH - Diesel Range Organics | 27-Jan-12 | 240 U ug/L | | | | | |
| HW24 | TPH - Gasoline Range Organics | 27-Jan-12 | 50 U ug/L | | | | | |
| HW24-P | TPH - Gasoline Range Organics | 27-Jan-12 | 50 U ug/L | | | | | |
| HW24 | TPH - Oil Range Organics | 27-Jan-12 | 1000 U ug/L | | | | | |
| HW24-P | TPH - Oil Range Organics | 27-Jan-12 | 950 U ug/L | | | | | |
| HW24 | 1,2-Dibromo-3-chloropropane (DBCP) | 27-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW24-P | 1,2-Dibromo-3-chloropropane (DBCP) | 27-Jan-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW24 | 4-Methyl-2-pentanone | 27-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW24-P | 4-Methyl-2-pentanone | 27-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24 | Acetone | 27-Jan-12 | 2 U ug/L | | | | | |
| HW24-P | Acetone | 27-Jan-12 | 2 U ug/L | | | | | |
| HW24 | Benzene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24-P | Benzene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24 | Bromobenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Bromobenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Bromoform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24-P | Bromoform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24 | Butylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Butylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Butylbenzene, sec- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Butylbenzene, sec- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Butylbenzene, tert- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Butylbenzene, tert- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Carbon disulfide | 27-Jan-12 | 0.1 J ug/L | | | | | |
| HW24-P | Carbon disulfide | 27-Jan-12 | 0.05 J ug/L | | | | | |
| HW24 | Carbon Tetrachloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24-P | Carbon Tetrachloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24 | Chlorobenzene | 27-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW24-P | Chlorobenzene | 27-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW24 | Chlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Chlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Chloroethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Chloroethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Chloroform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24-P | Chloroform | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24 | Chlorotoluene | 27-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW24-P | Chlorotoluene | 27-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW24 | Chlorotoluene-p | 27-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW24-P | Chlorotoluene-p | 27-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW24 | Cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dibromochloromethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24-P | Dibromochloromethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24 | Dibromoethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Dibromoethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW24 | Dibromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dibromomethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichlorobenzene-1,2 | 27-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW24-P | Dichlorobenzene-1,2 | 27-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW24 | Dichlorobenzene-1,3 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichlorobenzene-1,3 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichlorobenzene-1,4 | 27-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW24-P | Dichlorobenzene-1,4 | 27-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW24 | Dichlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24-P | Dichlorobromomethane | 27-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW24 | Dichlorodifluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichlorodifluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichloroethane-1,1 | 27-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW24-P | Dichloroethane-1,1 | 27-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW24 | Dichloroethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-P | Dichloroethane-1,2 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW24 | Dichloroethene-1,2 trans | 27-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW24-P | Dichloroethene-1,2 trans | 27-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW24 | Dichloroethylene-1,1 | 27-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW24-P | Dichloroethylene-1,1 | 27-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW24 | Dichloroethylene-1,2 cis | 27-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW24-P | Dichloroethylene-1,2 cis | 27-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW24 | Dichloropropane, 1,2- | 27-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-P | Dichloropropane, 1,2- | 27-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW24 | Dichloropropane, 1,3- | 27-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW24-P | Dichloropropane, 1,3- | 27-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW24 | Dichloropropane, 2,2- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichloropropane, 2,2- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichloropropene, 1,1- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichloropropene, 1,1- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichloropropene, 1,3 cis- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichloropropene, 1,3 cis- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Dichloropropene, 1,3 trans- | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Dichloropropene, 1,3 trans- | 27-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24 | Ethylbenzene | 27-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW24-P | Ethylbenzene | 27-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW24 | Freon 113 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Freon 113 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Hexanone, 2- | 27-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW24-P | Hexanone, 2- | 27-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW24 | Isopropylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Isopropylbenzene | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Isopropylbenzene-4,methyl-1 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Isopropylbenzene-4,methyl-1 | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | m,p-Xylene | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW24-P | m,p-Xylene | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW24 | Methyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Methyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Methyl bromide | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Methyl bromide | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Methyl chloride | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Methyl chloride | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Methyl cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Methyl cyclohexane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Methyl ethyl ketone | 27-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW24-P | Methyl ethyl ketone | 27-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW24 | Methyl tertiary butyl ether (MTBE) | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Methyl tertiary butyl ether (MTBE) | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Methylene chloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24-P | Methylene chloride | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24 | Propylbenzene-n | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Propylbenzene-n | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Styrene | 27-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW24-P | Styrene | 27-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW24 | Tetrachloroethane, 1,1,1,2- | 27-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW24-P | Tetrachloroethane, 1,1,1,2- | 27-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW24 | Tetrachloroethane, 1,1,2,2- | 27-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW24-P | Tetrachloroethane, 1,1,2,2- | 27-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW24 | Tetrachloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW24-P | Tetrachloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24 | Toluene | 27-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW24-P | Toluene | 27-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW24 | Trichlorobenzene-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW24-P | Trichlorobenzene-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW24 | Trichlorobenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW24-P | Trichlorobenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW24 | Trichloroethane-1,1,1 | 27-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW24-P | Trichloroethane-1,1,1 | 27-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW24 | Trichloroethane-1,1,2 | 27-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW24-P | Trichloroethane-1,1,2 | 27-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW24 | Trichloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24-P | Trichloroethylene | 27-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW24 | Trichlorofluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Trichlorofluoromethane | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Trichloropropane-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW24-P | Trichloropropane-1,2,3 | 27-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW24 | Trimethylbenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW24-P | Trimethylbenzene-1,2,4 | 27-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW24 | Trimethylbenzene-1,3,5 | 27-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW24-P | Trimethylbenzene-1,3,5 | 27-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW24 | Vinyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24-P | Vinyl acetate | 27-Jan-12 | 0.5 U ug/L | | | | | |
| HW24 | Vinyl chloride | 27-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW24-P | Vinyl chloride | 27-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW24 | Xylene-o | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW24-P | Xylene-o | 27-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW24 | Nitrogen, Nitrite + Nitrate | 27-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW24-P | Nitrogen, Nitrite + Nitrate | 27-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW24 | Total Nitrogen | 27-Jan-12 | 1 U mg/L | | | | | |
| HW24-P | Total Nitrogen | 27-Jan-12 | 1 U mg/L | | | | | |
| HW24 | Total Phosphorus as P | 27-Jan-12 | 0.05 U mg/L | | | | | |
| HW24-P | Total Phosphorus as P | 27-Jan-12 | 0.05 U mg/L | | | | | |
| HW25-P | 1-Butanol | 30-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW25-P | 1-Propanol | 30-Jan-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | 2-Butanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW25-P | Ethanol | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW25-P | Methanol | 30-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW25-P | Anionic Surfactants | 30-Jan-12 | 0.023 mg/L | | | | | |
| HW25-P | Heterotrophic Plate Count | 30-Jan-12 | 42 J cfu/1mL | | | | | |
| HW25-P | Total Coliform Bacteria | 30-Jan-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW25-P | Ethane | 30-Jan-12 | 26 ug/L | | | | | |
| HW25-P | Ethene | 30-Jan-12 | 1.1 U ug/L | | | | | |
| HW25-P | Methane | 30-Jan-12 | 65000 ug/L | 28000 ug/L | | | | |
| HW25-P | 2-Butoxyethanol | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | 2-Methoxyethanol | 30-Jan-12 | 10 UJ ug/L | 78 ug/L | | | | |
| HW25-P | 2-Methoxyethanol | 30-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW25-P | Diethylene glycol | 30-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW25-P | Diethylene Glycol | 30-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW25-P | Ethanol, 2-ethoxy- | 30-Jan-12 | 10000 U ug/L | | | | | |
| HW25-P | Ethanol, 2-methoxy- | 30-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW25-P | Ethylene glycol | 30-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW25-P | Tetraethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW25-P | Triethylene glycol | 30-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW25-P | Triethylene glycol | 30-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW25-P | Bromide | 30-Jan-12 | 0.5 U mg/L | | | | | |
| HW25-P | Chloride | 30-Jan-12 | 6.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW25-P | Fluoride | 30-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW25-P | Sulfate | 30-Jan-12 | 0.517 mg/L | | | 250 mg/L | | 250 mg/L |
| HW25-P | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW25-PF | Mercury | 30-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW25-P | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW25-PF | Aluminum | 30-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW25-P | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW25-PF | Antimony | 30-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW25-P | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW25-PF | Arsenic | 30-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW25-P | Barium | 30-Jan-12 | 1490 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW25-PF | Barium | 30-Jan-12 | 1510 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW25-P | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-PF | Beryllium | 30-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW25-P | Boron | 30-Jan-12 | 73.6 ug/L | 3100 ug/L | | | | |
| HW25-PF | Boron | 30-Jan-12 | 74.1 ug/L | 3100 ug/L | | | | |
| HW25-P | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW25-PF | Cadmium | 30-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW25-P | Calcium | 30-Jan-12 | 21000 ug/L | | | | | |
| HW25-PF | Calcium | 30-Jan-12 | 21200 ug/L | | | | | |
| HW25-P | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW25-PF | Chromium | 30-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW25-P | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW25-PF | Cobalt | 30-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW25-P | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW25-PF | Copper | 30-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW25-P | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW25-PF | Iron | 30-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW25-P | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW25-PF | Lead | 30-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW25-P | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW25-PF | Lithium | 30-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW25-P | Magnesium | 30-Jan-12 | 5580 ug/L | | | | | |
| HW25-PF | Magnesium | 30-Jan-12 | 5650 ug/L | | | | | |
| HW25-P | Manganese | 30-Jan-12 | 62.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW25-PF | Manganese | 30-Jan-12 | 62.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW25-P | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW25-PF | Nickel | 30-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW25-P | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW25-PF | Potassium | 30-Jan-12 | 2000 U ug/L | | | | | |
| HW25-P | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW25-PF | Selenium | 30-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW25-P | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW25-PF | Silver | 30-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW25-P | Sodium | 30-Jan-12 | 24500 ug/L | 20000 ug/L | | | | |
| HW25-PF | Sodium | 30-Jan-12 | 24700 ug/L | 20000 ug/L | | | | |
| HW25-P | Strontium | 30-Jan-12 | 755 ug/L | 9300 ug/L | | | | |
| HW25-PF | Strontium | 30-Jan-12 | 763 ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW25-PF | Thallium | 30-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW25-P | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW25-PF | Tin | 30-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW25-P | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW25-PF | Titanium | 30-Jan-12 | 200 U ug/L | | | | | |
| HW25-P | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW25-PF | Uranium | 30-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW25-P | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW25-PF | Vanadium | 30-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW25-P | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW25-PF | Zinc | 30-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW25-P | Oil and Grease | 30-Jan-12 | 5.5 U mg/L | | | | | |
| HW25-P | Total Dissolved Solids | 30-Jan-12 | 78 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW25-P | Total Suspended Solids | 30-Jan-12 | 10 U mg/L | | | | | |
| HW25-P | 1-Methylnaphthalene | 30-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW25-P | Acenaphthene | 30-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW25-P | Acenaphthylene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Acetophenone | 30-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW25-P | Anthracene | 30-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW25-P | Atrazine | 30-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW25-P | Benzo(a)anthracene | 30-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW25-P | Benzo(a)pyrene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW25-P | Biphenyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Bromophenyl-4 Phenyl Ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Butylbenzyl phthalate | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW25-P | Caprolactam | 30-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW25-P | Carbazole | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Chlorobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW25-P | Chloronaphthalene-2 | 30-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW25-P | Chlorophenol-2 | 30-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW25-P | Chlorophenyl-4 phenyl ether | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Chrysene | 30-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW25-P | Cresol, parachloro meta- | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Cresol-4,6-dinitro-ortho | 30-Jan-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | Cresol-o | 30-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW25-P | Cresol-p | 30-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW25-P | Dibenz(a,h)anthracene | 30-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW25-P | Dibenzofuran | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Dichlorobenzidine-3,3' | 30-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW25-P | Dichlorophenol-2,4 | 30-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW25-P | Dimethylphenol, 2,4- | 30-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW25-P | Dinitrophenol-2,4 | 30-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW25-P | Dinitrotoluene-2,4 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Dinitrotoluene-2,6 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Ether, bis(2-chloroethyl) | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW25-P | Ether-bis(2-chloroisopropyl) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Fluoranthene | 30-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW25-P | Fluoranthene benzo(k) | 30-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW25-P | Fluoranthene-benzo(b) | 30-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW25-P | Fluorene | 30-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW25-P | Hexachlorobenzene | 30-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW25-P | Hexachlorobutadiene | 30-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW25-P | Hexachlorobutadiene | 30-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW25-P | Hexachlorocyclopentadiene | 30-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW25-P | Hexachloroethane | 30-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW25-P | Isophorone | 30-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW25-P | Methane, bis(2-chloroethoxy) | 30-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW25-P | Methylnaphthalene-2 | 30-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW25-P | Naphthalene | 30-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW25-P | Naphthalene | 30-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW25-P | Nitroaniline, ortho | 30-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW25-P | Nitroaniline-3 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Nitrobenzenamine-4 | 30-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW25-P | Nitrobenzene | 30-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW25-P | Nitrophenol-2 | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Nitrophenol-4 | 30-Jan-12 | 10 U ug/L | | | | | |
| HW25-P | Nitrosodimethylamine-n | 30-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW25-P | Nitrosodiphenylamine-n | 30-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW25-P | Pentachlorophenol | 30-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | Perylene-benzo(ghi) | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Phenanthrene | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Phenol | 30-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW25-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 30-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW25-P | Phthalate, Dimethyl | 30-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW25-P | Phthalate, di-n-butyl- | 30-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW25-P | Phthalate, di-n-octyl | 30-Jan-12 | 5 U ug/L | | | | | |
| HW25-P | Phthalate-diethyl | 30-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW25-P | Propylamine,n-nitroso di-n- | 30-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW25-P | Pyrene | 30-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW25-P | Pyrene-indeno(1,2,3-cd) | 30-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW25-P | Tetrachlorobenzene, 1,2,4,5- | 30-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW25-P | Tetrachlorophenol, 2,3,4,6- | 30-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW25-P | Trichlorophenol-2,4,5 | 30-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW25-P | Trichlorophenol-2,4,6 | 30-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW25-P | TPH - Diesel Range Organics | 30-Jan-12 | 250 U ug/L | | | | | |
| HW25-P | TPH - Gasoline Range Organics | 30-Jan-12 | 50 U ug/L | | | | | |
| HW25-P | TPH - Oil Range Organics | 30-Jan-12 | 1000 U ug/L | | | | | |
| HW25-P | 1,2-Dibromo-3-chloropropane (DBCP) | 30-Jan-12 | 1 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW25-P | 4-Methyl-2-pentanone | 30-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW25-P | Acetone | 30-Jan-12 | 2 U ug/L | | | | | |
| HW25-P | Benzene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW25-P | Bromobenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Bromoform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW25-P | Butylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Butylbenzene, sec- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Butylbenzene, tert- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Carbon disulfide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Carbon Tetrachloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW25-P | Chlorobenzene | 30-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW25-P | Chlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Chloroethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Chloroform | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW25-P | Chlorotoluene | 30-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW25-P | Chlorotoluene-p | 30-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | Cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW25-P | Dibromochloromethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW25-P | Dibromoethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW25-P | Dibromomethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichlorobenzene-1,2 | 30-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW25-P | Dichlorobenzene-1,3 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichlorobenzene-1,4 | 30-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW25-P | Dichlorobromomethane | 30-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW25-P | Dichlorodifluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichloroethane-1,1 | 30-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW25-P | Dichloroethane-1,2 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW25-P | Dichloroethene-1,2 trans | 30-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW25-P | Dichloroethylene-1,1 | 30-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW25-P | Dichloroethylene-1,2 cis | 30-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW25-P | Dichloropropane, 1,2- | 30-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW25-P | Dichloropropane, 1,3- | 30-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW25-P | Dichloropropane, 2,2- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichloropropene, 1,1- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichloropropene, 1,3 cis- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Dichloropropene, 1,3 trans- | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Ethylbenzene | 30-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW25-P | Freon 113 | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW25-P | Hexanone, 2- | 30-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW25-P | Isopropylbenzene | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Isopropylbenzene-4,methyl-1 | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | m,p-Xylene | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW25-P | Methyl acetate | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW25-P | Methyl bromide | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Methyl chloride | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Methyl cyclohexane | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW25-P | Methyl ethyl ketone | 30-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW25-P | Methyl tertiary butyl ether (MTBE) | 30-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW25-P | Methylene chloride | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW25-P | Propylbenzene-n | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Styrene | 30-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW25-P | Tetrachloroethane, 1,1,1,2- | 30-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW25-P | Tetrachloroethane, 1,1,2,2- | 30-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW25-P | Tetrachloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW25-P | Toluene | 30-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW25-P | Trichlorobenzene-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW25-P | Trichlorobenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW25-P | Trichloroethane-1,1,1 | 30-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW25-P | Trichloroethane-1,1,2 | 30-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW25-P | Trichloroethylene | 30-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW25-P | Trichlorofluoromethane | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Trichloropropane-1,2,3 | 30-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW25-P | Trimethylbenzene-1,2,4 | 30-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW25-P | Trimethylbenzene-1,3,5 | 30-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW25-P | Vinyl acetate | 30-Jan-12 | 0.5 U ug/L | | | | | |
| HW25-P | Vinyl chloride | 30-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW25-P | Xylene-o | 30-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW25-P | Nitrogen, Nitrite + Nitrate | 30-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW25-P | Total Nitrogen | 30-Jan-12 | 1 U mg/L | | | | | |
| HW25-P | Total Phosphorus as P | 30-Jan-12 | 0.05 U mg/L | | | | | |
| HW26 | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW26-P | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW26 | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26-P | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26 | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26-P | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26 | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26-P | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26 | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW26-P | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW26 | Anionic Surfactants | 31-Jan-12 | 0.011 mg/L | | | | | |
| HW26-P | Anionic Surfactants | 31-Jan-12 | 0.01 U mg/L | | | | | |
| HW26 | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW26-P | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW26 | Total Coliform Bacteria | 31-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW26-P | Total Coliform Bacteria | 31-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Ethane | 31-Jan-12 | 18 ug/L | | | | | |
| HW26-P | Ethane | 31-Jan-12 | 17 ug/L | | | | | |
| HW26 | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW26-P | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW26 | Methane | 31-Jan-12 | 43000 ug/L | 28000 ug/L | | | | |
| HW26-P | Methane | 31-Jan-12 | 38000 ug/L | 28000 ug/L | | | | |
| HW26 | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW26 | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW26-P | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW26-P | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW26 | Diethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW26 | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW26-P | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW26-P | Diethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW26 | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26-P | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW26 | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW26-P | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW26 | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW26-P | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW26 | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW26-P | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW26 | Triethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW26 | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW26-P | Triethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW26-P | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW26 | Bromide | 31-Jan-12 | 0.5 U mg/L | | | | | |
| HW26-P | Bromide | 31-Jan-12 | 0.5 U mg/L | | | | | |
| HW26 | Chloride | 31-Jan-12 | 31 mg/L | | | 250 mg/L | | 250 mg/L |
| HW26-P | Chloride | 31-Jan-12 | 30.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW26 | Fluoride | 31-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW26-P | Fluoride | 31-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW26 | Sulfate | 31-Jan-12 | 0.5 U mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Sulfate | 31-Jan-12 | 0.5 U mg/L | | | 250 mg/L | | 250 mg/L |
| HW26 | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-F | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-P | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-PF | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW26 | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW26-F | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW26-P | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW26-PF | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW26 | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW26-F | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW26-P | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW26-PF | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW26 | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW26-F | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW26-P | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW26-PF | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW26 | Barium | 31-Jan-12 | 1780 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW26-F | Barium | 31-Jan-12 | 1790 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW26-P | Barium | 31-Jan-12 | 1780 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW26-PF | Barium | 31-Jan-12 | 1810 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW26 | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW26-F | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW26-P | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW26-PF | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW26 | Boron | 31-Jan-12 | 69.6 ug/L | 3100 ug/L | | | | |
| HW26-F | Boron | 31-Jan-12 | 68.2 ug/L | 3100 ug/L | | | | |
| HW26-P | Boron | 31-Jan-12 | 64.3 ug/L | 3100 ug/L | | | | |
| HW26-PF | Boron | 31-Jan-12 | 83.2 ug/L | 3100 ug/L | | | | |
| HW26 | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-F | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-P | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-PF | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW26 | Calcium | 31-Jan-12 | 27300 ug/L | | | | | |
| HW26-F | Calcium | 31-Jan-12 | 27000 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Calcium | 31-Jan-12 | 27200 ug/L | | | | | |
| HW26-PF | Calcium | 31-Jan-12 | 27900 ug/L | | | | | |
| HW26 | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW26-F | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW26-P | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW26-PF | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW26 | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW26-F | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW26-P | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW26-PF | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW26 | Copper | 31-Jan-12 | 4.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW26-F | Copper | 31-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW26-P | Copper | 31-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW26-PF | Copper | 31-Jan-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW26 | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW26-F | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW26-P | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW26-PF | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW26 | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW26-F | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW26-P | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW26-PF | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW26 | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW26-F | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW26-P | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW26-PF | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW26 | Magnesium | 31-Jan-12 | 7360 ug/L | | | | | |
| HW26-F | Magnesium | 31-Jan-12 | 7390 ug/L | | | | | |
| HW26-P | Magnesium | 31-Jan-12 | 7340 ug/L | | | | | |
| HW26-PF | Magnesium | 31-Jan-12 | 7540 ug/L | | | | | |
| HW26 | Manganese | 31-Jan-12 | 94 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW26-F | Manganese | 31-Jan-12 | 92 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW26-P | Manganese | 31-Jan-12 | 93.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW26-PF | Manganese | 31-Jan-12 | 95 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW26 | Nickel | 31-Jan-12 | 1 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-F | Nickel | 31-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW26-P | Nickel | 31-Jan-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW26-PF | Nickel | 31-Jan-12 | 1 ug/L | 300 ug/L | | | | |
| HW26 | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW26-F | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW26-P | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW26-PF | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW26 | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW26-F | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW26-P | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW26-PF | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW26 | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW26-F | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW26-P | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW26-PF | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW26 | Sodium | 31-Jan-12 | 27400 ug/L | 20000 ug/L | | | | |
| HW26-F | Sodium | 31-Jan-12 | 27400 ug/L | 20000 ug/L | | | | |
| HW26-P | Sodium | 31-Jan-12 | 27400 ug/L | 20000 ug/L | | | | |
| HW26-PF | Sodium | 31-Jan-12 | 27800 ug/L | 20000 ug/L | | | | |
| HW26 | Strontium | 31-Jan-12 | 817 ug/L | 9300 ug/L | | | | |
| HW26-F | Strontium | 31-Jan-12 | 814 ug/L | 9300 ug/L | | | | |
| HW26-P | Strontium | 31-Jan-12 | 816 ug/L | 9300 ug/L | | | | |
| HW26-PF | Strontium | 31-Jan-12 | 823 ug/L | 9300 ug/L | | | | |
| HW26 | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-F | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-P | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW26-PF | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW26 | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW26-F | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW26-P | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW26-PF | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW26 | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW26-F | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW26-P | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW26-PF | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW26-F | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW26-P | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW26-PF | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW26 | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW26-F | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW26-P | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW26-PF | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW26 | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW26-F | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW26-P | Zinc | 31-Jan-12 | 9.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW26-PF | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW26 | Oil and Grease | 31-Jan-12 | 5.3 U mg/L | | | | | |
| HW26-P | Oil and Grease | 31-Jan-12 | 5.1 U mg/L | | | | | |
| HW26 | Total Dissolved Solids | 31-Jan-12 | 160 mg/L | | | 500 mg/L | | 500 mg/L |
| HW26-P | Total Dissolved Solids | 31-Jan-12 | 10 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW26 | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW26-P | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW26 | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW26-P | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW26 | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW26-P | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW26 | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Acetophenone | 31-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW26-P | Acetophenone | 31-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW26 | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW26-P | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW26 | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW26-P | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW26 | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW26-P | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW26 | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW26-P | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW26 | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW26-P | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW26 | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW26-P | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW26 | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW26-P | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW26 | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW26-P | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW26 | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW26-P | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW26 | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW26-P | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW26 | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW26-P | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW26 | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW26-P | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW26 | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW26-P | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW26 | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW26-P | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW26 | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW26-P | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW26 | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW26-P | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW26-P | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW26 | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW26-P | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW26 | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW26-P | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW26 | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW26-P | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW26 | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW26-P | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW26 | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW26-P | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW26 | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW26-P | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW26 | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW26-P | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW26 | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW26 | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW26-P | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW26-P | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW26 | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW26-P | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW26 | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW26-P | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW26 | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW26-P | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW26 | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW26-P | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW26 | Methylnaphthalene-2 | 31-Jan-12 | 5 U ug/L | 27 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Methylnaphthalene-2 | 31-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW26 | Naphthalene | 31-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW26 | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW26-P | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW26-P | Naphthalene | 31-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW26 | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW26-P | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW26 | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW26-P | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW26 | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW26-P | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW26 | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW26-P | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW26 | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW26-P | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW26 | Nitrosodiphenylamine-n | 31-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW26-P | Nitrosodiphenylamine-n | 31-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW26 | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW26-P | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW26 | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW26-P | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW26 | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW26-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW26 | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW26-P | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW26 | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW26-P | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Phthalate, di-n-octyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26-P | Phthalate, di-n-octyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW26 | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW26-P | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW26 | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW26-P | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW26 | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW26-P | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW26 | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW26-P | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW26 | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW26-P | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW26 | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW26-P | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW26 | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW26-P | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW26 | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW26-P | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW26 | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW26-P | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW26 | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW26-P | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW26 | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW26-P | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW26 | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW26-P | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW26 | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW26-P | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW26 | Acetone | 31-Jan-12 | 2 U ug/L | | | | | |
| HW26-P | Acetone | 31-Jan-12 | 2 U ug/L | | | | | |
| HW26 | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26-P | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26 | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26 | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Carbon disulfide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Carbon disulfide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26-P | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26 | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW26-P | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW26 | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26-P | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26 | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW26-P | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW26 | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW26-P | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW26 | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26-P | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26 | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26-P | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26 | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW26-P | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW26 | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW26-P | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW26 | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW26-P | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW26 | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26-P | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW26 | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW26-P | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW26 | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-P | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW26 | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW26-P | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW26 | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW26-P | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW26 | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW26-P | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW26 | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-P | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW26 | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW26-P | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW26 | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW26-P | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW26 | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26-P | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26 | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW26-P | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW26 | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26-P | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | m,p-Xylene | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW26-P | m,p-Xylene | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW26 | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW26-P | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW26 | Methyl bromide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Methyl bromide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26-P | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26 | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW26-P | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW26 | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26-P | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW26 | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26-P | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26 | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW26-P | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW26 | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW26-P | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW26 | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW26-P | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW26 | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26-P | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26 | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW26-P | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW26 | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW26-P | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW26 | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW26-P | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW26 | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW26-P | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW26 | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW26-P | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW26 | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26-P | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW26 | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW26-P | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW26 | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW26-P | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW26 | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW26-P | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW26 | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26-P | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW26 | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW26-P | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW26 | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW26-P | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW26 | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW26-P | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW26 | Total Nitrogen | 31-Jan-12 | 1 U mg/L | | | | | |
| HW26-P | Total Nitrogen | 31-Jan-12 | 1 U mg/L | | | | | |
| HW26 | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW26-P | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW27 | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW27z | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW27 | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27z | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27 | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27z | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27 | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27z | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW27 | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW27 | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW27z | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW27 | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW27z | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW27 | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW27z | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW27 | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW27z | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW27 | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW27z | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW27 | Methane | 13-Feb-12 | 4.2 ug/L | 28000 ug/L | | | | |
| HW27z | Methane | 13-Feb-12 | 2.4 ug/L | 28000 ug/L | | | | |
| HW27 | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW27z | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW27 | 2-Methoxyethanol | 13-Feb-12 | 60 U ug/l | 78 ug/L | | | | |
| HW27 | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW27z | 2-Methoxyethanol | 13-Feb-12 | 60 U ug/l | 78 ug/L | | | | |
| HW27z | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW27 | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27z | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27 | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW27z | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW27 | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27z | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27 | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27z | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW27 | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW27z | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW27 | Chloride | 13-Feb-12 | 3.46 mg/L | | | 250 mg/L | | 250 mg/L |
| HW27z | Chloride | 13-Feb-12 | 3.46 mg/L | | | 250 mg/L | | 250 mg/L |
| HW27 | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW27z | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW27 | Sulfate | 13-Feb-12 | 11.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW27z | Sulfate | 13-Feb-12 | 11.6 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27 | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW27-F | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW27z | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW27z-F | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW27 | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW27-F | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW27z | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW27z-F | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW27 | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW27-F | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW27z | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW27z-F | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW27 | Arsenic | 13-Feb-12 | 1.7 J ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW27-F | Arsenic | 13-Feb-12 | 1.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW27z | Arsenic | 13-Feb-12 | 1.5 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW27z-F | Arsenic | 13-Feb-12 | 1.5 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW27 | Barium | 13-Feb-12 | 122 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW27-F | Barium | 13-Feb-12 | 132 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW27z | Barium | 13-Feb-12 | 121 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW27z-F | Barium | 13-Feb-12 | 125 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW27 | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW27-F | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW27z | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW27z-F | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW27 | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW27-F | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW27z | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW27z-F | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW27 | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW27-F | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW27z | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW27z-F | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW27 | Calcium | 13-Feb-12 | 28800 ug/L | | | | | |
| HW27-F | Calcium | 13-Feb-12 | 28600 ug/L | | | | | |
| HW27z | Calcium | 13-Feb-12 | 29600 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z-F | Calcium | 13-Feb-12 | 28600 ug/L | | | | | |
| HW27 | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW27-F | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW27z | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW27z-F | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW27 | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW27-F | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW27z | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW27z-F | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW27 | Copper | 13-Feb-12 | 4.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW27-F | Copper | 13-Feb-12 | 3.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW27z | Copper | 13-Feb-12 | 5.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW27z-F | Copper | 13-Feb-12 | 3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW27 | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW27-F | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW27z | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW27z-F | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW27 | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW27-F | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW27z | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW27z-F | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW27 | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW27-F | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW27z | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW27z-F | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW27 | Magnesium | 13-Feb-12 | 5700 ug/L | | | | | |
| HW27-F | Magnesium | 13-Feb-12 | 5700 ug/L | | | | | |
| HW27z | Magnesium | 13-Feb-12 | 5860 ug/L | | | | | |
| HW27z-F | Magnesium | 13-Feb-12 | 5670 ug/L | | | | | |
| HW27 | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW27-F | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW27z | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW27z-F | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW27 | Nickel | 13-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW27-F | Nickel | 13-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Nickel | 13-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW27z-F | Nickel | 13-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW27 | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW27-F | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW27z | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW27z-F | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW27 | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW27-F | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW27z | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW27z-F | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW27 | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW27-F | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW27z | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW27z-F | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW27 | Sodium | 13-Feb-12 | 10000 ug/L | 20000 ug/L | | | | |
| HW27-F | Sodium | 13-Feb-12 | 10100 ug/L | 20000 ug/L | | | | |
| HW27z | Sodium | 13-Feb-12 | 10300 ug/L | 20000 ug/L | | | | |
| HW27z-F | Sodium | 13-Feb-12 | 10000 ug/L | 20000 ug/L | | | | |
| HW27 | Strontium | 13-Feb-12 | 334 ug/L | 9300 ug/L | | | | |
| HW27-F | Strontium | 13-Feb-12 | 335 ug/L | 9300 ug/L | | | | |
| HW27z | Strontium | 13-Feb-12 | 344 ug/L | 9300 ug/L | | | | |
| HW27z-F | Strontium | 13-Feb-12 | 335 ug/L | 9300 ug/L | | | | |
| HW27 | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW27-F | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW27z | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW27z-F | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW27 | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW27-F | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW27z | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW27z-F | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW27 | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW27-F | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW27z | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW27z-F | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW27 | Uranium | 13-Feb-12 | 3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27-F | Uranium | 13-Feb-12 | 3.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW27z | Uranium | 13-Feb-12 | 2.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW27z-F | Uranium | 13-Feb-12 | 3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW27 | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW27-F | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW27z | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW27z-F | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW27 | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW27-F | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW27z | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW27z-F | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW27 | Oil and Grease | 13-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW27z | Oil and Grease | 13-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW27 | Total Dissolved Solids | 13-Feb-12 | 71 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW27z | Total Dissolved Solids | 13-Feb-12 | 106 mg/L | | | 500 mg/L | | 500 mg/L |
| HW27 | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW27z | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW27 | 1-Methylnaphthalene | 13-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW27z | 1-Methylnaphthalene | 13-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW27 | Acenaphthene | 13-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW27z | Acenaphthene | 13-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW27 | Acenaphthylene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Acenaphthylene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Acetophenone | 13-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW27z | Acetophenone | 13-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW27 | Anthracene | 13-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW27z | Anthracene | 13-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW27 | Atrazine | 13-Feb-12 | 5 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW27z | Atrazine | 13-Feb-12 | 5 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW27 | Benzo(a)anthracene | 13-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW27z | Benzo(a)anthracene | 13-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW27 | Benzo(a)pyrene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW27z | Benzo(a)pyrene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW27 | Biphenyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Biphenyl | 13-Feb-12 | 5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27 | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Butylbenzyl phthalate | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW27z | Butylbenzyl phthalate | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW27 | Caprolactam | 13-Feb-12 | 5 U ug/l | 7700 ug/L | | | | |
| HW27z | Caprolactam | 13-Feb-12 | 5 U ug/l | 7700 ug/L | | | | |
| HW27 | Carbazole | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Carbazole | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Chlorobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 3.2 ug/L | | | | |
| HW27z | Chlorobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 3.2 ug/L | | | | |
| HW27 | Chloronaphthalene-2 | 13-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW27z | Chloronaphthalene-2 | 13-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW27 | Chlorophenol-2 | 13-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW27z | Chlorophenol-2 | 13-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW27 | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Chrysene | 13-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW27z | Chrysene | 13-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW27 | Cresol, parachloro meta- | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Cresol, parachloro meta- | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 60 U ug/l | | | | | |
| HW27z | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 60 U ug/l | | | | | |
| HW27 | Cresol-o | 13-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW27z | Cresol-o | 13-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW27 | Cresol-p | 13-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW27z | Cresol-p | 13-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW27 | Dibenz(a,h)anthracene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW27z | Dibenz(a,h)anthracene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW27 | Dibenzofuran | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Dibenzofuran | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Dichlorobenzidine-3,3' | 13-Feb-12 | 60 U ug/l | 11 ug/L | | | | |
| HW27z | Dichlorobenzidine-3,3' | 13-Feb-12 | 60 U ug/l | 11 ug/L | | | | |
| HW27 | Dichlorophenol-2,4 | 13-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW27z | Dichlorophenol-2,4 | 13-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW27 | Dimethylphenol, 2,4- | 13-Feb-12 | 5 U ug/l | 270 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Dimethylphenol, 2,4- | 13-Feb-12 | 5 U ug/l | 270 ug/L | | | | |
| HW27 | Dinitrophenol-2,4 | 13-Feb-12 | 60 U ug/l | 30 ug/L | | | | |
| HW27z | Dinitrophenol-2,4 | 13-Feb-12 | 60 U ug/l | 30 ug/L | | | | |
| HW27 | Dinitrotoluene-2,4 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Dinitrotoluene-2,4 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Dinitrotoluene-2,6 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Dinitrotoluene-2,6 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Ether, bis(2-chloroethyl) | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW27z | Ether, bis(2-chloroethyl) | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW27 | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Fluoranthene | 13-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW27z | Fluoranthene | 13-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW27 | Fluoranthene benzo(k) | 13-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW27z | Fluoranthene benzo(k) | 13-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW27 | Fluoranthene-benzo(b) | 13-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW27z | Fluoranthene-benzo(b) | 13-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW27 | Fluorene | 13-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW27z | Fluorene | 13-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW27 | Hexachlorobenzene | 13-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW27z | Hexachlorobenzene | 13-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW27 | Hexachlorobutadiene | 13-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW27 | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW27z | Hexachlorobutadiene | 13-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW27z | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW27 | Hexachlorocyclopentadiene | 13-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW27z | Hexachlorocyclopentadiene | 13-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW27 | Hexachloroethane | 13-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW27z | Hexachloroethane | 13-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW27 | Isophorone | 13-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW27z | Isophorone | 13-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW27 | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW27z | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW27 | Methylnaphthalene-2 | 13-Feb-12 | 5 U ug/l | 27 ug/L | | | | |
| HW27z | Methylnaphthalene-2 | 13-Feb-12 | 5 U ug/l | 27 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27 | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW27 | Naphthalene | 13-Feb-12 | 5 U ug/l | 14 ug/L | | | | |
| HW27z | Naphthalene | 13-Feb-12 | 5 U ug/l | 14 ug/L | | | | |
| HW27z | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW27 | Nitroaniline, ortho | 13-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW27z | Nitroaniline, ortho | 13-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW27 | Nitroaniline-3 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Nitroaniline-3 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Nitrobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW27z | Nitrobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW27 | Nitrobenzene | 13-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW27z | Nitrobenzene | 13-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW27 | Nitrophenol-2 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Nitrophenol-2 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Nitrophenol-4 | 13-Feb-12 | 10 U ug/l | | | | | |
| HW27z | Nitrophenol-4 | 13-Feb-12 | 10 U ug/l | | | | | |
| HW27 | Nitrosodimethylamine-n | 13-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW27z | Nitrosodimethylamine-n | 13-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW27 | Nitrosodiphenylamine-n | 13-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW27z | Nitrosodiphenylamine-n | 13-Feb-12 | 0.012 J ug/l | 1000 ug/L | | | | |
| HW27 | Pentachlorophenol | 13-Feb-12 | 60 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW27z | Pentachlorophenol | 13-Feb-12 | 60 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW27 | Perylene-benzo(ghi) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Perylene-benzo(ghi) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Phenanthrene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27z | Phenanthrene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Phenol | 13-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW27z | Phenol | 13-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW27 | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW27z | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW27 | Phthalate, Dimethyl | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW27z | Phthalate, Dimethyl | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW27 | Phthalate, di-n-butyl- | 13-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW27z | Phthalate, di-n-butyl- | 13-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW27 | Phthalate, di-n-octyl | 13-Feb-12 | 5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Phthalate, di-n-octyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW27 | Phthalate-diethyl | 13-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW27z | Phthalate-diethyl | 13-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW27 | Propylamine,n-nitroso di-n- | 13-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |
| HW27z | Propylamine,n-nitroso di-n- | 13-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |
| HW27 | Pyrene | 13-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW27z | Pyrene | 13-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW27 | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW27z | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW27 | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW27z | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW27 | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW27z | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW27 | Trichlorophenol-2,4,5 | 13-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW27z | Trichlorophenol-2,4,5 | 13-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW27 | Trichlorophenol-2,4,6 | 13-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW27z | Trichlorophenol-2,4,6 | 13-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW27 | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW27z | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW27 | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW27z | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW27 | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW27z | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW27 | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW27z | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW27 | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW27z | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW27 | Acetone | 13-Feb-12 | 2 U ug/l | | | | | |
| HW27z | Acetone | 13-Feb-12 | 2 U ug/l | | | | | |
| HW27 | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27z | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27 | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27z | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27 | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27z | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27 | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW27z | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW27 | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27z | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27 | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW27z | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW27 | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW27z | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW27 | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27z | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27 | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW27z | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW27 | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW27z | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW27 | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW27 | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27z | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW27 | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW27z | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW27 | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW27z | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW27 | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW27z | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW27 | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW27z | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW27 | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW27z | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW27 | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW27z | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW27 | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW27z | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW27 | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW27z | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW27 | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW27z | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW27 | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27 | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW27z | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW27 | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW27z | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW27 | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27z | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27 | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW27z | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW27 | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW27z | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW27 | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW27z | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW27 | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27z | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27 | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW27z | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW27 | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW27z | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW27 | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW27z | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW27 | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW27z | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW27 | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW27z | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW27 | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27z | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW27 | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW27z | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW27 | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW27z | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW27 | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW27z | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW27 | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27z | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW27 | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW27z | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW27 | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW27z | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW27 | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 0.608 mg/L | | 10 mg/L | | 10 mg/L | |
| HW27z | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 0.612 mg/L | | 10 mg/L | | 10 mg/L | |
| HW27 | Total Nitrogen | 13-Feb-12 | 1 U mg/L | | | | | |
| HW27z | Total Nitrogen | 13-Feb-12 | 1 U mg/L | | | | | |
| HW27 | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW27z | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW28a | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW28a-P | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW28a | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a-P | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a-P | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a-P | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW28a-P | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW28a-P | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW28a | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW28a-P | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW28a | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW28a-P | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW28a | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW28a-P | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW28a | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW28a-P | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW28a | Methane | 03-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW28a-P | Methane | 03-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW28a | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a | 2-Methoxyethanol | 03-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW28a | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW28a-P | 2-Methoxyethanol | 03-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW28a-P | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW28a | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW28a | Diethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW28a-P | Diethylene glycol | 03-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW28a-P | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW28a | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a-P | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28a | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW28a-P | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW28a | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW28a-P | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW28a | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28a-P | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28a | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28a | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW28a-P | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28a-P | Triethylene glycol | 03-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW28a | Bromide | 03-Feb-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-P | Bromide | 03-Feb-12 | 0.5 U mg/L | | | | | |
| HW28a | Chloride | 03-Feb-12 | 11.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28a-P | Chloride | 03-Feb-12 | 11.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28a | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW28a-P | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW28a | Sulfate | 03-Feb-12 | 10.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28a-P | Sulfate | 03-Feb-12 | 10.8 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28a | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-F | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-P | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-PF | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28a-F | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28a-P | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28a-PF | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28a | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28a-F | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28a-P | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28a-PF | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28a | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28a-F | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28a-P | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28a-PF | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28a | Barium | 03-Feb-12 | 94.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28a-F | Barium | 03-Feb-12 | 94.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28a-P | Barium | 03-Feb-12 | 97.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28a-PF | Barium | 03-Feb-12 | 95 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28a | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28a-F | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28a-P | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28a-PF | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28a | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW28a-F | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW28a-P | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW28a-PF | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-F | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-P | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-PF | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a | Calcium | 03-Feb-12 | 12600 ug/L | | | | | |
| HW28a-F | Calcium | 03-Feb-12 | 12400 ug/L | | | | | |
| HW28a-P | Calcium | 03-Feb-12 | 12400 ug/L | | | | | |
| HW28a-PF | Calcium | 03-Feb-12 | 12200 ug/L | | | | | |
| HW28a | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28a-F | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28a-P | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28a-PF | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28a | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28a-F | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28a-P | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28a-PF | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28a | Copper | 03-Feb-12 | 27.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW28a-F | Copper | 03-Feb-12 | 21.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW28a-PF | Copper | 03-Feb-12 | 157 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW28a | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28a-F | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28a-P | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28a-PF | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28a | Lead | 03-Feb-12 | 1.7 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28a-F | Lead | 03-Feb-12 | 1.6 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28a-P | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28a-PF | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28a | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28a-F | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28a-P | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28a-PF | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28a | Magnesium | 03-Feb-12 | 1910 ug/L | | | | | |
| HW28a-F | Magnesium | 03-Feb-12 | 1880 ug/L | | | | | |
| HW28a-P | Magnesium | 03-Feb-12 | 1910 ug/L | | | | | |
| HW28a-PF | Magnesium | 03-Feb-12 | 1860 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28a-F | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28a-P | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28a-PF | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28a | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28a-F | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28a-P | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28a-PF | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28a | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28a-F | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28a-P | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28a-PF | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28a | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a-F | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a-P | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a-PF | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28a-F | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28a-P | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28a-PF | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28a | Sodium | 03-Feb-12 | 6730 ug/L | 20000 ug/L | | | | |
| HW28a-F | Sodium | 03-Feb-12 | 6650 ug/L | 20000 ug/L | | | | |
| HW28a-P | Sodium | 03-Feb-12 | 6510 ug/L | 20000 ug/L | | | | |
| HW28a-PF | Sodium | 03-Feb-12 | 6400 ug/L | 20000 ug/L | | | | |
| HW28a | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a-F | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a-P | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a-PF | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-F | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-P | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a-PF | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW28a | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a-F | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a-P | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-PF | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28a | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28a-F | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28a-P | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28a-PF | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28a | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28a-F | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28a-P | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28a-PF | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28a | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28a-F | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28a-P | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28a-PF | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28a | Zinc | 03-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28a-F | Zinc | 03-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28a-P | Zinc | 03-Feb-12 | 43.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28a-PF | Zinc | 03-Feb-12 | 25 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28a | Oil and Grease | 03-Feb-12 | 5 UJ mg/L | | | | | |
| HW28a-P | Oil and Grease | 03-Feb-12 | 5 UJ mg/L | | | | | |
| HW28a | Total Dissolved Solids | 03-Feb-12 | 56 mg/L | | | 500 mg/L | | 500 mg/L |
| HW28a-P | Total Dissolved Solids | 03-Feb-12 | 48 mg/L | | | 500 mg/L | | 500 mg/L |
| HW28a | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW28a-P | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW28a | 1-Methylnaphthalene | 03-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW28a-P | 1-Methylnaphthalene | 03-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW28a | Acenaphthene | 03-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW28a-P | Acenaphthene | 03-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW28a | Acenaphthylene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Acenaphthylene | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Acetophenone | 03-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW28a-P | Acetophenone | 03-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW28a | Anthracene | 03-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW28a-P | Anthracene | 03-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW28a | Atrazine | 03-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW28a-P | Atrazine | 03-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Benzo(a)anthracene | 03-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW28a-P | Benzo(a)anthracene | 03-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW28a | Benzo(a)pyrene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28a-P | Benzo(a)pyrene | 03-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28a | Biphenyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Biphenyl | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28a-P | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW28a | Butylbenzyl phthalate | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW28a-P | Butylbenzyl phthalate | 03-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW28a | Caprolactam | 03-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW28a-P | Caprolactam | 03-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW28a | Carbazole | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Carbazole | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Chlorobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW28a-P | Chlorobenzenamine-4 | 03-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW28a | Chloronaphthalene-2 | 03-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW28a-P | Chloronaphthalene-2 | 03-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW28a | Chlorophenol-2 | 03-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW28a-P | Chlorophenol-2 | 03-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW28a | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Chrysene | 03-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW28a-P | Chrysene | 03-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW28a | Cresol, parachloro meta- | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Cresol, parachloro meta- | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28a-P | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW28a | Cresol-o | 03-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW28a-P | Cresol-o | 03-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW28a | Cresol-p | 03-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW28a-P | Cresol-p | 03-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW28a | Dibenz(a,h)anthracene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW28a-P | Dibenz(a,h)anthracene | 03-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW28a | Dibenzofuran | 03-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-P | Dibenzofuran | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Dichlorobenzidine-3,3' | 03-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW28a-P | Dichlorobenzidine-3,3' | 03-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW28a | Dichlorophenol-2,4 | 03-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW28a-P | Dichlorophenol-2,4 | 03-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW28a | Dimethylphenol, 2,4- | 03-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW28a-P | Dimethylphenol, 2,4- | 03-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW28a | Dinitrophenol-2,4 | 03-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW28a-P | Dinitrophenol-2,4 | 03-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW28a | Dinitrotoluene-2,4 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Dinitrotoluene-2,4 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Dinitrotoluene-2,6 | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28a-P | Dinitrotoluene-2,6 | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW28a | Ether, bis(2-chloroethyl) | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW28a-P | Ether, bis(2-chloroethyl) | 03-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW28a | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28a-P | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW28a | Fluoranthene | 03-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW28a-P | Fluoranthene | 03-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW28a | Fluoranthene benzo(k) | 03-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW28a-P | Fluoranthene benzo(k) | 03-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW28a | Fluoranthene-benzo(b) | 03-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW28a-P | Fluoranthene-benzo(b) | 03-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW28a | Fluorene | 03-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW28a-P | Fluorene | 03-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW28a | Hexachlorobenzene | 03-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW28a-P | Hexachlorobenzene | 03-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW28a | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW28a | Hexachlorobutadiene | 03-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW28a-P | Hexachlorobutadiene | 03-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW28a-P | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW28a | Hexachlorocyclopentadiene | 03-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a-P | Hexachlorocyclopentadiene | 03-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW28a | Hexachloroethane | 03-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW28a-P | Hexachloroethane | 03-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Isophorone | 03-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW28a-P | Isophorone | 03-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW28a | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW28a-P | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW28a | Methylnaphthalene-2 | 03-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW28a-P | Methylnaphthalene-2 | 03-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW28a | Naphthalene | 03-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW28a | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW28a-P | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW28a-P | Naphthalene | 03-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW28a | Nitroaniline, ortho | 03-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW28a-P | Nitroaniline, ortho | 03-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW28a | Nitroaniline-3 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Nitroaniline-3 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Nitrobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW28a-P | Nitrobenzenamine-4 | 03-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW28a | Nitrobenzene | 03-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW28a-P | Nitrobenzene | 03-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW28a | Nitrophenol-2 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Nitrophenol-2 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Nitrophenol-4 | 03-Feb-12 | 10 U ug/L | | | | | |
| HW28a-P | Nitrophenol-4 | 03-Feb-12 | 9.52 U ug/L | | | | | |
| HW28a | Nitrosodimethylamine-n | 03-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW28a-P | Nitrosodimethylamine-n | 03-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW28a | Nitrosodiphenylamine-n | 03-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW28a-P | Nitrosodiphenylamine-n | 03-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW28a | Pentachlorophenol | 03-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW28a-P | Pentachlorophenol | 03-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW28a | Perylene-benzo(ghi) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Perylene-benzo(ghi) | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Phenanthrene | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28a-P | Phenanthrene | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW28a | Phenol | 03-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW28a-P | Phenol | 03-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW28a | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW28a | Phthalate, Dimethyl | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW28a-P | Phthalate, Dimethyl | 03-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW28a | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW28a-P | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW28a | Phthalate, di-n-octyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28a-P | Phthalate, di-n-octyl | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW28a | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW28a-P | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW28a | Propylamine,n-nitroso di-n- | 03-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW28a-P | Propylamine,n-nitroso di-n- | 03-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW28a | Pyrene | 03-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW28a-P | Pyrene | 03-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW28a | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW28a-P | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW28a | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW28a-P | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW28a | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW28a-P | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW28a | Trichlorophenol-2,4,5 | 03-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW28a-P | Trichlorophenol-2,4,5 | 03-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW28a | Trichlorophenol-2,4,6 | 03-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW28a-P | Trichlorophenol-2,4,6 | 03-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW28a | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW28a-P | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW28a | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW28a-P | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW28a | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW28a-P | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW28a | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28a-P | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28a | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW28a-P | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW28a | Acetone | 03-Feb-12 | 2 U ug/L | | | | | |
| HW28a-P | Acetone | 03-Feb-12 | 2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a-P | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a-P | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a-P | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW28a-P | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW28a | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a-P | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW28a-P | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW28a | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW28a-P | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW28a | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a-P | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a-P | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW28a-P | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW28a | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-P | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW28a-P | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW28a | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW28a-P | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW28a | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a-P | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28a | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW28a-P | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW28a | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-P | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW28a-P | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW28a | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW28a-P | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW28a | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW28a-P | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW28a | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-P | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW28a-P | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW28a | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW28a-P | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a-P | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW28a-P | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW28a | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28a-P | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28a | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a-P | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a-P | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW28a-P | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW28a | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a-P | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28a | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a-P | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW28a-P | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW28a | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW28a-P | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW28a | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW28a-P | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW28a | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a-P | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28a-P | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW28a | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW28a-P | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW28a | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW28a-P | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW28a | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW28a-P | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW28a | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a-P | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW28a | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a-P | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28a | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW28a-P | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW28a | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW28a-P | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW28a | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW28a-P | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW28a | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a-P | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28a | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW28a-P | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW28a | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28a-P | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28a | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 0.859 mg/L | | 10 mg/L | | 10 mg/L | |
| HW28a-P | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 0.86 mg/L | | 10 mg/L | | 10 mg/L | |
| HW28a | Total Nitrogen | 03-Feb-12 | 1 U mg/L | | | | | |
| HW28a-P | Total Nitrogen | 03-Feb-12 | 1 U mg/L | | | | | |
| HW28a | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW28a-P | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW28b-P | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW28b-P | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28b-P | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28b-P | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW28b-P | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW28b-P | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW28b-P | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW28b-P | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW28b-P | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW28b-P | Methane | 03-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW28b-P | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW28b-P | 2-Methoxyethanol | 03-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW28b-P | Diethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW28b-P | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW28b-P | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW28b-P | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW28b-P | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW28b-P | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28b-P | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW28b-P | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW28b-P | Bromide | 03-Feb-12 | 0.5 U mg/L | | | | | |
| HW28b-P | Chloride | 03-Feb-12 | 11.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28b-P | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW28b-P | Sulfate | 03-Feb-12 | 10.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW28b-P | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28b-PF | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW28b-P | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28b-PF | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW28b-P | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28b-PF | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW28b-P | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28b-PF | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW28b-P | Barium | 03-Feb-12 | 103 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28b-PF | Barium | 03-Feb-12 | 95.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW28b-P | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28b-PF | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW28b-P | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-PF | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW28b-P | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28b-PF | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW28b-P | Calcium | 03-Feb-12 | 12200 ug/L | | | | | |
| HW28b-PF | Calcium | 03-Feb-12 | 12400 ug/L | | | | | |
| HW28b-P | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28b-PF | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW28b-P | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28b-PF | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW28b-P | Copper | 03-Feb-12 | 124 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW28b-PF | Copper | 03-Feb-12 | 115 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW28b-P | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28b-PF | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW28b-P | Lead | 03-Feb-12 | 3.3 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28b-PF | Lead | 03-Feb-12 | 3 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW28b-P | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28b-PF | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW28b-P | Magnesium | 03-Feb-12 | 1850 ug/L | | | | | |
| HW28b-PF | Magnesium | 03-Feb-12 | 1880 ug/L | | | | | |
| HW28b-P | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28b-PF | Manganese | 03-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW28b-P | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28b-PF | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW28b-P | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28b-PF | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW28b-P | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28b-PF | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW28b-P | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28b-PF | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW28b-P | Sodium | 03-Feb-12 | 6580 ug/L | 20000 ug/L | | | | |
| HW28b-PF | Sodium | 03-Feb-12 | 6680 ug/L | 20000 ug/L | | | | |
| HW28b-P | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28b-PF | Strontium | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28b-P | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW28b-PF | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28b-PF | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW28b-P | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28b-PF | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW28b-P | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28b-PF | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW28b-P | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28b-PF | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW28b-P | Zinc | 03-Feb-12 | 31.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28b-PF | Zinc | 03-Feb-12 | 28.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW28b-P | Oil and Grease | 03-Feb-12 | 5 U mg/L | | | | | |
| HW28b-P | Total Dissolved Solids | 03-Feb-12 | 61 mg/L | | | 500 mg/L | | 500 mg/L |
| HW28b-P | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW28b-P | 1-Methylnaphthalene | 03-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW28b-P | Acenaphthene | 03-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW28b-P | Acenaphthylene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Acetophenone | 03-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW28b-P | Anthracene | 03-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW28b-P | Atrazine | 03-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW28b-P | Benzo(a)anthracene | 03-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW28b-P | Benzo(a)pyrene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28b-P | Biphenyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Butylbenzyl phthalate | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW28b-P | Caprolactam | 03-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW28b-P | Carbazole | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Chlorobenzenamine-4 | 03-Feb-12 | 60 U ug/L | 3.2 ug/L | | | | |
| HW28b-P | Chloronaphthalene-2 | 03-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW28b-P | Chlorophenol-2 | 03-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW28b-P | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Chrysene | 03-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW28b-P | Cresol, parachloro meta- | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 10 U ug/L | | | | | |
| HW28b-P | Cresol-o | 03-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW28b-P | Cresol-p | 03-Feb-12 | 5 U ug/L | 72 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Dibenz(a,h)anthracene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW28b-P | Dibenzofuran | 03-Feb-12 | 0.013 J ug/L | | | | | |
| HW28b-P | Dichlorobenzidine-3,3' | 03-Feb-12 | 60 U ug/L | 11 ug/L | | | | |
| HW28b-P | Dichlorophenol-2,4 | 03-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW28b-P | Dimethylphenol, 2,4- | 03-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW28b-P | Dinitrophenol-2,4 | 03-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW28b-P | Dinitrotoluene-2,4 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Dinitrotoluene-2,6 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Ether, bis(2-chloroethyl) | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW28b-P | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Fluoranthene | 03-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW28b-P | Fluoranthene benzo(k) | 03-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW28b-P | Fluoranthene-benzo(b) | 03-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW28b-P | Fluorene | 03-Feb-12 | 0.018 J ug/L | 220 ug/L | | | | |
| HW28b-P | Hexachlorobenzene | 03-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW28b-P | Hexachlorobutadiene | 03-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW28b-P | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW28b-P | Hexachlorocyclopentadiene | 03-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW28b-P | Hexachloroethane | 03-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW28b-P | Isophorone | 03-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW28b-P | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW28b-P | Methylnaphthalene-2 | 03-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW28b-P | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW28b-P | Naphthalene | 03-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW28b-P | Nitroaniline, ortho | 03-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW28b-P | Nitroaniline-3 | 03-Feb-12 | 60 U ug/L | | | | | |
| HW28b-P | Nitrobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW28b-P | Nitrobenzene | 03-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW28b-P | Nitrophenol-2 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Nitrophenol-4 | 03-Feb-12 | 10 U ug/L | | | | | |
| HW28b-P | Nitrosodimethylamine-n | 03-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW28b-P | Nitrosodiphenylamine-n | 03-Feb-12 | 0.016 J ug/L | 1000 ug/L | | | | |
| HW28b-P | Pentachlorophenol | 03-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW28b-P | Perylene-benzo(ghi) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Phenanthrene | 03-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Phenol | 03-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW28b-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW28b-P | Phthalate, Dimethyl | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW28b-P | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW28b-P | Phthalate, di-n-octyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW28b-P | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW28b-P | Propylamine,n-nitroso di-n- | 03-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW28b-P | Pyrene | 03-Feb-12 | 0.019 J ug/L | 87 ug/L | | | | |
| HW28b-P | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW28b-P | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW28b-P | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW28b-P | Trichlorophenol-2,4,5 | 03-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW28b-P | Trichlorophenol-2,4,6 | 03-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW28b-P | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW28b-P | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW28b-P | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW28b-P | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW28b-P | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW28b-P | Acetone | 03-Feb-12 | 2 U ug/L | | | | | |
| HW28b-P | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28b-P | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28b-P | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28b-P | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW28b-P | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28b-P | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW28b-P | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW28b-P | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28b-P | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW28b-P | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW28b-P | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW28b-P | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW28b-P | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW28b-P | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW28b-P | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW28b-P | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW28b-P | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW28b-P | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW28b-P | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW28b-P | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW28b-P | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28b-P | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW28b-P | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28b-P | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28b-P | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28b-P | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW28b-P | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW28b-P | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28b-P | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW28b-P | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW28b-P | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW28b-P | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28b-P | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW28b-P | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW28b-P | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW28b-P | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW28b-P | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW28b-P | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW28b-P | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW28b-P | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW28b-P | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW28b-P | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW28b-P | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW28b-P | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW28b-P | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 0.858 mg/L | | 10 mg/L | | 10 mg/L | |
| HW28b-P | Total Nitrogen | 03-Feb-12 | 1 U mg/L | | | | | |
| HW28b-P | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW29 | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW29z | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW29 | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29z | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29 | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29z | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29 | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29z | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29 | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW29z | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW29 | Anionic Surfactants | 31-Jan-12 | 0.032 mg/L | | | | | |
| HW29z | Anionic Surfactants | 31-Jan-12 | 0.026 mg/L | | | | | |
| HW29 | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW29z | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW29 | Total Coliform Bacteria | 31-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW29z | Total Coliform Bacteria | 31-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW29 | Ethane | 31-Jan-12 | 4700 ug/L | | | | | |
| HW29z | Ethane | 31-Jan-12 | 4100 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW29z | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW29 | Methane | 31-Jan-12 | 77000 ug/L | 28000 ug/L | | | | |
| HW29z | Methane | 31-Jan-12 | 62000 ug/L | 28000 ug/L | | | | |
| HW29 | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW29 | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW29z | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW29z | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW29 | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW29 | Diethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW29z | Diethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW29z | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW29 | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29z | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW29 | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW29z | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW29 | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW29z | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW29 | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW29z | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW29 | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW29 | Triethylene glycol | 31-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW29z | Triethylene glycol | 31-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW29z | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW29 | Bromide | 31-Jan-12 | 1.67 mg/L | | | | | |
| HW29z | Bromide | 31-Jan-12 | 1.65 mg/L | | | | | |
| HW29 | Chloride | 31-Jan-12 | 181 mg/L | | | 250 mg/L | | 250 mg/L |
| HW29z | Chloride | 31-Jan-12 | 180 mg/L | | | 250 mg/L | | 250 mg/L |
| HW29 | Fluoride | 31-Jan-12 | 0.123 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW29z | Fluoride | 31-Jan-12 | 0.125 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW29 | Sulfate | 31-Jan-12 | 3.8 mg/L | | | 250 mg/L | | 250 mg/L |
| HW29z | Sulfate | 31-Jan-12 | 3.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW29 | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29-F | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW29z | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW29z-F | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW29 | Aluminum | 31-Jan-12 | 51 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW29-F | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW29z | Aluminum | 31-Jan-12 | 44.4 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW29z-F | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW29 | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW29-F | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW29z | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW29z-F | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW29 | Arsenic | 31-Jan-12 | 3.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW29-F | Arsenic | 31-Jan-12 | 3.4 J ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW29z | Arsenic | 31-Jan-12 | 2.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW29z-F | Arsenic | 31-Jan-12 | 3.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW29 | Barium | 31-Jan-12 | 315 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW29-F | Barium | 31-Jan-12 | 294 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW29z | Barium | 31-Jan-12 | 316 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW29z-F | Barium | 31-Jan-12 | 299 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW29 | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW29-F | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW29z | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW29z-F | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW29 | Boron | 31-Jan-12 | 241 ug/L | 3100 ug/L | | | | |
| HW29-F | Boron | 31-Jan-12 | 244 ug/L | 3100 ug/L | | | | |
| HW29z | Boron | 31-Jan-12 | 233 ug/L | 3100 ug/L | | | | |
| HW29z-F | Boron | 31-Jan-12 | 230 ug/L | 3100 ug/L | | | | |
| HW29 | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW29-F | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW29z | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW29z-F | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW29 | Calcium | 31-Jan-12 | 5200 ug/L | | | | | |
| HW29-F | Calcium | 31-Jan-12 | 4530 ug/L | | | | | |
| HW29z | Calcium | 31-Jan-12 | 5480 ug/L | | | | | |
| HW29z-F | Calcium | 31-Jan-12 | 5070 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW29-F | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW29z | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW29z-F | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW29 | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW29-F | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW29z | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW29z-F | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW29 | Copper | 31-Jan-12 | 3.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW29-F | Copper | 31-Jan-12 | 2.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW29z | Copper | 31-Jan-12 | 2.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW29z-F | Copper | 31-Jan-12 | 2.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW29 | Iron | 31-Jan-12 | 112 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW29-F | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW29z | Iron | 31-Jan-12 | 122 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW29z-F | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW29 | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW29-F | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW29z | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW29z-F | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW29 | Lithium | 31-Jan-12 | 478 ug/L | 31 ug/L | | | | |
| HW29-F | Lithium | 31-Jan-12 | 493 ug/L | 31 ug/L | | | | |
| HW29z | Lithium | 31-Jan-12 | 462 ug/L | 31 ug/L | | | | |
| HW29z-F | Lithium | 31-Jan-12 | 463 ug/L | 31 ug/L | | | | |
| HW29 | Magnesium | 31-Jan-12 | 1140 ug/L | | | | | |
| HW29-F | Magnesium | 31-Jan-12 | 943 ug/L | | | | | |
| HW29z | Magnesium | 31-Jan-12 | 1230 ug/L | | | | | |
| HW29z-F | Magnesium | 31-Jan-12 | 1120 ug/L | | | | | |
| HW29 | Manganese | 31-Jan-12 | 43.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW29-F | Manganese | 31-Jan-12 | 33.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW29z | Manganese | 31-Jan-12 | 47.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW29z-F | Manganese | 31-Jan-12 | 40.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW29 | Nickel | 31-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW29-F | Nickel | 31-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW29z | Nickel | 31-Jan-12 | 1 U ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29z-F | Nickel | 31-Jan-12 | 1 U ug/L | 300 ug/L | | | | |
| HW29 | Potassium | 31-Jan-12 | 2330 ug/L | | | | | |
| HW29-F | Potassium | 31-Jan-12 | 2200 ug/L | | | | | |
| HW29z | Potassium | 31-Jan-12 | 2180 ug/L | | | | | |
| HW29z-F | Potassium | 31-Jan-12 | 2140 ug/L | | | | | |
| HW29 | Selenium | 31-Jan-12 | 6.7 ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW29-F | Selenium | 31-Jan-12 | 7 ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW29z | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW29z-F | Selenium | 31-Jan-12 | 5.6 ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW29 | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW29-F | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW29z | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW29z-F | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW29 | Sodium | 31-Jan-12 | 195000 ug/L | 20000 ug/L | | | | |
| HW29-F | Sodium | 31-Jan-12 | 201000 ug/L | 20000 ug/L | | | | |
| HW29z | Sodium | 31-Jan-12 | 190000 ug/L | 20000 ug/L | | | | |
| HW29z-F | Sodium | 31-Jan-12 | 189000 ug/L | 20000 ug/L | | | | |
| HW29 | Strontium | 31-Jan-12 | 374 ug/L | 9300 ug/L | | | | |
| HW29-F | Strontium | 31-Jan-12 | 352 ug/L | 9300 ug/L | | | | |
| HW29z | Strontium | 31-Jan-12 | 377 ug/L | 9300 ug/L | | | | |
| HW29z-F | Strontium | 31-Jan-12 | 361 ug/L | 9300 ug/L | | | | |
| HW29 | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW29-F | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW29z | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW29z-F | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW29 | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW29-F | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW29z | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW29z-F | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW29 | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW29-F | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW29z | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW29z-F | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW29 | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW29-F | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29z | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW29z-F | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW29 | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW29-F | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW29z | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW29z-F | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW29 | Zinc | 31-Jan-12 | 2.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW29-F | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW29z | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW29z-F | Zinc | 31-Jan-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW29 | Oil and Grease | 31-Jan-12 | 5.4 U mg/L | | | | | |
| HW29z | Oil and Grease | 31-Jan-12 | 5.7 U mg/L | | | | | |
| HW29 | Total Dissolved Solids | 31-Jan-12 | 370 mg/L | | | 500 mg/L | | 500 mg/L |
| HW29z | Total Dissolved Solids | 31-Jan-12 | 492 mg/L | | | 500 mg/L | | 500 mg/L |
| HW29 | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW29z | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW29 | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW29z | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW29 | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW29z | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW29 | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Acetophenone | 31-Jan-12 | 0.02 J ug/L | 1500 ug/L | | | | |
| HW29z | Acetophenone | 31-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW29 | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW29z | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW29 | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW29z | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW29 | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW29z | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW29 | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW29z | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW29 | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29z | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW29z | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW29 | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW29z | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW29 | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW29z | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW29 | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW29z | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW29 | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW29z | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW29 | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW29z | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW29 | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW29z | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW29 | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW29z | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW29 | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW29z | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW29 | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW29z | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW29 | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW29z | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW29 | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW29z | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW29 | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW29z | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW29z | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW29 | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW29z | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW29 | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW29z | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW29 | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW29z | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW29 | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW29z | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW29 | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW29z | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW29 | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW29z | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW29 | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW29 | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW29z | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW29z | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW29 | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW29z | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW29 | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW29z | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW29 | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW29z | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW29 | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW29z | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW29 | Methylnaphthalene-2 | 31-Jan-12 | 0.04 J ug/L | 27 ug/L | | | | |
| HW29z | Methylnaphthalene-2 | 31-Jan-12 | 0.06 J ug/L | 27 ug/L | | | | |
| HW29 | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Naphthalene | 31-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW29z | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW29z | Naphthalene | 31-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW29 | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW29z | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW29 | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW29z | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW29 | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW29z | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW29 | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW29z | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW29 | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW29z | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW29 | Nitrosodiphenylamine-n | 31-Jan-12 | 0.01 J ug/L | 1000 ug/L | | | | |
| HW29z | Nitrosodiphenylamine-n | 31-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW29 | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW29z | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW29 | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29 | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW29z | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW29 | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW29z | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW29 | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW29z | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW29 | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW29z | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW29 | Phthalate, di-n-octyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW29z | Phthalate, di-n-octyl | 31-Jan-12 | 0.02 J ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW29z | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW29 | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW29z | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW29 | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW29z | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW29 | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW29z | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW29 | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW29z | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW29 | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW29z | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW29 | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW29z | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW29 | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW29z | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW29 | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW29z | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW29 | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW29z | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW29 | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW29z | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW29 | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW29z | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW29 | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW29z | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW29 | Acetone | 31-Jan-12 | 3.3 ug/L | | | | | |
| HW29z | Acetone | 31-Jan-12 | 3.1 U ug/L | | | | | |
| HW29 | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29z | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29 | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29z | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29 | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29z | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Carbon disulfide | 31-Jan-12 | 0.4 J ug/L | | | | | |
| HW29z | Carbon disulfide | 31-Jan-12 | 0.1 J ug/L | | | | | |
| HW29 | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29z | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29 | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW29z | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW29 | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29z | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29 | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW29z | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW29 | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW29z | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW29 | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29z | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29 | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29z | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29 | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW29z | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW29 | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW29z | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW29 | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW29z | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29z | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW29 | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW29z | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW29 | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW29z | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW29 | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW29z | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW29 | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW29z | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW29 | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW29z | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW29 | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW29z | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW29 | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW29z | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW29 | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW29z | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW29 | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29z | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29 | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW29z | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW29 | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29z | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | m,p-Xylene | 31-Jan-12 | 0.1 J ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW29z | m,p-Xylene | 31-Jan-12 | 0.1 J ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW29 | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW29z | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW29 | Methyl bromide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Methyl bromide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29z | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29 | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW29z | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW29 | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29z | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW29 | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29z | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29 | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW29z | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW29 | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW29z | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW29 | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW29z | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW29 | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29z | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29 | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW29z | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW29 | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW29z | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW29 | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW29z | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW29 | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW29z | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW29 | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW29z | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW29 | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29z | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW29 | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW29z | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW29 | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW29z | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW29 | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW29z | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW29 | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29z | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW29 | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW29z | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW29 | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW29z | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW29 | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW29z | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW29 | Total Nitrogen | 31-Jan-12 | 1 U mg/L | | | | | |
| HW29z | Total Nitrogen | 31-Jan-12 | 1 U mg/L | | | | | |
| HW29 | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW29z | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW30 | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW30-P | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW30 | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30-P | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30 | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30-P | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30 | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30-P | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW30 | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW30-P | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW30 | Anionic Surfactants | 06-Feb-12 | 0.01 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | Anionic Surfactants | 06-Feb-12 | 0.01 U mg/L | | | | | |
| HW30 | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW30-P | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW30 | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW30-P | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW30 | Ethane | 06-Feb-12 | 1.2 U ug/L | | | | | |
| HW30-P | Ethane | 06-Feb-12 | 1.2 U ug/L | | | | | |
| HW30 | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW30-P | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW30 | Methane | 06-Feb-12 | 120 ug/L | 28000 ug/L | | | | |
| HW30-P | Methane | 06-Feb-12 | 92 ug/L | 28000 ug/L | | | | |
| HW30 | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW30 | 2-Methoxyethanol | 06-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW30-P | 2-Methoxyethanol | 06-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW30-P | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW30 | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW30-P | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW30 | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW30 | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW30-P | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW30 | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW30-P | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW30 | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW30-P | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW30 | Chloride | 06-Feb-12 | 5.27 mg/L | | | 250 mg/L | | 250 mg/L |
| HW30-P | Chloride | 06-Feb-12 | 4.94 mg/L | | | 250 mg/L | | 250 mg/L |
| HW30 | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW30-P | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW30 | Sulfate | 06-Feb-12 | 13.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW30-P | Sulfate | 06-Feb-12 | 12.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW30 | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW30-F | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW30-P | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-PF | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW30 | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW30-F | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW30-P | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW30-PF | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW30 | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW30-F | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW30-P | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW30-PF | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW30 | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW30-F | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW30-P | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW30-PF | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW30 | Barium | 06-Feb-12 | 120 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW30-F | Barium | 06-Feb-12 | 121 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW30-P | Barium | 06-Feb-12 | 124 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW30-PF | Barium | 06-Feb-12 | 120 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW30 | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW30-F | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW30-P | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW30-PF | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW30 | Boron | 06-Feb-12 | 64.5 ug/L | 3100 ug/L | | | | |
| HW30-F | Boron | 06-Feb-12 | 63.9 ug/L | 3100 ug/L | | | | |
| HW30-P | Boron | 06-Feb-12 | 70.7 ug/L | 3100 ug/L | | | | |
| HW30-PF | Boron | 06-Feb-12 | 72.8 ug/L | 3100 ug/L | | | | |
| HW30 | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-F | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-P | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-PF | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW30 | Calcium | 06-Feb-12 | 35000 ug/L | | | | | |
| HW30-F | Calcium | 06-Feb-12 | 35600 ug/L | | | | | |
| HW30-P | Calcium | 06-Feb-12 | 34700 ug/L | | | | | |
| HW30-PF | Calcium | 06-Feb-12 | 34400 ug/L | | | | | |
| HW30 | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW30-F | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW30-PF | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW30 | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW30-F | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW30-P | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW30-PF | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW30 | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW30-F | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW30-P | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW30-PF | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW30 | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW30-F | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW30-P | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW30-PF | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW30 | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW30-F | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW30-P | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW30-PF | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW30 | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW30-F | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW30-P | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW30-PF | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW30 | Magnesium | 06-Feb-12 | 7860 ug/L | | | | | |
| HW30-F | Magnesium | 06-Feb-12 | 8030 ug/L | | | | | |
| HW30-P | Magnesium | 06-Feb-12 | 7600 ug/L | | | | | |
| HW30-PF | Magnesium | 06-Feb-12 | 7600 ug/L | | | | | |
| HW30 | Manganese | 06-Feb-12 | 10.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW30-F | Manganese | 06-Feb-12 | 8.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW30-P | Manganese | 06-Feb-12 | 12.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW30-PF | Manganese | 06-Feb-12 | 10.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW30 | Nickel | 06-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW30-F | Nickel | 06-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW30-P | Nickel | 06-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW30-PF | Nickel | 06-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW30 | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-F | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW30-P | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW30-PF | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW30 | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW30-F | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW30-P | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW30-PF | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW30 | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW30-F | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW30-P | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW30-PF | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW30 | Sodium | 06-Feb-12 | 14000 ug/L | 20000 ug/L | | | | |
| HW30-F | Sodium | 06-Feb-12 | 14400 ug/L | 20000 ug/L | | | | |
| HW30-P | Sodium | 06-Feb-12 | 14700 ug/L | 20000 ug/L | | | | |
| HW30-PF | Sodium | 06-Feb-12 | 14700 ug/L | 20000 ug/L | | | | |
| HW30 | Strontium | 06-Feb-12 | 1290 ug/L | 9300 ug/L | | | | |
| HW30-F | Strontium | 06-Feb-12 | 1330 ug/L | 9300 ug/L | | | | |
| HW30-P | Strontium | 06-Feb-12 | 1390 ug/L | 9300 ug/L | | | | |
| HW30-PF | Strontium | 06-Feb-12 | 1390 ug/L | 9300 ug/L | | | | |
| HW30 | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW30-F | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW30-P | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW30-PF | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW30 | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW30-F | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW30-P | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW30-PF | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW30 | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW30-F | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW30-P | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW30-PF | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW30 | Uranium | 06-Feb-12 | 3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW30-F | Uranium | 06-Feb-12 | 3.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW30-P | Uranium | 06-Feb-12 | 2.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW30-PF | Uranium | 06-Feb-12 | 2.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30 | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW30-F | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW30-P | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW30-PF | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW30 | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW30-F | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW30-P | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW30-PF | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW30 | Oil and Grease | 06-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW30-P | Oil and Grease | 06-Feb-12 | 5 UJ mg/L | | | | | |
| HW30 | Total Dissolved Solids | 06-Feb-12 | 149 mg/L | | | 500 mg/L | | 500 mg/L |
| HW30-P | Total Dissolved Solids | 06-Feb-12 | 120 mg/L | | | 500 mg/L | | 500 mg/L |
| HW30 | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW30-P | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW30 | 1-Methylnaphthalene | 06-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW30-P | 1-Methylnaphthalene | 06-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW30 | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW30-P | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW30 | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW30-P | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW30 | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW30-P | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW30 | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW30-P | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW30 | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW30-P | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW30 | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW30-P | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW30 | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW30 | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW30-P | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW30 | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Chlorobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW30-P | Chlorobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW30 | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW30-P | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW30 | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW30-P | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW30 | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW30-P | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW30 | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW30-P | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW30 | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW30-P | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW30 | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW30-P | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW30 | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW30-P | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW30 | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Dichlorobenzidine-3,3' | 06-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW30-P | Dichlorobenzidine-3,3' | 06-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW30 | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW30-P | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW30 | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW30-P | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW30 | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW30-P | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30 | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW30-P | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW30 | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW30-P | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW30 | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW30-P | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW30 | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW30-P | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW30 | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW30-P | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW30 | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW30-P | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW30 | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW30 | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW30-P | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW30-P | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW30 | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW30-P | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW30 | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW30-P | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW30 | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW30-P | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW30 | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW30-P | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW30 | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW30-P | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW30 | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW30 | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW30-P | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW30 | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW30-P | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW30 | Nitroaniline-3 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Nitroaniline-3 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW30-P | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW30 | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW30-P | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW30 | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW30-P | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW30 | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW30-P | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW30 | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW30-P | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW30 | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW30-P | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW30 | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW30-P | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW30 | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW30-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW30 | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW30-P | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW30 | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW30-P | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW30 | Phthalate, di-n-octyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30-P | Phthalate, di-n-octyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW30 | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW30-P | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30 | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW30-P | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW30 | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW30-P | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW30 | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW30-P | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW30 | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW30-P | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW30 | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW30-P | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW30 | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW30-P | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW30 | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW30-P | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW30 | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW30-P | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW30 | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW30-P | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW30 | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW30-P | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW30 | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW30-P | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW30 | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW30-P | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW30 | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW30-P | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW30 | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30-P | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30 | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30-P | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30 | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30-P | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30 | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW30-P | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW30 | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30-P | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30 | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW30-P | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW30 | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW30-P | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW30 | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30-P | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30 | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW30-P | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW30 | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW30-P | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW30 | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW30-P | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW30 | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW30-P | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30 | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW30-P | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW30 | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-P | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW30 | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW30-P | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW30 | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW30-P | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW30 | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW30-P | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW30 | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-P | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW30 | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW30-P | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW30 | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW30-P | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW30 | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW30-P | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW30 | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30-P | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW30 | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW30-P | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW30 | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW30-P | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW30 | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30-P | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30 | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW30-P | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW30 | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW30-P | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW30 | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW30-P | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW30 | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30-P | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30 | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW30-P | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW30 | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW30-P | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW30 | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW30-P | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW30 | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW30-P | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW30 | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW30-P | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW30 | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30-P | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW30 | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW30-P | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW30 | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW30-P | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW30 | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW30-P | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW30 | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30-P | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW30 | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW30-P | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW30 | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW30-P | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW30 | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 0.061 mg/L | | 10 mg/L | | 10 mg/L | |
| HW30-P | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW30 | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |
| HW30-P | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |
| HW30 | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW30-P | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW31 | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW31-P | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW31z | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW31 | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31-P | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31z | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31 | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31-P | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31z | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31 | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31-P | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31z | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW31 | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW31z | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW31 | Anionic Surfactants | 06-Feb-12 | 0.029 mg/L | | | | | |
| HW31-P | Anionic Surfactants | 06-Feb-12 | 0.01 U mg/L | | | | | |
| HW31z | Anionic Surfactants | 06-Feb-12 | 0.029 mg/L | | | | | |
| HW31 | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW31-P | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW31z | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW31 | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW31-P | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW31z | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW31 | Ethane | 06-Feb-12 | 7.3 ug/L | | | | | |
| HW31-P | Ethane | 06-Feb-12 | 1.2 U ug/L | | | | | |
| HW31z | Ethane | 06-Feb-12 | 7.5 ug/L | | | | | |
| HW31 | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW31-P | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW31z | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW31 | Methane | 06-Feb-12 | 17000 ug/L | 28000 ug/L | | | | |
| HW31-P | Methane | 06-Feb-12 | 73 ug/L | 28000 ug/L | | | | |
| HW31z | Methane | 06-Feb-12 | 15000 ug/L | 28000 ug/L | | | | |
| HW31 | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW31 | 2-Methoxyethanol | 06-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW31-P | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW31-P | 2-Methoxyethanol | 06-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW31z | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW31z | 2-Methoxyethanol | 06-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW31 | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW31-P | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW31z | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW31 | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW31-P | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW31z | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31 | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31-P | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31z | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31 | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31-P | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31z | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW31 | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW31-P | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW31z | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW31 | Chloride | 06-Feb-12 | 43.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31-P | Chloride | 06-Feb-12 | 40.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31z | Chloride | 06-Feb-12 | 43.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31 | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW31-P | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW31z | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW31 | Sulfate | 06-Feb-12 | 0.588 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31-P | Sulfate | 06-Feb-12 | 1.16 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31z | Sulfate | 06-Feb-12 | 0.597 mg/L | | | 250 mg/L | | 250 mg/L |
| HW31 | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-F | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-P | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-PF | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31z | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31z-F | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW31 | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31-F | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31-P | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31-PF | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31z | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31z-F | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW31 | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW31-F | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW31-P | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW31-PF | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW31z | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z-F | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW31 | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31-F | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31-P | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31-PF | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31z | Arsenic | 06-Feb-12 | 1.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31z-F | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW31 | Barium | 06-Feb-12 | 534 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31-F | Barium | 06-Feb-12 | 517 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31-P | Barium | 06-Feb-12 | 500 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31-PF | Barium | 06-Feb-12 | 512 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31z | Barium | 06-Feb-12 | 538 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31z-F | Barium | 06-Feb-12 | 535 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW31 | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31-F | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31-P | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31-PF | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31z | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31z-F | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW31 | Boron | 06-Feb-12 | 64.6 ug/L | 3100 ug/L | | | | |
| HW31-F | Boron | 06-Feb-12 | 62.7 ug/L | 3100 ug/L | | | | |
| HW31-P | Boron | 06-Feb-12 | 64.8 ug/L | 3100 ug/L | | | | |
| HW31-PF | Boron | 06-Feb-12 | 79.5 ug/L | 3100 ug/L | | | | |
| HW31z | Boron | 06-Feb-12 | 72.7 ug/L | 3100 ug/L | | | | |
| HW31z-F | Boron | 06-Feb-12 | 64.1 ug/L | 3100 ug/L | | | | |
| HW31 | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-F | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-P | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-PF | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31z | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31z-F | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW31 | Calcium | 06-Feb-12 | 33000 ug/L | | | | | |
| HW31-F | Calcium | 06-Feb-12 | 32000 ug/L | | | | | |
| HW31-P | Calcium | 06-Feb-12 | 32300 ug/L | | | | | |
| HW31-PF | Calcium | 06-Feb-12 | 33100 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z | Calcium | 06-Feb-12 | 33500 ug/L | | | | | |
| HW31z-F | Calcium | 06-Feb-12 | 33300 ug/L | | | | | |
| HW31 | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31-F | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31-P | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31-PF | Chromium | 06-Feb-12 | 2.3 ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31z | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31z-F | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW31 | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31-F | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31-P | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31-PF | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31z | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31z-F | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW31 | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31-F | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31-P | Copper | 06-Feb-12 | 4.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31-PF | Copper | 06-Feb-12 | 4.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31z | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31z-F | Copper | 06-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW31 | Iron | 06-Feb-12 | 158 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31-F | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31-P | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31-PF | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31z | Iron | 06-Feb-12 | 156 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31z-F | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW31 | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31-F | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31-P | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31-PF | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31z | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31z-F | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW31 | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW31-F | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW31-P | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-PF | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW31z | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW31z-F | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW31 | Magnesium | 06-Feb-12 | 8880 ug/L | | | | | |
| HW31-F | Magnesium | 06-Feb-12 | 8640 ug/L | | | | | |
| HW31-P | Magnesium | 06-Feb-12 | 8690 ug/L | | | | | |
| HW31-PF | Magnesium | 06-Feb-12 | 8930 ug/L | | | | | |
| HW31z | Magnesium | 06-Feb-12 | 9000 ug/L | | | | | |
| HW31z-F | Magnesium | 06-Feb-12 | 8970 ug/L | | | | | |
| HW31 | Manganese | 06-Feb-12 | 171 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31-F | Manganese | 06-Feb-12 | 155 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31-P | Manganese | 06-Feb-12 | 1.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31-PF | Manganese | 06-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31z | Manganese | 06-Feb-12 | 158 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31z-F | Manganese | 06-Feb-12 | 166 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW31 | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW31-F | Nickel | 06-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW31-P | Nickel | 06-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW31-PF | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW31z | Nickel | 06-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW31z-F | Nickel | 06-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW31 | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31-F | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31-P | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31-PF | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31z | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31z-F | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW31 | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31-F | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31-P | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31-PF | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31z | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31z-F | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW31 | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW31-F | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW31-PF | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW31z | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW31z-F | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW31 | Sodium | 06-Feb-12 | 26700 ug/L | 20000 ug/L | | | | |
| HW31-F | Sodium | 06-Feb-12 | 25800 ug/L | 20000 ug/L | | | | |
| HW31-P | Sodium | 06-Feb-12 | 25500 ug/L | 20000 ug/L | | | | |
| HW31-PF | Sodium | 06-Feb-12 | 26200 ug/L | 20000 ug/L | | | | |
| HW31z | Sodium | 06-Feb-12 | 26700 ug/L | 20000 ug/L | | | | |
| HW31z-F | Sodium | 06-Feb-12 | 27000 ug/L | 20000 ug/L | | | | |
| HW31 | Strontium | 06-Feb-12 | 903 ug/L | 9300 ug/L | | | | |
| HW31-F | Strontium | 06-Feb-12 | 871 ug/L | 9300 ug/L | | | | |
| HW31-P | Strontium | 06-Feb-12 | 873 ug/L | 9300 ug/L | | | | |
| HW31-PF | Strontium | 06-Feb-12 | 898 ug/L | 9300 ug/L | | | | |
| HW31z | Strontium | 06-Feb-12 | 902 ug/L | 9300 ug/L | | | | |
| HW31z-F | Strontium | 06-Feb-12 | 910 ug/L | 9300 ug/L | | | | |
| HW31 | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-F | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-P | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31-PF | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31z | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31z-F | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW31 | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31-F | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31-P | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31-PF | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31z | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31z-F | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW31 | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31-F | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31-P | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31-PF | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31z | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31z-F | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW31 | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-F | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW31-P | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW31-PF | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW31z | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW31z-F | Uranium | 06-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW31 | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31-F | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31-P | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31-PF | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31z | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31z-F | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW31 | Zinc | 06-Feb-12 | 2.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31-F | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31-P | Zinc | 06-Feb-12 | 3.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31-PF | Zinc | 06-Feb-12 | 3.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31z | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31z-F | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW31 | Oil and Grease | 06-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW31-P | Oil and Grease | 06-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW31z | Oil and Grease | 06-Feb-12 | 5.1 U mg/L | | | | | |
| HW31 | Total Dissolved Solids | 06-Feb-12 | 183 mg/L | | | 500 mg/L | | 500 mg/L |
| HW31-P | Total Dissolved Solids | 06-Feb-12 | 187 mg/L | | | 500 mg/L | | 500 mg/L |
| HW31z | Total Dissolved Solids | 06-Feb-12 | 190 mg/L | | | 500 mg/L | | 500 mg/L |
| HW31 | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW31-P | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW31z | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW31 | 1-Methylnaphthalene | 06-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW31-P | 1-Methylnaphthalene | 06-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW31z | 1-Methylnaphthalene | 06-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW31 | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW31-P | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW31z | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW31 | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31 | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW31-P | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW31z | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW31 | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW31-P | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW31z | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW31 | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW31-P | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW31z | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW31 | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW31-P | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW31z | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW31 | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31-P | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31z | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31 | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31-P | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31z | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31 | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW31-P | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW31z | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW31 | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Chlorobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW31-P | Chlorobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW31z | Chlorobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW31 | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW31-P | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW31 | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW31-P | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW31z | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW31 | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW31-P | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW31z | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW31 | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31-P | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31z | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31 | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW31-P | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW31z | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW31 | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW31-P | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW31z | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW31 | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW31-P | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW31z | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW31 | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Dichlorobenzidine-3,3' | 06-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW31-P | Dichlorobenzidine-3,3' | 06-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW31z | Dichlorobenzidine-3,3' | 06-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW31 | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW31-P | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW31z | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW31 | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW31z | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW31 | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW31-P | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW31z | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW31 | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31-P | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31z | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31 | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW31-P | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW31z | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW31 | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW31-P | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW31z | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW31 | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW31-P | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW31z | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW31 | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW31-P | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW31z | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW31 | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW31-P | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW31z | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW31 | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW31 | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW31-P | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW31z | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW31z | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW31 | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW31-P | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW31z | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW31 | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW31-P | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW31z | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW31 | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW31-P | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW31z | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW31 | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW31-P | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW31z | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW31 | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW31-P | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW31z | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW31 | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW31 | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW31-P | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW31-P | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW31z | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW31z | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW31 | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW31-P | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW31z | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW31 | Nitroaniline-3 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Nitroaniline-3 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Nitroaniline-3 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW31-P | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW31z | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW31 | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW31-P | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW31 | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31-P | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31z | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW31 | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW31-P | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW31z | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW31 | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW31-P | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW31z | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW31 | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW31-P | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW31z | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW31 | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31-P | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31z | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW31-P | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW31z | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW31 | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW31-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW31z | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW31 | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31-P | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31z | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW31 | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW31-P | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW31z | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW31 | Phthalate, di-n-octyl | 06-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Phthalate, di-n-octyl | 06-Feb-12 | 0.02 J ug/L | | | | | |
| HW31z | Phthalate, di-n-octyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW31 | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW31-P | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW31z | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW31 | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW31-P | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW31z | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW31 | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW31-P | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW31z | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW31 | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW31-P | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW31z | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW31 | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31-P | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31z | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW31 | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW31-P | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW31z | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW31 | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW31-P | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW31z | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW31 | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW31-P | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW31z | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW31 | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW31-P | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW31z | TPH - Diesel Range Organics | 06-Feb-12 | 270 U ug/L | | | | | |
| HW31 | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW31-P | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW31z | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW31 | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW31-P | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW31z | TPH - Oil Range Organics | 06-Feb-12 | 1100 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31 | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31-P | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31z | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW31 | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW31-P | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW31z | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW31 | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW31-P | Acetone | 06-Feb-12 | 3.3 U ug/L | | | | | |
| HW31z | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW31 | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31-P | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31z | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31 | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31-P | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31z | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31 | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31-P | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31z | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31 | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW31-P | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW31 | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31-P | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31z | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31 | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW31-P | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW31z | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW31 | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW31-P | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW31z | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW31 | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31-P | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31z | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31 | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW31-P | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW31z | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW31 | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW31-P | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW31z | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW31 | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW31z | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW31 | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31-P | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31z | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW31 | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW31-P | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW31z | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW31 | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-P | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW31z | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW31 | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31-P | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31z | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31 | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW31-P | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW31z | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW31 | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW31-P | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW31z | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW31 | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-P | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW31z | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW31 | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW31-P | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW31z | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW31 | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31 | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW31-P | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW31z | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW31 | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW31-P | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW31z | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW31 | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31-P | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31z | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31 | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW31-P | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW31z | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW31 | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31z | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW31-P | Methyl ethyl ketone | 06-Feb-12 | 4.9 ug/L | 4900 ug/L | | | | |
| HW31z | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW31 | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31-P | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31z | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31 | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31-P | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31z | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW31 | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW31-P | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW31z | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW31 | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW31-P | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW31z | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW31 | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31-P | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31z | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31 | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW31-P | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW31z | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW31 | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW31-P | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW31z | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW31 | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW31-P | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW31z | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW31 | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31-P | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW31z | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW31 | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW31-P | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW31z | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW31 | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31-P | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31z | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW31 | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW31-P | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW31z | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW31 | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW31-P | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW31z | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW31 | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW31-P | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW31z | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW31 | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31-P | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31z | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW31 | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW31-P | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW31z | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW31 | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31-P | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31z | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW31 | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW31-P | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW31z | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW31 | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |
| HW31-P | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |
| HW31z | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW31 | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW31-P | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW31z | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW32 | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW32-P | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW32 | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32-P | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32 | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32-P | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32 | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32-P | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32 | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW32-P | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW32 | Anionic Surfactants | 01-Feb-12 | 0.01 U mg/L | | | | | |
| HW32-P | Anionic Surfactants | 01-Feb-12 | 0.01 U mg/L | | | | | |
| HW32 | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW32-P | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW32 | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW32-P | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW32 | Ethane | 01-Feb-12 | 1.2 U ug/L | | | | | |
| HW32-P | Ethane | 01-Feb-12 | 1.2 U ug/L | | | | | |
| HW32 | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW32-P | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW32 | Methane | 01-Feb-12 | 210 ug/L | 28000 ug/L | | | | |
| HW32-P | Methane | 01-Feb-12 | 310 ug/L | 28000 ug/L | | | | |
| HW32 | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW32 | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW32-P | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW32-P | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW32 | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW32 | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW32-P | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW32-P | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32-P | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW32 | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW32-P | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW32 | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW32-P | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW32 | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW32-P | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW32 | Triethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW32 | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW32-P | Triethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW32-P | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW32 | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW32-P | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW32 | Chloride | 01-Feb-12 | 5.29 mg/L | | | 250 mg/L | | 250 mg/L |
| HW32-P | Chloride | 01-Feb-12 | 5.25 mg/L | | | 250 mg/L | | 250 mg/L |
| HW32 | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW32-P | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW32 | Sulfate | 01-Feb-12 | 11.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW32-P | Sulfate | 01-Feb-12 | 11.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW32 | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-F | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-P | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-PF | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW32 | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW32-F | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW32-P | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW32-PF | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW32 | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW32-F | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW32-P | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW32-PF | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW32 | Arsenic | 01-Feb-12 | 10.5 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW32-F | Arsenic | 01-Feb-12 | 9.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW32-P | Arsenic | 01-Feb-12 | 8.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-PF | Arsenic | 01-Feb-12 | 9.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW32 | Barium | 01-Feb-12 | 369 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW32-F | Barium | 01-Feb-12 | 360 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW32-P | Barium | 01-Feb-12 | 365 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW32-PF | Barium | 01-Feb-12 | 372 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW32 | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW32-F | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW32-P | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW32-PF | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW32 | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW32-F | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW32-P | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW32-PF | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW32 | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-F | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-P | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-PF | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW32 | Calcium | 01-Feb-12 | 32600 ug/L | | | | | |
| HW32-F | Calcium | 01-Feb-12 | 32300 ug/L | | | | | |
| HW32-P | Calcium | 01-Feb-12 | 32600 ug/L | | | | | |
| HW32-PF | Calcium | 01-Feb-12 | 33100 ug/L | | | | | |
| HW32 | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW32-F | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW32-P | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW32-PF | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW32 | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW32-F | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW32-P | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW32-PF | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW32 | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW32-F | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW32-P | Copper | 01-Feb-12 | 5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW32-PF | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW32 | Iron | 01-Feb-12 | 166 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW32-F | Iron | 01-Feb-12 | 148 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-P | Iron | 01-Feb-12 | 188 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW32-PF | Iron | 01-Feb-12 | 169 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW32 | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW32-F | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW32-P | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW32-PF | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW32 | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW32-F | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW32-P | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW32-PF | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW32 | Magnesium | 01-Feb-12 | 9260 ug/L | | | | | |
| HW32-F | Magnesium | 01-Feb-12 | 9080 ug/L | | | | | |
| HW32-P | Magnesium | 01-Feb-12 | 9220 ug/L | | | | | |
| HW32-PF | Magnesium | 01-Feb-12 | 9390 ug/L | | | | | |
| HW32 | Manganese | 01-Feb-12 | 297 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW32-F | Manganese | 01-Feb-12 | 289 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW32-P | Manganese | 01-Feb-12 | 295 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW32-PF | Manganese | 01-Feb-12 | 301 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW32 | Nickel | 01-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW32-F | Nickel | 01-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW32-P | Nickel | 01-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW32-PF | Nickel | 01-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW32 | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW32-F | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW32-P | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW32-PF | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW32 | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW32-F | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW32-P | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW32-PF | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW32 | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW32-F | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW32-P | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW32-PF | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW32 | Sodium | 01-Feb-12 | 8130 ug/L | 20000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-F | Sodium | 01-Feb-12 | 8050 ug/L | 20000 ug/L | | | | |
| HW32-P | Sodium | 01-Feb-12 | 8100 ug/L | 20000 ug/L | | | | |
| HW32-PF | Sodium | 01-Feb-12 | 8280 ug/L | 20000 ug/L | | | | |
| HW32 | Strontium | 01-Feb-12 | 539 ug/L | 9300 ug/L | | | | |
| HW32-F | Strontium | 01-Feb-12 | 538 ug/L | 9300 ug/L | | | | |
| HW32-P | Strontium | 01-Feb-12 | 539 ug/L | 9300 ug/L | | | | |
| HW32-PF | Strontium | 01-Feb-12 | 552 ug/L | 9300 ug/L | | | | |
| HW32 | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-F | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-P | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW32-PF | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW32 | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW32-F | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW32-P | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW32-PF | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW32 | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW32-F | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW32-P | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW32-PF | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW32 | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW32-F | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW32-P | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW32-PF | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW32 | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW32-F | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW32-P | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW32-PF | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW32 | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW32-F | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW32-P | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW32-PF | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW32 | Oil and Grease | 01-Feb-12 | 5.1 U mg/L | | | | | |
| HW32-P | Oil and Grease | 01-Feb-12 | 5.3 U mg/L | | | | | |
| HW32 | Total Dissolved Solids | 01-Feb-12 | 100 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW32-P | Total Dissolved Solids | 01-Feb-12 | 104 J mg/L | | | 500 mg/L | | 500 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW32-P | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW32 | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW32-P | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW32 | Acenaphthene | 01-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW32-P | Acenaphthene | 01-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW32 | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW32-P | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW32 | Anthracene | 01-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW32-P | Anthracene | 01-Feb-12 | 0.07 J ug/L | 1300 ug/L | | | | |
| HW32 | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW32-P | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW32 | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW32-P | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW32 | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW32-P | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW32 | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 0.05 J ug/L | | | | | |
| HW32 | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW32-P | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW32 | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW32-P | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW32 | Carbazole | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Carbazole | 01-Feb-12 | 0.09 J ug/L | | | | | |
| HW32 | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW32-P | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW32 | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW32-P | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW32 | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW32-P | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW32 | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-P | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW32-P | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW32 | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 10 U ug/L | | | | | |
| HW32-P | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 10 U ug/L | | | | | |
| HW32 | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW32-P | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW32 | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW32-P | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW32 | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW32-P | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW32 | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW32-P | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW32 | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW32-P | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW32 | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW32-P | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW32 | Dinitrophenol-2,4 | 01-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW32-P | Dinitrophenol-2,4 | 01-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW32 | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Dinitrotoluene-2,6 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Dinitrotoluene-2,6 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW32-P | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW32 | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Fluoranthene | 01-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW32-P | Fluoranthene | 01-Feb-12 | 0.09 J ug/L | 630 ug/L | | | | |
| HW32 | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW32-P | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW32-P | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW32 | Fluorene | 01-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW32-P | Fluorene | 01-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW32 | Hexachlorobenzene | 01-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW32-P | Hexachlorobenzene | 01-Feb-12 | 0.08 J ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW32 | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW32 | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW32-P | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW32-P | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW32 | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW32-P | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW32 | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW32-P | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW32 | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW32-P | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW32 | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW32-P | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW32 | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW32-P | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW32 | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW32 | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW32-P | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW32-P | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW32 | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW32-P | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW32 | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW32-P | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW32 | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW32-P | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW32 | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-P | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |
| HW32 | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW32-P | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW32 | Nitrosodiphenylamine-n | 01-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW32-P | Nitrosodiphenylamine-n | 01-Feb-12 | 0.05 J ug/L | 1000 ug/L | | | | |
| HW32 | Pentachlorophenol | 01-Feb-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW32-P | Pentachlorophenol | 01-Feb-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW32 | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32 | Phenanthrene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Phenanthrene | 01-Feb-12 | 0.09 J ug/L | | | | | |
| HW32 | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW32-P | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW32 | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW32-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW32 | Phthalate, Dimethyl | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW32-P | Phthalate, Dimethyl | 01-Feb-12 | 0.04 J ug/L | 1400 ug/L | | | | |
| HW32 | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW32-P | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW32 | Phthalate, di-n-octyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW32-P | Phthalate, di-n-octyl | 01-Feb-12 | 0.02 J ug/L | | | | | |
| HW32 | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW32-P | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW32 | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW32-P | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW32 | Pyrene | 01-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW32-P | Pyrene | 01-Feb-12 | 0.1 J ug/L | 87 ug/L | | | | |
| HW32 | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW32-P | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW32 | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW32-P | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW32 | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW32-P | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW32 | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW32-P | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW32-P | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW32 | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW32-P | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW32 | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW32-P | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW32 | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW32-P | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW32 | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW32-P | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW32 | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW32-P | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW32 | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW32-P | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW32 | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32-P | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32 | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Bromoform | 01-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32-P | Bromoform | 01-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32 | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32-P | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32 | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW32-P | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW32 | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-P | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32-P | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32 | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW32-P | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW32 | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW32-P | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW32 | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32-P | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32 | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32-P | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32 | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW32-P | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW32 | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW32-P | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW32 | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW32-P | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW32 | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32-P | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW32 | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW32-P | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW32 | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-P | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW32 | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW32-P | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW32 | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW32-P | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW32 | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW32-P | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-P | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW32 | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW32-P | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW32 | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW32-P | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW32 | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32-P | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32 | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW32-P | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW32 | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW32-P | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW32 | Methyl acetate | 01-Feb-12 | 1 UJ ug/L | | | | | |
| HW32-P | Methyl acetate | 01-Feb-12 | 1 UJ ug/L | | | | | |
| HW32 | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32-P | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32 | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW32-P | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW32 | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32-P | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW32 | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32-P | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32 | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Styrene | 01-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW32-P | Styrene | 01-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW32 | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW32-P | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW32 | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW32-P | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW32 | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32-P | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32 | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW32-P | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW32 | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW32-P | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW32 | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW32-P | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW32 | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW32-P | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW32 | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW32-P | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW32 | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32-P | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW32 | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32 | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW32-P | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW32 | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW32-P | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW32 | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW32-P | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW32 | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW32-P | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW32 | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW32-P | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW32 | Xylene-o | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW32-P | Xylene-o | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW32 | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW32-P | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW32 | Total Nitrogen | 01-Feb-12 | 1 U mg/L | | | | | |
| HW32-P | Total Nitrogen | 01-Feb-12 | 1 U mg/L | | | | | |
| HW32 | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW32-P | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW33a-P | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW33a-P | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33a-P | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33a-P | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33a-P | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW33a-P | Anionic Surfactants | 01-Feb-12 | 0.01 U mg/L | | | | | |
| HW33a-P | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW33a-P | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW33a-P | Ethane | 01-Feb-12 | 1.2 U ug/L | | | | | |
| HW33a-P | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW33a-P | Methane | 01-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW33a-P | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW33a-P | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW33a-P | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW33a-P | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW33a-P | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33a-P | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW33a-P | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW33a-P | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW33a-P | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW33a-P | Triethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW33a-P | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW33a-P | Chloride | 01-Feb-12 | 38.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33a-P | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Sulfate | 01-Feb-12 | 10.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33a-P | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33a-PF | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33a-P | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33a-PF | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33a-P | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33a-PF | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33a-P | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33a-PF | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33a-P | Barium | 01-Feb-12 | 65.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33a-PF | Barium | 01-Feb-12 | 65.5 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33a-P | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW33a-PF | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW33a-P | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33a-PF | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33a-P | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33a-PF | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33a-P | Calcium | 01-Feb-12 | 31000 ug/L | | | | | |
| HW33a-PF | Calcium | 01-Feb-12 | 31200 ug/L | | | | | |
| HW33a-P | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33a-PF | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33a-P | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33a-PF | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33a-P | Copper | 01-Feb-12 | 61 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33a-PF | Copper | 01-Feb-12 | 64.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33a-P | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33a-PF | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33a-P | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33a-PF | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33a-P | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW33a-PF | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW33a-P | Magnesium | 01-Feb-12 | 7970 ug/L | | | | | |
| HW33a-PF | Magnesium | 01-Feb-12 | 8090 ug/L | | | | | |
| HW33a-P | Manganese | 01-Feb-12 | 2.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW33a-PF | Manganese | 01-Feb-12 | 1.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Nickel | 01-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW33a-PF | Nickel | 01-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW33a-P | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33a-PF | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33a-P | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33a-PF | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33a-P | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33a-PF | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33a-P | Sodium | 01-Feb-12 | 12900 ug/L | 20000 ug/L | | | | |
| HW33a-PF | Sodium | 01-Feb-12 | 12900 ug/L | 20000 ug/L | | | | |
| HW33a-P | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33a-PF | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33a-P | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33a-PF | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33a-P | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33a-PF | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33a-P | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33a-PF | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33a-P | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33a-PF | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33a-P | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33a-PF | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33a-P | Zinc | 01-Feb-12 | 6.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33a-PF | Zinc | 01-Feb-12 | 6.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33a-P | Oil and Grease | 01-Feb-12 | 5.2 U mg/L | | | | | |
| HW33a-P | Total Dissolved Solids | 01-Feb-12 | 188 mg/L | | | 500 mg/L | | 500 mg/L |
| HW33a-P | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW33a-P | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW33a-P | Acenaphthene | 01-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW33a-P | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW33a-P | Anthracene | 01-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW33a-P | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW33a-P | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW33a-P | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33a-P | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW33a-P | Carbazole | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW33a-P | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW33a-P | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW33a-P | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW33a-P | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 10 U ug/L | | | | | |
| HW33a-P | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW33a-P | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW33a-P | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW33a-P | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW33a-P | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW33a-P | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW33a-P | Dinitrophenol-2,4 | 01-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW33a-P | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Dinitrotoluene-2,6 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33a-P | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Fluoranthene | 01-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW33a-P | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW33a-P | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW33a-P | Fluorene | 01-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW33a-P | Hexachlorobenzene | 01-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW33a-P | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW33a-P | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW33a-P | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW33a-P | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW33a-P | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW33a-P | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW33a-P | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW33a-P | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW33a-P | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW33a-P | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW33a-P | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW33a-P | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |
| HW33a-P | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW33a-P | Nitrosodiphenylamine-n | 01-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW33a-P | Pentachlorophenol | 01-Feb-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW33a-P | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Phenanthrene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW33a-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW33a-P | Phthalate, Dimethyl | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33a-P | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW33a-P | Phthalate, di-n-octyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33a-P | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW33a-P | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW33a-P | Pyrene | 01-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW33a-P | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW33a-P | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33a-P | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW33a-P | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW33a-P | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW33a-P | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW33a-P | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW33a-P | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW33a-P | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW33a-P | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW33a-P | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW33a-P | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33a-P | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Bromoform | 01-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33a-P | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33a-P | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW33a-P | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33a-P | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW33a-P | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW33a-P | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33a-P | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33a-P | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW33a-P | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW33a-P | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW33a-P | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33a-P | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW33a-P | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW33a-P | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW33a-P | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW33a-P | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW33a-P | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW33a-P | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW33a-P | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW33a-P | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33a-P | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33a-P | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33a-P | Methyl acetate | 01-Feb-12 | 1 UJ ug/L | | | | | |
| HW33a-P | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33a-P | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW33a-P | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33a-P | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33a-P | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Styrene | 01-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW33a-P | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW33a-P | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW33a-P | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33a-P | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW33a-P | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW33a-P | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW33a-P | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW33a-P | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW33a-P | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33a-P | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW33a-P | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW33a-P | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW33a-P | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33a-P | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW33a-P | Xylene-o | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33a-P | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 1.04 mg/L | | 10 mg/L | | 10 mg/L | |
| HW33a-P | Total Nitrogen | 01-Feb-12 | 1.27 mg/L | | | | | |
| HW33a-P | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW33 | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW33b-P | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW33 | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33b-P | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33b-P | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33 | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33b-P | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33 | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW33b-P | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW33 | Anionic Surfactants | 01-Feb-12 | 0.01 U mg/L | | | | | |
| HW33b-P | Anionic Surfactants | 01-Feb-12 | 0.11 mg/L | | | | | |
| HW33 | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW33b-P | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW33 | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW33b-P | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW33 | Ethane | 01-Feb-12 | 1.2 U ug/L | | | | | |
| HW33b-P | Ethane | 01-Feb-12 | 1.2 U ug/L | | | | | |
| HW33 | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW33b-P | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW33 | Methane | 01-Feb-12 | 1.3 ug/L | 28000 ug/L | | | | |
| HW33b-P | Methane | 01-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW33 | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW33 | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW33b-P | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW33b-P | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW33 | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW33 | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW33b-P | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW33b-P | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW33 | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33b-P | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW33 | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW33b-P | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW33 | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW33b-P | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW33 | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW33 | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW33 | Triethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW33b-P | Triethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW33b-P | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW33 | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW33b-P | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW33 | Chloride | 01-Feb-12 | 40 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33b-P | Chloride | 01-Feb-12 | 39.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33 | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW33b-P | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW33 | Sulfate | 01-Feb-12 | 10.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33b-P | Sulfate | 01-Feb-12 | 10.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW33 | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33b-P | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33b-PF | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33-F | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW33 | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33b-P | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33b-PF | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33-F | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW33 | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33b-P | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33b-PF | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33-F | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW33 | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33b-P | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33b-PF | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33-F | Arsenic | 01-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW33 | Barium | 01-Feb-12 | 61.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33b-P | Barium | 01-Feb-12 | 68.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33b-PF | Barium | 01-Feb-12 | 67 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33-F | Barium | 01-Feb-12 | 62.4 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW33 | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW33b-P | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-PF | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW33-F | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW33 | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33b-P | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33b-PF | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33-F | Boron | 01-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW33 | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33b-P | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33b-PF | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33-F | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW33 | Calcium | 01-Feb-12 | 30600 ug/L | | | | | |
| HW33b-P | Calcium | 01-Feb-12 | 31100 ug/L | | | | | |
| HW33b-PF | Calcium | 01-Feb-12 | 30400 ug/L | | | | | |
| HW33-F | Calcium | 01-Feb-12 | 30500 ug/L | | | | | |
| HW33 | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33b-P | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33b-PF | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33-F | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW33 | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33b-P | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33b-PF | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33-F | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW33 | Copper | 01-Feb-12 | 11 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33b-P | Copper | 01-Feb-12 | 166 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33b-PF | Copper | 01-Feb-12 | 166 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33-F | Copper | 01-Feb-12 | 10.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW33 | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33b-P | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33b-PF | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33-F | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW33 | Lead | 01-Feb-12 | 1.7 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33b-P | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33b-PF | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33-F | Lead | 01-Feb-12 | 1.5 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW33 | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW33b-PF | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW33-F | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW33 | Magnesium | 01-Feb-12 | 7910 ug/L | | | | | |
| HW33b-P | Magnesium | 01-Feb-12 | 8010 ug/L | | | | | |
| HW33b-PF | Magnesium | 01-Feb-12 | 7780 ug/L | | | | | |
| HW33-F | Magnesium | 01-Feb-12 | 7910 ug/L | | | | | |
| HW33 | Manganese | 01-Feb-12 | 1.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW33b-P | Manganese | 01-Feb-12 | 1.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW33b-PF | Manganese | 01-Feb-12 | 1.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW33-F | Manganese | 01-Feb-12 | 1.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW33 | Nickel | 01-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW33b-P | Nickel | 01-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW33b-PF | Nickel | 01-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW33-F | Nickel | 01-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW33 | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33b-P | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33b-PF | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33-F | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW33 | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33b-P | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33b-PF | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33-F | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW33 | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33b-P | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33b-PF | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33-F | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW33 | Sodium | 01-Feb-12 | 12500 ug/L | 20000 ug/L | | | | |
| HW33b-P | Sodium | 01-Feb-12 | 13300 ug/L | 20000 ug/L | | | | |
| HW33b-PF | Sodium | 01-Feb-12 | 13100 ug/L | 20000 ug/L | | | | |
| HW33-F | Sodium | 01-Feb-12 | 12500 ug/L | 20000 ug/L | | | | |
| HW33 | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33b-P | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33b-PF | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33-F | Strontium | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33b-P | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33b-PF | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33-F | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW33 | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33b-P | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33b-PF | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33-F | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW33 | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33b-P | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33b-PF | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33-F | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW33 | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33b-P | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33b-PF | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33-F | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW33 | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33b-P | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33b-PF | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33-F | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW33 | Zinc | 01-Feb-12 | 3.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33b-P | Zinc | 01-Feb-12 | 6.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33b-PF | Zinc | 01-Feb-12 | 6.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33-F | Zinc | 01-Feb-12 | 4.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW33 | Oil and Grease | 01-Feb-12 | 5.4 U mg/L | | | | | |
| HW33b-P | Oil and Grease | 01-Feb-12 | 5.3 U mg/L | | | | | |
| HW33 | Total Dissolved Solids | 01-Feb-12 | 198 mg/L | | | 500 mg/L | | 500 mg/L |
| HW33b-P | Total Dissolved Solids | 01-Feb-12 | 139 mg/L | | | 500 mg/L | | 500 mg/L |
| HW33 | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW33b-P | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW33 | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW33b-P | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW33 | Acenaphthene | 01-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW33b-P | Acenaphthene | 01-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW33 | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW33b-P | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW33 | Anthracene | 01-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW33b-P | Anthracene | 01-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW33 | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW33b-P | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW33 | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW33b-P | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW33 | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW33b-P | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW33 | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33b-P | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33 | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW33b-P | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW33 | Carbazole | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Carbazole | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW33b-P | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW33 | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW33b-P | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW33 | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW33b-P | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW33 | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW33b-P | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW33 | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 10 U ug/L | | | | | |
| HW33b-P | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW33b-P | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW33 | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW33b-P | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW33 | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW33b-P | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW33 | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW33b-P | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW33 | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW33b-P | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW33 | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW33b-P | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW33 | Dinitrophenol-2,4 | 01-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW33b-P | Dinitrophenol-2,4 | 01-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW33 | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Dinitrotoluene-2,6 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Dinitrotoluene-2,6 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33b-P | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33 | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Fluoranthene | 01-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW33b-P | Fluoranthene | 01-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW33 | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW33b-P | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW33 | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW33b-P | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW33 | Fluorene | 01-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW33b-P | Fluorene | 01-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW33 | Hexachlorobenzene | 01-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW33b-P | Hexachlorobenzene | 01-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW33 | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW33b-P | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW33b-P | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW33 | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW33b-P | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW33 | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW33b-P | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW33 | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW33b-P | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW33 | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW33b-P | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW33 | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW33b-P | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW33 | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW33 | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW33b-P | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW33b-P | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW33 | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW33b-P | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW33 | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW33b-P | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW33 | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW33b-P | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW33 | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |
| HW33b-P | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |
| HW33 | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW33b-P | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW33 | Nitrosodiphenylamine-n | 01-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW33b-P | Nitrosodiphenylamine-n | 01-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW33 | Pentachlorophenol | 01-Feb-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW33b-P | Pentachlorophenol | 01-Feb-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Phenanthrene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Phenanthrene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW33b-P | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW33 | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW33b-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW33 | Phthalate, Dimethyl | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33b-P | Phthalate, Dimethyl | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW33 | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW33b-P | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW33 | Phthalate, di-n-octyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33b-P | Phthalate, di-n-octyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW33 | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW33b-P | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW33 | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW33b-P | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW33 | Pyrene | 01-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW33b-P | Pyrene | 01-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW33 | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW33b-P | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW33 | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33b-P | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW33 | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW33b-P | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW33 | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW33b-P | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW33 | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW33b-P | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW33 | TPH - Diesel Range Organics | 01-Feb-12 | 240 U ug/L | | | | | |
| HW33b-P | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW33 | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW33b-P | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW33 | TPH - Oil Range Organics | 01-Feb-12 | 950 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW33 | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW33b-P | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW33 | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW33b-P | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW33 | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW33b-P | Acetone | 01-Feb-12 | 2.2 J ug/L | | | | | |
| HW33 | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33b-P | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33 | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Bromoform | 01-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33b-P | Bromoform | 01-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33 | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33b-P | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33 | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW33b-P | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW33 | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33b-P | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33 | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW33b-P | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW33 | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW33b-P | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33b-P | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33 | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33b-P | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33 | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW33b-P | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW33 | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW33b-P | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW33 | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW33b-P | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW33 | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33b-P | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW33 | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW33b-P | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW33 | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW33b-P | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW33 | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW33b-P | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW33 | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW33b-P | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW33 | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW33b-P | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW33 | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW33b-P | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW33 | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW33b-P | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW33 | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW33b-P | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW33 | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33b-P | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33 | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW33b-P | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW33 | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33b-P | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33 | Methyl acetate | 01-Feb-12 | 1 UJ ug/L | | | | | |
| HW33b-P | Methyl acetate | 01-Feb-12 | 1 UJ ug/L | | | | | |
| HW33 | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33b-P | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33 | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW33b-P | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW33 | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33b-P | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW33 | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33b-P | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33 | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Styrene | 01-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW33b-P | Styrene | 01-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33 | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW33b-P | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW33 | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW33b-P | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW33 | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33b-P | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33 | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW33b-P | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW33 | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW33b-P | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW33 | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW33b-P | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW33 | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW33b-P | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW33 | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW33b-P | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW33 | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33b-P | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW33 | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW33b-P | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW33 | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW33b-P | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW33 | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW33b-P | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW33 | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33b-P | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW33 | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW33b-P | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW33 | Xylene-o | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33b-P | Xylene-o | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW33 | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 0.993 mg/L | | 10 mg/L | | 10 mg/L | |
| HW33b-P | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 1.04 mg/L | | 10 mg/L | | 10 mg/L | |
| HW33 | Total Nitrogen | 01-Feb-12 | 1.53 mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW33b-P | Total Nitrogen | 01-Feb-12 | 1.26 mg/L | | | | | |
| HW33 | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW33b-P | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW34a | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW34a-P | 1-Butanol | 01-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW34a | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a-P | 1-Propanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a-P | 2-Butanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a-P | Ethanol | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW34a-P | Methanol | 01-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW34a | Anionic Surfactants | 01-Feb-12 | 0.01 U mg/L | | | | | |
| HW34a-P | Anionic Surfactants | 01-Feb-12 | 0.026 mg/L | | | | | |
| HW34a | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW34a-P | Heterotrophic Plate Count | 01-Feb-12 | R cfu/1mL | | | | | |
| HW34a | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW34a-P | Total Coliform Bacteria | 01-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW34a | Ethane | 01-Feb-12 | 55 ug/L | | | | | |
| HW34a-P | Ethane | 01-Feb-12 | 1.6 ug/L | | | | | |
| HW34a | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW34a-P | Ethene | 01-Feb-12 | 1.1 U ug/L | | | | | |
| HW34a | Methane | 01-Feb-12 | 26000 ug/L | 28000 ug/L | | | | |
| HW34a-P | Methane | 01-Feb-12 | 470 ug/L | 28000 ug/L | | | | |
| HW34a | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a-P | 2-Butoxyethanol | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW34a | 2-Methoxyethanol | 01-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW34a-P | 2-Methoxyethanol | 01-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW34a-P | 2-Methoxyethanol | 01-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW34a | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW34a | Diethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW34a-P | Diethylene Glycol | 01-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW34a-P | Diethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a-P | Ethanol, 2-ethoxy- | 01-Feb-12 | 10000 U ug/L | | | | | |
| HW34a | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW34a-P | Ethanol, 2-methoxy- | 01-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW34a | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW34a-P | Ethylene glycol | 01-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW34a | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW34a-P | Tetraethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW34a | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW34a | Triethylene glycol | 01-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW34a-P | Triethylene glycol | 01-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW34a-P | Triethylene glycol | 01-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW34a | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW34a-P | Bromide | 01-Feb-12 | 0.5 U mg/L | | | | | |
| HW34a | Chloride | 01-Feb-12 | 49.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW34a-P | Chloride | 01-Feb-12 | 49.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW34a | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW34a-P | Fluoride | 01-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW34a | Sulfate | 01-Feb-12 | 1.08 mg/L | | | 250 mg/L | | 250 mg/L |
| HW34a-P | Sulfate | 01-Feb-12 | 1.01 mg/L | | | 250 mg/L | | 250 mg/L |
| HW34a | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-F | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-P | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-PF | Mercury | 01-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW34a-F | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW34a-P | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW34a-PF | Aluminum | 01-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW34a | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a-F | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a-P | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a-PF | Antimony | 01-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a | Arsenic | 01-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW34a-F | Arsenic | 01-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW34a-P | Arsenic | 01-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-PF | Arsenic | 01-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW34a | Barium | 01-Feb-12 | 1440 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW34a-F | Barium | 01-Feb-12 | 1440 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW34a-P | Barium | 01-Feb-12 | 1400 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW34a-PF | Barium | 01-Feb-12 | 1410 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW34a | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW34a-F | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW34a-P | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW34a-PF | Beryllium | 01-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW34a | Boron | 01-Feb-12 | 79.8 ug/L | 3100 ug/L | | | | |
| HW34a-F | Boron | 01-Feb-12 | 80 ug/L | 3100 ug/L | | | | |
| HW34a-P | Boron | 01-Feb-12 | 81.1 ug/L | 3100 ug/L | | | | |
| HW34a-PF | Boron | 01-Feb-12 | 80 ug/L | 3100 ug/L | | | | |
| HW34a | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-F | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-P | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-PF | Cadmium | 01-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a | Calcium | 01-Feb-12 | 27100 ug/L | | | | | |
| HW34a-F | Calcium | 01-Feb-12 | 27100 ug/L | | | | | |
| HW34a-P | Calcium | 01-Feb-12 | 26700 ug/L | | | | | |
| HW34a-PF | Calcium | 01-Feb-12 | 26600 ug/L | | | | | |
| HW34a | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW34a-F | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW34a-P | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW34a-PF | Chromium | 01-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW34a | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW34a-F | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW34a-P | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW34a-PF | Cobalt | 01-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW34a | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW34a-F | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW34a-P | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW34a-PF | Copper | 01-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW34a | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW34a-F | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-P | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW34a-PF | Iron | 01-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW34a | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW34a-F | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW34a-P | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW34a-PF | Lead | 01-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW34a | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW34a-F | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW34a-P | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW34a-PF | Lithium | 01-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW34a | Magnesium | 01-Feb-12 | 8020 ug/L | | | | | |
| HW34a-F | Magnesium | 01-Feb-12 | 8020 ug/L | | | | | |
| HW34a-P | Magnesium | 01-Feb-12 | 7910 ug/L | | | | | |
| HW34a-PF | Magnesium | 01-Feb-12 | 7940 ug/L | | | | | |
| HW34a | Manganese | 01-Feb-12 | 58.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW34a-F | Manganese | 01-Feb-12 | 62.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW34a-P | Manganese | 01-Feb-12 | 79.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW34a-PF | Manganese | 01-Feb-12 | 78.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW34a | Nickel | 01-Feb-12 | 1 ug/L | 300 ug/L | | | | |
| HW34a-F | Nickel | 01-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW34a-P | Nickel | 01-Feb-12 | 1 ug/L | 300 ug/L | | | | |
| HW34a-PF | Nickel | 01-Feb-12 | 1 ug/L | 300 ug/L | | | | |
| HW34a | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW34a-F | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW34a-P | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW34a-PF | Potassium | 01-Feb-12 | 2000 U ug/L | | | | | |
| HW34a | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a-F | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a-P | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a-PF | Selenium | 01-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW34a-F | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW34a-P | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW34a-PF | Silver | 01-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW34a | Sodium | 01-Feb-12 | 39600 ug/L | 20000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-F | Sodium | 01-Feb-12 | 39700 ug/L | 20000 ug/L | | | | |
| HW34a-P | Sodium | 01-Feb-12 | 38700 ug/L | 20000 ug/L | | | | |
| HW34a-PF | Sodium | 01-Feb-12 | 38800 ug/L | 20000 ug/L | | | | |
| HW34a | Strontium | 01-Feb-12 | 1120 ug/L | 9300 ug/L | | | | |
| HW34a-F | Strontium | 01-Feb-12 | 1120 ug/L | 9300 ug/L | | | | |
| HW34a-P | Strontium | 01-Feb-12 | 1100 ug/L | 9300 ug/L | | | | |
| HW34a-PF | Strontium | 01-Feb-12 | 1100 ug/L | 9300 ug/L | | | | |
| HW34a | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-F | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-P | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a-PF | Thallium | 01-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW34a | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW34a-F | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW34a-P | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW34a-PF | Tin | 01-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW34a | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW34a-F | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW34a-P | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW34a-PF | Titanium | 01-Feb-12 | 200 U ug/L | | | | | |
| HW34a | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW34a-F | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW34a-P | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW34a-PF | Uranium | 01-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW34a | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW34a-F | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW34a-P | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW34a-PF | Vanadium | 01-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW34a | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW34a-F | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW34a-P | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW34a-PF | Zinc | 01-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW34a | Oil and Grease | 01-Feb-12 | 5 UJ mg/L | | | | | |
| HW34a-P | Oil and Grease | 01-Feb-12 | 5 UJ mg/L | | | | | |
| HW34a | Total Dissolved Solids | 01-Feb-12 | 199 mg/L | | | 500 mg/L | | 500 mg/L |
| HW34a-P | Total Dissolved Solids | 01-Feb-12 | 192 mg/L | | | 500 mg/L | | 500 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW34a-P | Total Suspended Solids | 01-Feb-12 | 10 U mg/L | | | | | |
| HW34a | 1-Methylnaphthalene | 01-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW34a-P | 1-Methylnaphthalene | 01-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW34a | Acenaphthene | 01-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW34a-P | Acenaphthene | 01-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW34a | Acenaphthylene | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Acenaphthylene | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Acetophenone | 01-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW34a-P | Acetophenone | 01-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW34a | Anthracene | 01-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW34a-P | Anthracene | 01-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW34a | Atrazine | 01-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW34a-P | Atrazine | 01-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW34a | Benzo(a)anthracene | 01-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW34a-P | Benzo(a)anthracene | 01-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW34a | Benzo(a)pyrene | 01-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW34a-P | Benzo(a)pyrene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW34a | Biphenyl | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Biphenyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 57.1 U ug/L | | | | | |
| HW34a-P | Bromophenyl-4 Phenyl Ether | 01-Feb-12 | 60 U ug/L | | | | | |
| HW34a | Butylbenzyl phthalate | 01-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW34a-P | Butylbenzyl phthalate | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW34a | Caprolactam | 01-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW34a-P | Caprolactam | 01-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW34a | Carbazole | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Carbazole | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Chlorobenzenamine-4 | 01-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW34a-P | Chlorobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW34a | Chloronaphthalene-2 | 01-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW34a-P | Chloronaphthalene-2 | 01-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW34a | Chlorophenol-2 | 01-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW34a-P | Chlorophenol-2 | 01-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW34a | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-P | Chlorophenyl-4 phenyl ether | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Chrysene | 01-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW34a-P | Chrysene | 01-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW34a | Cresol, parachloro meta- | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Cresol, parachloro meta- | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 57.1 U ug/L | | | | | |
| HW34a-P | Cresol-4,6-dinitro-ortho | 01-Feb-12 | 60 U ug/L | | | | | |
| HW34a | Cresol-o | 01-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW34a-P | Cresol-o | 01-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW34a | Cresol-p | 01-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW34a-P | Cresol-p | 01-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW34a | Dibenz(a,h)anthracene | 01-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW34a-P | Dibenz(a,h)anthracene | 01-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW34a | Dibenzofuran | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Dibenzofuran | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Dichlorobenzidine-3,3' | 01-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW34a-P | Dichlorobenzidine-3,3' | 01-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW34a | Dichlorophenol-2,4 | 01-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW34a-P | Dichlorophenol-2,4 | 01-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW34a | Dimethylphenol, 2,4- | 01-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW34a-P | Dimethylphenol, 2,4- | 01-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW34a | Dinitrophenol-2,4 | 01-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW34a-P | Dinitrophenol-2,4 | 01-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW34a | Dinitrotoluene-2,4 | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Dinitrotoluene-2,4 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Dinitrotoluene-2,6 | 01-Feb-12 | 57.1 U ug/L | | | | | |
| HW34a-P | Dinitrotoluene-2,6 | 01-Feb-12 | 60 U ug/L | | | | | |
| HW34a | Ether, bis(2-chloroethyl) | 01-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW34a-P | Ether, bis(2-chloroethyl) | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW34a | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 57.1 U ug/L | | | | | |
| HW34a-P | Ether-bis(2-chloroisopropyl) | 01-Feb-12 | 60 U ug/L | | | | | |
| HW34a | Fluoranthene | 01-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW34a-P | Fluoranthene | 01-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW34a | Fluoranthene benzo(k) | 01-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW34a-P | Fluoranthene benzo(k) | 01-Feb-12 | 5 U ug/L | 29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Fluoranthene-benzo(b) | 01-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW34a-P | Fluoranthene-benzo(b) | 01-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW34a | Fluorene | 01-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW34a-P | Fluorene | 01-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW34a | Hexachlorobenzene | 01-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW34a-P | Hexachlorobenzene | 01-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW34a | Hexachlorobutadiene | 01-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW34a | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW34a-P | Hexachlorobutadiene | 01-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW34a-P | Hexachlorobutadiene | 01-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW34a | Hexachlorocyclopentadiene | 01-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a-P | Hexachlorocyclopentadiene | 01-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW34a | Hexachloroethane | 01-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW34a-P | Hexachloroethane | 01-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW34a | Isophorone | 01-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW34a-P | Isophorone | 01-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW34a | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW34a-P | Methane, bis(2-chloroethoxy) | 01-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW34a | Methylnaphthalene-2 | 01-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW34a-P | Methylnaphthalene-2 | 01-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW34a | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW34a | Naphthalene | 01-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW34a-P | Naphthalene | 01-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW34a-P | Naphthalene | 01-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW34a | Nitroaniline, ortho | 01-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW34a-P | Nitroaniline, ortho | 01-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW34a | Nitroaniline-3 | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Nitroaniline-3 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Nitrobenzenamine-4 | 01-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW34a-P | Nitrobenzenamine-4 | 01-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW34a | Nitrobenzene | 01-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW34a-P | Nitrobenzene | 01-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW34a | Nitrophenol-2 | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Nitrophenol-2 | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Nitrophenol-4 | 01-Feb-12 | 9.52 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-P | Nitrophenol-4 | 01-Feb-12 | 10 U ug/L | | | | | |
| HW34a | Nitrosodimethylamine-n | 01-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW34a-P | Nitrosodimethylamine-n | 01-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW34a | Nitrosodiphenylamine-n | 01-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW34a-P | Nitrosodiphenylamine-n | 01-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW34a | Pentachlorophenol | 01-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW34a-P | Pentachlorophenol | 01-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW34a | Perylene-benzo(ghi) | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Perylene-benzo(ghi) | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Phenanthrene | 01-Feb-12 | 57.1 U ug/L | | | | | |
| HW34a-P | Phenanthrene | 01-Feb-12 | 60 U ug/L | | | | | |
| HW34a | Phenol | 01-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW34a-P | Phenol | 01-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW34a | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 01-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW34a | Phthalate, Dimethyl | 01-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW34a-P | Phthalate, Dimethyl | 01-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW34a | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW34a-P | Phthalate, di-n-butyl- | 01-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW34a | Phthalate, di-n-octyl | 01-Feb-12 | 4.76 U ug/L | | | | | |
| HW34a-P | Phthalate, di-n-octyl | 01-Feb-12 | 5 U ug/L | | | | | |
| HW34a | Phthalate-diethyl | 01-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW34a-P | Phthalate-diethyl | 01-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW34a | Propylamine,n-nitroso di-n- | 01-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW34a-P | Propylamine,n-nitroso di-n- | 01-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW34a | Pyrene | 01-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW34a-P | Pyrene | 01-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW34a | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW34a-P | Pyrene-indeno(1,2,3-cd) | 01-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW34a | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW34a-P | Tetrachlorobenzene, 1,2,4,5- | 01-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW34a | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW34a-P | Tetrachlorophenol, 2,3,4,6- | 01-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW34a | Trichlorophenol-2,4,5 | 01-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW34a-P | Trichlorophenol-2,4,5 | 01-Feb-12 | 5 U ug/L | 890 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Trichlorophenol-2,4,6 | 01-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW34a-P | Trichlorophenol-2,4,6 | 01-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW34a | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW34a-P | TPH - Diesel Range Organics | 01-Feb-12 | 250 U ug/L | | | | | |
| HW34a | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW34a-P | TPH - Gasoline Range Organics | 01-Feb-12 | 50 U ug/L | | | | | |
| HW34a | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW34a-P | TPH - Oil Range Organics | 01-Feb-12 | 1000 U ug/L | | | | | |
| HW34a | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW34a-P | 1,2-Dibromo-3-chloropropane (DBCP) | 01-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW34a | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW34a-P | 4-Methyl-2-pentanone | 01-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW34a | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW34a-P | Acetone | 01-Feb-12 | 2 U ug/L | | | | | |
| HW34a | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a-P | Benzene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Bromobenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Bromoform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a-P | Bromoform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Butylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Butylbenzene, sec- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Butylbenzene, tert- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Carbon disulfide | 01-Feb-12 | 1.4 ug/L | | | | | |
| HW34a-P | Carbon disulfide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a-P | Carbon Tetrachloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW34a-P | Chlorobenzene | 01-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW34a | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Chlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-P | Chloroethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a-P | Chloroform | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW34a-P | Chlorotoluene | 01-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW34a | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW34a-P | Chlorotoluene-p | 01-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW34a | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a-P | Cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a-P | Dibromochloromethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW34a-P | Dibromoethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW34a | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dibromomethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW34a-P | Dichlorobenzene-1,2 | 01-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW34a | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichlorobenzene-1,3 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW34a-P | Dichlorobenzene-1,4 | 01-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW34a | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a-P | Dichlorobromomethane | 01-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW34a | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichlorodifluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW34a-P | Dichloroethane-1,1 | 01-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW34a | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-P | Dichloroethane-1,2 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a | Dichloroethene-1,2 trans | 01-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW34a-P | Dichloroethene-1,2 trans | 01-Feb-12 | 0.1 J ug/L | | 100 ug/L | | 100 ug/L | |
| HW34a | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW34a-P | Dichloroethylene-1,1 | 01-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW34a | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW34a-P | Dichloroethylene-1,2 cis | 01-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-P | Dichloropropane, 1,2- | 01-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW34a-P | Dichloropropane, 1,3- | 01-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW34a | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichloropropane, 2,2- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichloropropene, 1,1- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichloropropene, 1,3 cis- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Dichloropropene, 1,3 trans- | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW34a-P | Ethylbenzene | 01-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW34a | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a-P | Freon 113 | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW34a-P | Hexanone, 2- | 01-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW34a | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Isopropylbenzene | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Isopropylbenzene-4,methyl-1 | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW34a-P | m,p-Xylene | 01-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW34a | Methyl acetate | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a-P | Methyl acetate | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Methyl bromide | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Methyl chloride | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a-P | Methyl cyclohexane | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW34a-P | Methyl ethyl ketone | 01-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW34a | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a-P | Methyl tertiary butyl ether (MTBE) | 01-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW34a | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a-P | Methylene chloride | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Propylbenzene-n | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Styrene | 01-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW34a-P | Styrene | 01-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW34a | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW34a-P | Tetrachloroethane, 1,1,1,2- | 01-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW34a | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW34a-P | Tetrachloroethane, 1,1,2,2- | 01-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW34a | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a-P | Tetrachloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW34a-P | Toluene | 01-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW34a | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW34a-P | Trichlorobenzene-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW34a | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW34a-P | Trichlorobenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW34a | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW34a-P | Trichloroethane-1,1,1 | 01-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW34a | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a-P | Trichloroethane-1,1,2 | 01-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW34a | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a-P | Trichloroethylene | 01-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW34a | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Trichlorofluoromethane | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW34a-P | Trichloropropane-1,2,3 | 01-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW34a | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW34a-P | Trimethylbenzene-1,2,4 | 01-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW34a | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW34a-P | Trimethylbenzene-1,3,5 | 01-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW34a | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |
| HW34a-P | Vinyl acetate | 01-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW34a | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW34a-P | Vinyl chloride | 01-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW34a | Xylene-o | 01-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW34a-P | Xylene-o | 01-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW34a | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW34a-P | Nitrogen, Nitrite + Nitrate | 01-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW34a | Total Nitrogen | 01-Feb-12 | 1 U mg/L | | | | | |
| HW34a-P | Total Nitrogen | 01-Feb-12 | 1 U mg/L | | | | | |
| HW34a | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW34a-P | Total Phosphorus as P | 01-Feb-12 | 0.05 U mg/L | | | | | |
| HW35 | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW35 | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW35 | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW35 | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW35 | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW35 | Anionic Surfactants | 31-Jan-12 | 0.01 U mg/L | | | | | |
| HW35 | Fecal Coliform Bacteria | 31-Jan-12 | 1 Present | 0.0001 | | | | |
| HW35 | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW35 | Total Coliform Bacteria | 31-Jan-12 | 34 cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW35 | Ethane | 31-Jan-12 | 1.2 U ug/L | | | | | |
| HW35 | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW35 | Methane | 31-Jan-12 | 6.6 ug/L | 28000 ug/L | | | | |
| HW35 | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW35 | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW35 | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW35 | Diethylene glycol | 31-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW35 | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW35 | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW35 | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW35 | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW35 | Triethylene glycol | 31-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW35 | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW35 | Bromide | 31-Jan-12 | 0.5 U mg/L | | | | | |
| HW35 | Chloride | 31-Jan-12 | 50.5 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35 | Fluoride | 31-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW35 | Sulfate | 31-Jan-12 | 14.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW35 | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW35-F | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW35 | Aluminum | 31-Jan-12 | 240 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW35-F | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW35 | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW35-F | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW35 | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW35-F | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW35 | Barium | 31-Jan-12 | 101 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW35-F | Barium | 31-Jan-12 | 73.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW35 | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW35-F | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW35 | Boron | 31-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW35-F | Boron | 31-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW35 | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW35-F | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW35 | Calcium | 31-Jan-12 | 14300 ug/L | | | | | |
| HW35-F | Calcium | 31-Jan-12 | 500 U ug/L | | | | | |
| HW35 | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW35-F | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW35 | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW35-F | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW35 | Copper | 31-Jan-12 | 74 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW35-F | Copper | 31-Jan-12 | 45 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW35 | Iron | 31-Jan-12 | 478 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW35-F | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW35 | Lead | 31-Jan-12 | 21.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW35-F | Lead | 31-Jan-12 | 2.4 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW35 | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW35-F | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW35 | Magnesium | 31-Jan-12 | 2280 ug/L | | | | | |
| HW35-F | Magnesium | 31-Jan-12 | 500 U ug/L | | | | | |
| HW35 | Manganese | 31-Jan-12 | 5.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35-F | Manganese | 31-Jan-12 | 1.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW35 | Nickel | 31-Jan-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW35-F | Nickel | 31-Jan-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW35 | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW35-F | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW35 | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW35-F | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW35 | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW35-F | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW35 | Sodium | 31-Jan-12 | 28700 ug/L | 20000 ug/L | | | | |
| HW35-F | Sodium | 31-Jan-12 | 1000 U ug/L | 20000 ug/L | | | | |
| HW35 | Strontium | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW35-F | Strontium | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW35 | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW35-F | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW35 | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW35-F | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW35 | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW35-F | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW35 | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW35-F | Uranium | 31-Jan-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW35 | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW35-F | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW35 | Zinc | 31-Jan-12 | 98.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW35-F | Zinc | 31-Jan-12 | 96.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW35 | Oil and Grease | 31-Jan-12 | 5.3 U mg/L | | | | | |
| HW35 | Total Dissolved Solids | 31-Jan-12 | 37 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW35 | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW35 | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW35 | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW35 | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Acetophenone | 31-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW35 | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW35 | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW35 | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35 | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW35 | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW35 | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW35 | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW35 | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW35 | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW35 | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW35 | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW35 | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW35 | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW35 | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW35 | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW35 | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW35 | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW35 | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW35 | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW35 | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW35 | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW35 | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW35 | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW35 | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW35 | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW35 | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW35 | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW35 | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW35 | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35 | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW35 | Methylnaphthalene-2 | 31-Jan-12 | 5 U ug/L | 27 ug/L | | | | |
| HW35 | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW35 | Naphthalene | 31-Jan-12 | 5 U ug/L | 14 ug/L | | | | |
| HW35 | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW35 | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW35 | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW35 | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW35 | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW35 | Nitrosodiphenylamine-n | 31-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW35 | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW35 | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW35 | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW35 | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW35 | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW35 | Phthalate, di-n-octyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW35 | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW35 | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW35 | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW35 | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW35 | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW35 | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW35 | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW35 | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW35 | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW35 | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW35 | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW35 | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW35 | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW35 | Acetone | 31-Jan-12 | 2 U ug/L | | | | | |
| HW35 | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35 | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW35 | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Carbon disulfide | 31-Jan-12 | 0.1 J ug/L | | | | | |
| HW35 | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW35 | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW35 | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW35 | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW35 | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW35 | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW35 | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW35 | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW35 | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW35 | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW35 | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW35 | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW35 | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW35 | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW35 | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW35 | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW35 | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW35 | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW35 | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW35 | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW35 | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW35 | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | m,p-Xylene | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW35 | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW35 | Methyl bromide | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW35 | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW35 | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW35 | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW35 | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW35 | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW35 | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW35 | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW35 | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW35 | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW35 | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW35 | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW35 | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW35 | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW35 | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW35 | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW35 | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW35 | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW35 | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW35 | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW35 | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW35 | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 2.38 J mg/L | | 10 mg/L | | 10 mg/L | |
| HW35 | Total Nitrogen | 31-Jan-12 | 2.74 mg/L | | | | | |
| HW35 | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW38 | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW38-P | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW38 | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-P | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW38 | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW38-P | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW38 | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW38-P | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW38 | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW38-P | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW38 | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW38-P | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW38 | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW38-P | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW38 | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW38-P | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW38 | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW38-P | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW38 | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW38-P | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW38 | Methane | 08-Feb-12 | 5 ug/L | 28000 ug/L | | | | |
| HW38-P | Methane | 08-Feb-12 | 3.8 ug/L | 28000 ug/L | | | | |
| HW38 | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | 2-Methoxyethanol | 08-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW38 | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW38-P | 2-Methoxyethanol | 08-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW38-P | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW38 | Diethylene Glycol | 08-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW38-P | Diethylene Glycol | 08-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW38 | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW38-P | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW38 | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW38-P | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW38 | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW38-P | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW38 | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW38-P | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Chloride | 08-Feb-12 | 5.72 mg/L | | | 250 mg/L | | 250 mg/L |
| HW38-P | Chloride | 08-Feb-12 | 5.66 mg/L | | | 250 mg/L | | 250 mg/L |
| HW38 | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW38-P | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW38 | Sulfate | 08-Feb-12 | 14.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW38-P | Sulfate | 08-Feb-12 | 14.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW38 | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-F | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-P | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-PF | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW38 | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW38-F | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW38-P | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW38-PF | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW38 | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW38-F | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW38-P | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW38-PF | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW38 | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW38-F | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW38-P | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW38-PF | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW38 | Barium | 08-Feb-12 | 116 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW38-F | Barium | 08-Feb-12 | 119 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW38-P | Barium | 08-Feb-12 | 120 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW38-PF | Barium | 08-Feb-12 | 116 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW38 | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW38-F | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW38-P | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW38-PF | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW38 | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW38-F | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW38-P | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW38-PF | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW38 | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-F | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW38-P | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW38-PF | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW38 | Calcium | 08-Feb-12 | 16100 ug/L | | | | | |
| HW38-F | Calcium | 08-Feb-12 | 15800 ug/L | | | | | |
| HW38-P | Calcium | 08-Feb-12 | 16000 ug/L | | | | | |
| HW38-PF | Calcium | 08-Feb-12 | 15800 ug/L | | | | | |
| HW38 | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW38-F | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW38-P | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW38-PF | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW38 | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW38-F | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW38-P | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW38-PF | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW38 | Copper | 08-Feb-12 | 25.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW38-F | Copper | 08-Feb-12 | 19.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW38-P | Copper | 08-Feb-12 | 98.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW38-PF | Copper | 08-Feb-12 | 89.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW38 | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW38-F | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW38-P | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW38-PF | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW38 | Lead | 08-Feb-12 | 1.4 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW38-F | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW38-P | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW38-PF | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW38 | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW38-F | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW38-P | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW38-PF | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW38 | Magnesium | 08-Feb-12 | 3300 ug/L | | | | | |
| HW38-F | Magnesium | 08-Feb-12 | 3230 ug/L | | | | | |
| HW38-P | Magnesium | 08-Feb-12 | 3260 ug/L | | | | | |
| HW38-PF | Magnesium | 08-Feb-12 | 3230 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW38-F | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW38-P | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW38-PF | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW38 | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW38-F | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW38-P | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW38-PF | Nickel | 08-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW38 | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW38-F | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW38-P | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW38-PF | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW38 | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW38-F | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW38-P | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW38-PF | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW38 | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW38-F | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW38-P | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW38-PF | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW38 | Sodium | 08-Feb-12 | 5670 ug/L | 20000 ug/L | | | | |
| HW38-F | Sodium | 08-Feb-12 | 5600 ug/L | 20000 ug/L | | | | |
| HW38-P | Sodium | 08-Feb-12 | 5590 ug/L | 20000 ug/L | | | | |
| HW38-PF | Sodium | 08-Feb-12 | 5650 ug/L | 20000 ug/L | | | | |
| HW38 | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38-F | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38-P | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38-PF | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38 | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-F | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-P | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW38-PF | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW38 | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38-F | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38-P | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-PF | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW38 | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW38-F | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW38-P | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW38-PF | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW38 | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW38-F | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW38-P | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW38-PF | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW38 | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW38-F | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW38-P | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW38-PF | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW38 | Zinc | 08-Feb-12 | 5.5 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW38-F | Zinc | 08-Feb-12 | 3.9 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW38-P | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW38-PF | Zinc | 08-Feb-12 | 8.6 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW38 | Oil and Grease | 08-Feb-12 | 5.1 U mg/L | | | | | |
| HW38-P | Oil and Grease | 08-Feb-12 | 5.3 U mg/L | | | | | |
| HW38 | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW38-P | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW38 | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW38-P | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW38 | 1-Methylnaphthalene | 08-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW38-P | 1-Methylnaphthalene | 08-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW38 | Acenaphthene | 08-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW38-P | Acenaphthene | 08-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW38 | Acenaphthylene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Acenaphthylene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Acetophenone | 08-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW38-P | Acetophenone | 08-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW38 | Anthracene | 08-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW38-P | Anthracene | 08-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW38 | Atrazine | 08-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW38-P | Atrazine | 08-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Benzo(a)anthracene | 08-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW38-P | Benzo(a)anthracene | 08-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW38 | Benzo(a)pyrene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW38-P | Benzo(a)pyrene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW38 | Biphenyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Biphenyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Butylbenzyl phthalate | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW38-P | Butylbenzyl phthalate | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW38 | Caprolactam | 08-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW38-P | Caprolactam | 08-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW38 | Carbazole | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Carbazole | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Chlorobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW38-P | Chlorobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW38 | Chloronaphthalene-2 | 08-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW38-P | Chloronaphthalene-2 | 08-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW38 | Chlorophenol-2 | 08-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW38-P | Chlorophenol-2 | 08-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW38 | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Chrysene | 08-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW38-P | Chrysene | 08-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW38 | Cresol, parachloro meta- | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Cresol, parachloro meta- | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 10 U ug/L | | | | | |
| HW38-P | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 10 U ug/L | | | | | |
| HW38 | Cresol-o | 08-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW38-P | Cresol-o | 08-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW38 | Cresol-p | 08-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW38-P | Cresol-p | 08-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW38 | Dibenz(a,h)anthracene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW38-P | Dibenz(a,h)anthracene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW38 | Dibenzofuran | 08-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-P | Dibenzofuran | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Dichlorobenzidine-3,3' | 08-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW38-P | Dichlorobenzidine-3,3' | 08-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW38 | Dichlorophenol-2,4 | 08-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW38-P | Dichlorophenol-2,4 | 08-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW38 | Dimethylphenol, 2,4- | 08-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW38-P | Dimethylphenol, 2,4- | 08-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW38 | Dinitrophenol-2,4 | 08-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW38-P | Dinitrophenol-2,4 | 08-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW38 | Dinitrotoluene-2,4 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Dinitrotoluene-2,4 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Dinitrotoluene-2,6 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Dinitrotoluene-2,6 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Ether, bis(2-chloroethyl) | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW38-P | Ether, bis(2-chloroethyl) | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW38 | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Fluoranthene | 08-Feb-12 | 0.01 J ug/L | 630 ug/L | | | | |
| HW38-P | Fluoranthene | 08-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW38 | Fluoranthene benzo(k) | 08-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW38-P | Fluoranthene benzo(k) | 08-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW38 | Fluoranthene-benzo(b) | 08-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW38-P | Fluoranthene-benzo(b) | 08-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW38 | Fluorene | 08-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW38-P | Fluorene | 08-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW38 | Hexachlorobenzene | 08-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW38-P | Hexachlorobenzene | 08-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW38 | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW38 | Hexachlorobutadiene | 08-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW38-P | Hexachlorobutadiene | 08-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW38-P | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW38 | Hexachlorocyclopentadiene | 08-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW38-P | Hexachlorocyclopentadiene | 08-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW38 | Hexachloroethane | 08-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW38-P | Hexachloroethane | 08-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Isophorone | 08-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW38-P | Isophorone | 08-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW38 | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW38-P | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW38 | Methylnaphthalene-2 | 08-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW38-P | Methylnaphthalene-2 | 08-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW38 | Naphthalene | 08-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW38 | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW38-P | Naphthalene | 08-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW38-P | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW38 | Nitroaniline, ortho | 08-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW38-P | Nitroaniline, ortho | 08-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW38 | Nitroaniline-3 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Nitroaniline-3 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Nitrobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW38-P | Nitrobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW38 | Nitrobenzene | 08-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW38-P | Nitrobenzene | 08-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW38 | Nitrophenol-2 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Nitrophenol-2 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Nitrophenol-4 | 08-Feb-12 | 10 U ug/L | | | | | |
| HW38-P | Nitrophenol-4 | 08-Feb-12 | 10 U ug/L | | | | | |
| HW38 | Nitrosodimethylamine-n | 08-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW38-P | Nitrosodimethylamine-n | 08-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW38 | Nitrosodiphenylamine-n | 08-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW38-P | Nitrosodiphenylamine-n | 08-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW38 | Pentachlorophenol | 08-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW38-P | Pentachlorophenol | 08-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW38 | Perylene-benzo(ghi) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Perylene-benzo(ghi) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Phenanthrene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Phenanthrene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Phenol | 08-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW38-P | Phenol | 08-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW38 | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW38 | Phthalate, Dimethyl | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW38-P | Phthalate, Dimethyl | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW38 | Phthalate, di-n-butyl- | 08-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW38-P | Phthalate, di-n-butyl- | 08-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW38 | Phthalate, di-n-octyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38-P | Phthalate, di-n-octyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW38 | Phthalate-diethyl | 08-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW38-P | Phthalate-diethyl | 08-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW38 | Propylamine,n-nitroso di-n- | 08-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW38-P | Propylamine,n-nitroso di-n- | 08-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW38 | Pyrene | 08-Feb-12 | 0.01 J ug/L | 87 ug/L | | | | |
| HW38-P | Pyrene | 08-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW38 | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW38-P | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW38 | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW38-P | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW38 | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW38-P | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW38 | Trichlorophenol-2,4,5 | 08-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW38-P | Trichlorophenol-2,4,5 | 08-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW38 | Trichlorophenol-2,4,6 | 08-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW38-P | Trichlorophenol-2,4,6 | 08-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW38 | TPH - Diesel Range Organics | 08-Feb-12 | 240 U ug/L | | | | | |
| HW38-P | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW38 | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW38-P | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW38 | TPH - Oil Range Organics | 08-Feb-12 | 950 U ug/L | | | | | |
| HW38-P | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW38 | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW38-P | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW38 | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW38-P | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW38 | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW38-P | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38-P | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38 | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Bromoform | 08-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38-P | Bromoform | 08-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38 | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38-P | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38 | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW38-P | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW38 | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38-P | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38 | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW38-P | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW38 | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW38-P | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW38 | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38-P | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38 | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW38-P | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW38 | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-P | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW38-P | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW38 | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW38-P | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW38 | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38-P | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW38 | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW38-P | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW38 | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW38-P | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW38 | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW38-P | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW38 | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW38-P | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW38 | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW38-P | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW38 | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW38-P | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW38 | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW38-P | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW38 | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW38-P | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38 | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW38-P | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW38 | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW38-P | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW38 | Methyl acetate | 08-Feb-12 | 1 U ug/L | | | | | |
| HW38-P | Methyl acetate | 08-Feb-12 | 1 U ug/L | | | | | |
| HW38 | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW38-P | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW38 | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38-P | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38 | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW38-P | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW38 | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW38-P | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW38 | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW38-P | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW38 | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38-P | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38 | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW38-P | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW38 | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW38-P | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW38 | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW38-P | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW38 | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW38-P | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW38 | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW38-P | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW38 | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38-P | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW38 | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW38-P | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW38 | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW38-P | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW38 | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW38-P | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW38 | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38-P | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW38 | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW38-P | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW38 | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW38-P | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW38 | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 1.27 mg/L | | 10 mg/L | | 10 mg/L | |
| HW38-P | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 1.27 mg/L | | 10 mg/L | | 10 mg/L | |
| HW38 | Total Nitrogen | 08-Feb-12 | 1 mg/L | | | | | |
| HW38-P | Total Nitrogen | 08-Feb-12 | 1.16 mg/L | | | | | |
| HW38 | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW38-P | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW39 | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW39-P | 1-Butanol | 03-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW39 | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39-P | 1-Propanol | 03-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39 | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39-P | 2-Butanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39 | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39-P | Ethanol | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39 | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW39-P | Methanol | 03-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW39 | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW39-P | Anionic Surfactants | 03-Feb-12 | 0.01 U mg/L | | | | | |
| HW39 | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW39-P | Heterotrophic Plate Count | 03-Feb-12 | R cfu/1mL | | | | | |
| HW39 | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW39-P | Total Coliform Bacteria | 03-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW39 | Ethane | 03-Feb-12 | 5.3 ug/L | | | | | |
| HW39-P | Ethane | 03-Feb-12 | 1.2 U ug/L | | | | | |
| HW39 | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW39-P | Ethene | 03-Feb-12 | 1.1 U ug/L | | | | | |
| HW39 | Methane | 03-Feb-12 | 8100 ug/L | 28000 ug/L | | | | |
| HW39-P | Methane | 03-Feb-12 | 27 ug/L | 28000 ug/L | | | | |
| HW39 | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39-P | 2-Butoxyethanol | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW39 | 2-Methoxyethanol | 03-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW39-P | 2-Methoxyethanol | 03-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW39-P | 2-Methoxyethanol | 03-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW39 | Diethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW39 | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW39-P | Diethylene Glycol | 03-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW39-P | Diethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW39 | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39-P | Ethanol, 2-ethoxy- | 03-Feb-12 | 10000 U ug/L | | | | | |
| HW39 | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW39-P | Ethanol, 2-methoxy- | 03-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW39 | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW39-P | Ethylene glycol | 03-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW39 | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Tetraethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW39 | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW39 | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW39-P | Triethylene glycol | 03-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW39-P | Triethylene glycol | 03-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW39 | Bromide | 03-Feb-12 | 0.955 mg/L | | | | | |
| HW39-P | Bromide | 03-Feb-12 | 0.986 mg/L | | | | | |
| HW39 | Chloride | 03-Feb-12 | 107 mg/L | | | 250 mg/L | | 250 mg/L |
| HW39-P | Chloride | 03-Feb-12 | 112 mg/L | | | 250 mg/L | | 250 mg/L |
| HW39 | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW39-P | Fluoride | 03-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW39 | Sulfate | 03-Feb-12 | 0.928 mg/L | | | 250 mg/L | | 250 mg/L |
| HW39-P | Sulfate | 03-Feb-12 | 0.816 mg/L | | | 250 mg/L | | 250 mg/L |
| HW39 | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-F | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-P | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-PF | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-RO | Mercury | 03-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW39 | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW39-F | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW39-P | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW39-PF | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW39-RO | Aluminum | 03-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW39 | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW39-F | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW39-P | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW39-PF | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW39-RO | Antimony | 03-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW39 | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW39-F | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW39-P | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW39-PF | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW39-RO | Arsenic | 03-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW39 | Barium | 03-Feb-12 | 3530 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW39-F | Barium | 03-Feb-12 | 3630 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Barium | 03-Feb-12 | 3810 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW39-PF | Barium | 03-Feb-12 | 3750 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW39-RO | Barium | 03-Feb-12 | 286 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW39 | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW39-F | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW39-P | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW39-PF | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW39-RO | Beryllium | 03-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW39 | Boron | 03-Feb-12 | 58.8 ug/L | 3100 ug/L | | | | |
| HW39-F | Boron | 03-Feb-12 | 55.8 ug/L | 3100 ug/L | | | | |
| HW39-P | Boron | 03-Feb-12 | 53.9 ug/L | 3100 ug/L | | | | |
| HW39-PF | Boron | 03-Feb-12 | 69.2 ug/L | 3100 ug/L | | | | |
| HW39-RO | Boron | 03-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW39 | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-F | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-P | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-PF | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-RO | Cadmium | 03-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW39 | Calcium | 03-Feb-12 | 36100 ug/L | | | | | |
| HW39-F | Calcium | 03-Feb-12 | 37100 ug/L | | | | | |
| HW39-P | Calcium | 03-Feb-12 | 38800 ug/L | | | | | |
| HW39-PF | Calcium | 03-Feb-12 | 38400 ug/L | | | | | |
| HW39-RO | Calcium | 03-Feb-12 | 2970 ug/L | | | | | |
| HW39 | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW39-F | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW39-P | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW39-PF | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW39-RO | Chromium | 03-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW39 | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW39-F | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW39-P | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW39-PF | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW39-RO | Cobalt | 03-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW39 | Copper | 03-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW39-F | Copper | 03-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Copper | 03-Feb-12 | 6.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW39-PF | Copper | 03-Feb-12 | 5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW39-RO | Copper | 03-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW39 | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW39-F | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW39-P | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW39-PF | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW39-RO | Iron | 03-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW39 | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW39-F | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW39-P | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW39-PF | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW39-RO | Lead | 03-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW39 | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW39-F | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW39-P | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW39-PF | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW39-RO | Lithium | 03-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW39 | Magnesium | 03-Feb-12 | 7530 ug/L | | | | | |
| HW39-F | Magnesium | 03-Feb-12 | 7770 ug/L | | | | | |
| HW39-P | Magnesium | 03-Feb-12 | 8130 ug/L | | | | | |
| HW39-PF | Magnesium | 03-Feb-12 | 8040 ug/L | | | | | |
| HW39-RO | Magnesium | 03-Feb-12 | 634 ug/L | | | | | |
| HW39 | Manganese | 03-Feb-12 | 42.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW39-F | Manganese | 03-Feb-12 | 40.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW39-P | Manganese | 03-Feb-12 | 1.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW39-PF | Manganese | 03-Feb-12 | 1.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW39-RO | Manganese | 03-Feb-12 | 1.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW39 | Nickel | 03-Feb-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW39-F | Nickel | 03-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW39-P | Nickel | 03-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW39-PF | Nickel | 03-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW39-RO | Nickel | 03-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW39 | Potassium | 03-Feb-12 | 2550 ug/L | | | | | |
| HW39-F | Potassium | 03-Feb-12 | 2600 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Potassium | 03-Feb-12 | 2670 ug/L | | | | | |
| HW39-PF | Potassium | 03-Feb-12 | 2680 ug/L | | | | | |
| HW39-RO | Potassium | 03-Feb-12 | 2000 U ug/L | | | | | |
| HW39 | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW39-F | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW39-P | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW39-PF | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW39-RO | Selenium | 03-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW39 | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW39-F | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW39-P | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW39-PF | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW39-RO | Silver | 03-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW39 | Sodium | 03-Feb-12 | 47400 ug/L | 20000 ug/L | | | | |
| HW39-F | Sodium | 03-Feb-12 | 47900 ug/L | 20000 ug/L | | | | |
| HW39-P | Sodium | 03-Feb-12 | 49300 ug/L | 20000 ug/L | | | | |
| HW39-PF | Sodium | 03-Feb-12 | 48700 ug/L | 20000 ug/L | | | | |
| HW39-RO | Sodium | 03-Feb-12 | 7900 ug/L | 20000 ug/L | | | | |
| HW39 | Strontium | 03-Feb-12 | 2750 ug/L | 9300 ug/L | | | | |
| HW39-F | Strontium | 03-Feb-12 | 2840 ug/L | 9300 ug/L | | | | |
| HW39-P | Strontium | 03-Feb-12 | 2980 ug/L | 9300 ug/L | | | | |
| HW39-PF | Strontium | 03-Feb-12 | 2940 ug/L | 9300 ug/L | | | | |
| HW39-RO | Strontium | 03-Feb-12 | 228 ug/L | 9300 ug/L | | | | |
| HW39 | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-F | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-P | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-PF | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW39-RO | Thallium | 03-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW39 | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW39-F | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW39-P | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW39-PF | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW39-RO | Tin | 03-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW39 | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW39-F | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW39-PF | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW39-RO | Titanium | 03-Feb-12 | 200 U ug/L | | | | | |
| HW39 | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW39-F | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW39-P | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW39-PF | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW39-RO | Uranium | 03-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW39 | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW39-F | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW39-P | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW39-PF | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW39-RO | Vanadium | 03-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW39 | Zinc | 03-Feb-12 | 2.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW39-F | Zinc | 03-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW39-P | Zinc | 03-Feb-12 | 19.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW39-PF | Zinc | 03-Feb-12 | 16.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW39-RO | Zinc | 03-Feb-12 | 14.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW39 | Oil and Grease | 03-Feb-12 | 5 U mg/L | | | | | |
| HW39-P | Oil and Grease | 03-Feb-12 | 5 U mg/L | | | | | |
| HW39 | Total Dissolved Solids | 03-Feb-12 | 264 mg/L | | | 500 mg/L | | 500 mg/L |
| HW39-P | Total Dissolved Solids | 03-Feb-12 | 279 mg/L | | | 500 mg/L | | 500 mg/L |
| HW39 | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW39-P | Total Suspended Solids | 03-Feb-12 | 10 U mg/L | | | | | |
| HW39 | 1-Methylnaphthalene | 03-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW39-P | 1-Methylnaphthalene | 03-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW39 | Acenaphthene | 03-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW39-P | Acenaphthene | 03-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW39 | Acenaphthylene | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Acenaphthylene | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Acetophenone | 03-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW39-P | Acetophenone | 03-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW39 | Anthracene | 03-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW39-P | Anthracene | 03-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW39 | Atrazine | 03-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Atrazine | 03-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW39 | Benzo(a)anthracene | 03-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW39-P | Benzo(a)anthracene | 03-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW39 | Benzo(a)pyrene | 03-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW39-P | Benzo(a)pyrene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW39 | Biphenyl | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Biphenyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW39-P | Bromophenyl-4 Phenyl Ether | 03-Feb-12 | 60 U ug/L | | | | | |
| HW39 | Butylbenzyl phthalate | 03-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW39-P | Butylbenzyl phthalate | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW39 | Caprolactam | 03-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW39-P | Caprolactam | 03-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW39 | Carbazole | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Carbazole | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Chlorobenzenamine-4 | 03-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW39-P | Chlorobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW39 | Chloronaphthalene-2 | 03-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW39-P | Chloronaphthalene-2 | 03-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW39 | Chlorophenol-2 | 03-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW39-P | Chlorophenol-2 | 03-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW39 | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Chlorophenyl-4 phenyl ether | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Chrysene | 03-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW39-P | Chrysene | 03-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW39 | Cresol, parachloro meta- | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Cresol, parachloro meta- | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW39-P | Cresol-4,6-dinitro-ortho | 03-Feb-12 | 60 U ug/L | | | | | |
| HW39 | Cresol-o | 03-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW39-P | Cresol-o | 03-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW39 | Cresol-p | 03-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW39-P | Cresol-p | 03-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW39 | Dibenz(a,h)anthracene | 03-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW39-P | Dibenz(a,h)anthracene | 03-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39 | Dibenzofuran | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Dibenzofuran | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Dichlorobenzidine-3,3' | 03-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW39-P | Dichlorobenzidine-3,3' | 03-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW39 | Dichlorophenol-2,4 | 03-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW39-P | Dichlorophenol-2,4 | 03-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW39 | Dimethylphenol, 2,4- | 03-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW39-P | Dimethylphenol, 2,4- | 03-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW39 | Dinitrophenol-2,4 | 03-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW39-P | Dinitrophenol-2,4 | 03-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW39 | Dinitrotoluene-2,4 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Dinitrotoluene-2,4 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Dinitrotoluene-2,6 | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW39-P | Dinitrotoluene-2,6 | 03-Feb-12 | 60 U ug/L | | | | | |
| HW39 | Ether, bis(2-chloroethyl) | 03-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW39-P | Ether, bis(2-chloroethyl) | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW39 | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW39-P | Ether-bis(2-chloroisopropyl) | 03-Feb-12 | 60 U ug/L | | | | | |
| HW39 | Fluoranthene | 03-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW39-P | Fluoranthene | 03-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW39 | Fluoranthene benzo(k) | 03-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW39-P | Fluoranthene benzo(k) | 03-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW39 | Fluoranthene-benzo(b) | 03-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW39-P | Fluoranthene-benzo(b) | 03-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW39 | Fluorene | 03-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW39-P | Fluorene | 03-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW39 | Hexachlorobenzene | 03-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW39-P | Hexachlorobenzene | 03-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW39 | Hexachlorobutadiene | 03-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW39 | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW39-P | Hexachlorobutadiene | 03-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW39-P | Hexachlorobutadiene | 03-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW39 | Hexachlorocyclopentadiene | 03-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW39-P | Hexachlorocyclopentadiene | 03-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW39 | Hexachloroethane | 03-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Hexachloroethane | 03-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW39 | Isophorone | 03-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW39-P | Isophorone | 03-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW39 | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW39-P | Methane, bis(2-chloroethoxy) | 03-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW39 | Methylnaphthalene-2 | 03-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW39-P | Methylnaphthalene-2 | 03-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW39 | Naphthalene | 03-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW39 | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW39-P | Naphthalene | 03-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW39-P | Naphthalene | 03-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW39 | Nitroaniline, ortho | 03-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW39-P | Nitroaniline, ortho | 03-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW39 | Nitroaniline-3 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Nitroaniline-3 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Nitrobenzenamine-4 | 03-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW39-P | Nitrobenzenamine-4 | 03-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW39 | Nitrobenzene | 03-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW39-P | Nitrobenzene | 03-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW39 | Nitrophenol-2 | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Nitrophenol-2 | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Nitrophenol-4 | 03-Feb-12 | 9.52 U ug/L | | | | | |
| HW39-P | Nitrophenol-4 | 03-Feb-12 | 10 U ug/L | | | | | |
| HW39 | Nitrosodimethylamine-n | 03-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW39-P | Nitrosodimethylamine-n | 03-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW39 | Nitrosodiphenylamine-n | 03-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW39-P | Nitrosodiphenylamine-n | 03-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW39 | Pentachlorophenol | 03-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW39-P | Pentachlorophenol | 03-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW39 | Perylene-benzo(ghi) | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Perylene-benzo(ghi) | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Phenanthrene | 03-Feb-12 | 57.1 U ug/L | | | | | |
| HW39-P | Phenanthrene | 03-Feb-12 | 60 U ug/L | | | | | |
| HW39 | Phenol | 03-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW39-P | Phenol | 03-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39 | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5.51 ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW39-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 03-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW39 | Phthalate, Dimethyl | 03-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW39-P | Phthalate, Dimethyl | 03-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW39 | Phthalate, di-n-butyl- | 03-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW39-P | Phthalate, di-n-butyl- | 03-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW39 | Phthalate, di-n-octyl | 03-Feb-12 | 4.76 U ug/L | | | | | |
| HW39-P | Phthalate, di-n-octyl | 03-Feb-12 | 5 U ug/L | | | | | |
| HW39 | Phthalate-diethyl | 03-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW39-P | Phthalate-diethyl | 03-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW39 | Propylamine,n-nitroso di-n- | 03-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW39-P | Propylamine,n-nitroso di-n- | 03-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW39 | Pyrene | 03-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW39-P | Pyrene | 03-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW39 | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW39-P | Pyrene-indeno(1,2,3-cd) | 03-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW39 | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW39-P | Tetrachlorobenzene, 1,2,4,5- | 03-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW39 | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW39-P | Tetrachlorophenol, 2,3,4,6- | 03-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW39 | Trichlorophenol-2,4,5 | 03-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW39-P | Trichlorophenol-2,4,5 | 03-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW39 | Trichlorophenol-2,4,6 | 03-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW39-P | Trichlorophenol-2,4,6 | 03-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW39 | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW39-P | TPH - Diesel Range Organics | 03-Feb-12 | 250 U ug/L | | | | | |
| HW39 | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW39-P | TPH - Gasoline Range Organics | 03-Feb-12 | 50 U ug/L | | | | | |
| HW39 | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW39-P | TPH - Oil Range Organics | 03-Feb-12 | 1000 U ug/L | | | | | |
| HW39 | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW39-P | 1,2-Dibromo-3-chloropropane (DBCP) | 03-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW39 | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW39-P | 4-Methyl-2-pentanone | 03-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW39 | Acetone | 03-Feb-12 | 2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Acetone | 03-Feb-12 | 3.1 U ug/L | | | | | |
| HW39 | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39-P | Benzene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39 | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Bromobenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39-P | Bromoform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39 | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Butylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Butylbenzene, sec- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Butylbenzene, tert- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Carbon disulfide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39-P | Carbon Tetrachloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39 | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW39-P | Chlorobenzene | 03-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW39 | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Chlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Chloroethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39-P | Chloroform | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39 | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW39-P | Chlorotoluene | 03-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW39 | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW39-P | Chlorotoluene-p | 03-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW39 | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39 | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39-P | Dibromochloromethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39 | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW39-P | Dibromoethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39 | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dibromomethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW39-P | Dichlorobenzene-1,2 | 03-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW39 | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichlorobenzene-1,3 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW39-P | Dichlorobenzene-1,4 | 03-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW39 | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39-P | Dichlorobromomethane | 03-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW39 | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichlorodifluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW39-P | Dichloroethane-1,1 | 03-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW39 | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-P | Dichloroethane-1,2 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW39 | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW39-P | Dichloroethene-1,2 trans | 03-Feb-12 | 0.5 J ug/L | | 100 ug/L | | 100 ug/L | |
| HW39 | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW39-P | Dichloroethylene-1,1 | 03-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW39 | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW39-P | Dichloroethylene-1,2 cis | 03-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW39 | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-P | Dichloropropane, 1,2- | 03-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW39 | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW39-P | Dichloropropane, 1,3- | 03-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW39 | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichloropropane, 2,2- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichloropropene, 1,1- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichloropropene, 1,3 cis- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Dichloropropene, 1,3 trans- | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39-P | Ethylbenzene | 03-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW39 | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Freon 113 | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39 | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW39-P | Hexanone, 2- | 03-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW39 | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Isopropylbenzene | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Isopropylbenzene-4,methyl-1 | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW39-P | m,p-Xylene | 03-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW39 | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Methyl acetate | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39 | Methyl bromide | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Methyl bromide | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Methyl chloride | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Methyl cyclohexane | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39 | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW39-P | Methyl ethyl ketone | 03-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW39 | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39-P | Methyl tertiary butyl ether (MTBE) | 03-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW39 | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39-P | Methylene chloride | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39 | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Propylbenzene-n | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW39-P | Styrene | 03-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW39 | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW39-P | Tetrachloroethane, 1,1,1,2- | 03-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW39 | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW39-P | Tetrachloroethane, 1,1,2,2- | 03-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW39 | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39-P | Tetrachloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW39 | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW39-P | Toluene | 03-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW39 | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW39-P | Trichlorobenzene-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW39 | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW39-P | Trichlorobenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW39 | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW39-P | Trichloroethane-1,1,1 | 03-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW39 | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW39-P | Trichloroethane-1,1,2 | 03-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW39 | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39-P | Trichloroethylene | 03-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW39 | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Trichlorofluoromethane | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW39-P | Trichloropropane-1,2,3 | 03-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW39 | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW39-P | Trimethylbenzene-1,2,4 | 03-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW39 | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW39-P | Trimethylbenzene-1,3,5 | 03-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW39 | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39-P | Vinyl acetate | 03-Feb-12 | 0.5 U ug/L | | | | | |
| HW39 | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW39-P | Vinyl chloride | 03-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW39 | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW39-P | Xylene-o | 03-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW39 | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW39-P | Nitrogen, Nitrite + Nitrate | 03-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW39 | Total Nitrogen | 03-Feb-12 | 1 U mg/L | | | | | |
| HW39-P | Total Nitrogen | 03-Feb-12 | 1 U mg/L | | | | | |
| HW39 | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW39-P | Total Phosphorus as P | 03-Feb-12 | 0.05 U mg/L | | | | | |
| HW40 | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW40-P | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW40 | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-P | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40 | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40-P | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40 | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40-P | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40 | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW40-P | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW40 | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW40-P | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW40 | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW40-P | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW40 | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW40-P | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW40 | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW40-P | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW40 | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW40-P | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW40 | Methane | 02-Feb-12 | 3.2 U ug/L | 28000 ug/L | | | | |
| HW40-P | Methane | 02-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW40 | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40-P | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | 2-Methoxyethanol | 02-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW40 | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW40-P | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW40-P | 2-Methoxyethanol | 02-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW40 | Diethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW40 | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW40-P | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW40-P | Diethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW40 | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40-P | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW40 | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW40-P | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW40 | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW40-P | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW40-P | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW40 | Triethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW40 | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW40-P | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW40-P | Triethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW40 | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW40-P | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW40 | Chloride | 02-Feb-12 | 35.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW40-P | Chloride | 02-Feb-12 | 34.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW40 | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW40-P | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW40 | Sulfate | 02-Feb-12 | 13 mg/L | | | 250 mg/L | | 250 mg/L |
| HW40-P | Sulfate | 02-Feb-12 | 13 mg/L | | | 250 mg/L | | 250 mg/L |
| HW40 | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-F | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-P | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-PF | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW40 | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW40-F | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW40-P | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW40-PF | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW40 | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW40-F | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW40-P | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW40-PF | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW40 | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW40-F | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW40-P | Arsenic | 02-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW40-PF | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW40 | Barium | 02-Feb-12 | 163 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW40-F | Barium | 02-Feb-12 | 161 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW40-P | Barium | 02-Feb-12 | 160 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW40-PF | Barium | 02-Feb-12 | 170 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW40 | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-F | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW40-P | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW40-PF | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW40 | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW40-F | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW40-P | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW40-PF | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW40 | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-F | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-P | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-PF | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW40 | Calcium | 02-Feb-12 | 36500 ug/L | | | | | |
| HW40-F | Calcium | 02-Feb-12 | 36500 ug/L | | | | | |
| HW40-P | Calcium | 02-Feb-12 | 37600 ug/L | | | | | |
| HW40-PF | Calcium | 02-Feb-12 | 37600 ug/L | | | | | |
| HW40 | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW40-F | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW40-P | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW40-PF | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW40 | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW40-F | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW40-P | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW40-PF | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW40 | Copper | 02-Feb-12 | 12.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW40-F | Copper | 02-Feb-12 | 11 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW40-P | Copper | 02-Feb-12 | 34.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW40-PF | Copper | 02-Feb-12 | 35.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW40 | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW40-F | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW40-P | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW40-PF | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW40 | Lead | 02-Feb-12 | 3.1 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW40-F | Lead | 02-Feb-12 | 1.7 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW40-P | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW40-PF | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW40-F | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW40-P | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW40-PF | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW40 | Magnesium | 02-Feb-12 | 8830 ug/L | | | | | |
| HW40-F | Magnesium | 02-Feb-12 | 8880 ug/L | | | | | |
| HW40-P | Magnesium | 02-Feb-12 | 9320 ug/L | | | | | |
| HW40-PF | Magnesium | 02-Feb-12 | 9280 ug/L | | | | | |
| HW40 | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW40-F | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW40-P | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW40-PF | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW40 | Nickel | 02-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW40-F | Nickel | 02-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW40-P | Nickel | 02-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW40-PF | Nickel | 02-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW40 | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW40-F | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW40-P | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW40-PF | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW40 | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW40-F | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW40-P | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW40-PF | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW40 | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW40-F | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW40-P | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW40-PF | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW40 | Sodium | 02-Feb-12 | 21700 ug/L | 20000 ug/L | | | | |
| HW40-F | Sodium | 02-Feb-12 | 21600 ug/L | 20000 ug/L | | | | |
| HW40-P | Sodium | 02-Feb-12 | 21200 ug/L | 20000 ug/L | | | | |
| HW40-PF | Sodium | 02-Feb-12 | 21200 ug/L | 20000 ug/L | | | | |
| HW40 | Strontium | 02-Feb-12 | 531 ug/L | 9300 ug/L | | | | |
| HW40-F | Strontium | 02-Feb-12 | 527 ug/L | 9300 ug/L | | | | |
| HW40-P | Strontium | 02-Feb-12 | 541 ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-PF | Strontium | 02-Feb-12 | 542 ug/L | 9300 ug/L | | | | |
| HW40 | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-F | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-P | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW40-PF | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW40 | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW40-F | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW40-P | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW40-PF | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW40 | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW40-F | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW40-P | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW40-PF | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW40 | Uranium | 02-Feb-12 | 1.8 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW40-F | Uranium | 02-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW40-P | Uranium | 02-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW40-PF | Uranium | 02-Feb-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW40 | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW40-F | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW40-P | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW40-PF | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW40 | Zinc | 02-Feb-12 | 4.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW40-F | Zinc | 02-Feb-12 | 3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW40-P | Zinc | 02-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW40-PF | Zinc | 02-Feb-12 | 2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW40 | Oil and Grease | 02-Feb-12 | 5 U mg/L | | | | | |
| HW40-P | Oil and Grease | 02-Feb-12 | 5 U mg/L | | | | | |
| HW40 | Total Dissolved Solids | 02-Feb-12 | 181 mg/L | | | 500 mg/L | | 500 mg/L |
| HW40-P | Total Dissolved Solids | 02-Feb-12 | 143 mg/L | | | 500 mg/L | | 500 mg/L |
| HW40 | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW40-P | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW40 | 1-Methylnaphthalene | 02-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW40-P | 1-Methylnaphthalene | 02-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW40 | Acenaphthene | 02-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW40-P | Acenaphthene | 02-Feb-12 | 60 U ug/L | 400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Acenaphthylene | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Acenaphthylene | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Acetophenone | 02-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW40-P | Acetophenone | 02-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW40 | Anthracene | 02-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW40-P | Anthracene | 02-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW40 | Atrazine | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW40-P | Atrazine | 02-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW40 | Benzo(a)anthracene | 02-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW40-P | Benzo(a)anthracene | 02-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW40 | Benzo(a)pyrene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW40-P | Benzo(a)pyrene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW40 | Biphenyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Biphenyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW40-P | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 60 U ug/L | | | | | |
| HW40 | Butylbenzyl phthalate | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW40-P | Butylbenzyl phthalate | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW40 | Caprolactam | 02-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW40-P | Caprolactam | 02-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW40 | Carbazole | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Carbazole | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Chlorobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW40-P | Chlorobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW40 | Chloronaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW40-P | Chloronaphthalene-2 | 02-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW40 | Chlorophenol-2 | 02-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW40-P | Chlorophenol-2 | 02-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW40 | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Chrysene | 02-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW40-P | Chrysene | 02-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW40 | Cresol, parachloro meta- | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Cresol, parachloro meta- | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 57.1 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-P | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 60 U ug/L | | | | | |
| HW40 | Cresol-o | 02-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW40-P | Cresol-o | 02-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW40 | Cresol-p | 02-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW40-P | Cresol-p | 02-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW40 | Dibenz(a,h)anthracene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW40-P | Dibenz(a,h)anthracene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW40 | Dibenzofuran | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Dibenzofuran | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Dichlorobenzidine-3,3' | 02-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW40-P | Dichlorobenzidine-3,3' | 02-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW40 | Dichlorophenol-2,4 | 02-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW40-P | Dichlorophenol-2,4 | 02-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW40 | Dimethylphenol, 2,4- | 02-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW40-P | Dimethylphenol, 2,4- | 02-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW40 | Dinitrophenol-2,4 | 02-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW40-P | Dinitrophenol-2,4 | 02-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW40 | Dinitrotoluene-2,4 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Dinitrotoluene-2,4 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Dinitrotoluene-2,6 | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW40-P | Dinitrotoluene-2,6 | 02-Feb-12 | 60 U ug/L | | | | | |
| HW40 | Ether, bis(2-chloroethyl) | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW40-P | Ether, bis(2-chloroethyl) | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW40 | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW40-P | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 60 U ug/L | | | | | |
| HW40 | Fluoranthene | 02-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW40-P | Fluoranthene | 02-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW40 | Fluoranthene benzo(k) | 02-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW40-P | Fluoranthene benzo(k) | 02-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW40 | Fluoranthene-benzo(b) | 02-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW40-P | Fluoranthene-benzo(b) | 02-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW40 | Fluorene | 02-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW40-P | Fluorene | 02-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW40 | Hexachlorobenzene | 02-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW40-P | Hexachlorobenzene | 02-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW40 | Hexachlorobutadiene | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW40-P | Hexachlorobutadiene | 02-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW40-P | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW40 | Hexachlorocyclopentadiene | 02-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW40-P | Hexachlorocyclopentadiene | 02-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW40 | Hexachloroethane | 02-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW40-P | Hexachloroethane | 02-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW40 | Isophorone | 02-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW40-P | Isophorone | 02-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW40 | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW40-P | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW40 | Methylnaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW40-P | Methylnaphthalene-2 | 02-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW40 | Naphthalene | 02-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW40 | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW40-P | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW40-P | Naphthalene | 02-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW40 | Nitroaniline, ortho | 02-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW40-P | Nitroaniline, ortho | 02-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW40 | Nitroaniline-3 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Nitroaniline-3 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Nitrobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW40-P | Nitrobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW40 | Nitrobenzene | 02-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW40-P | Nitrobenzene | 02-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW40 | Nitrophenol-2 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Nitrophenol-2 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Nitrophenol-4 | 02-Feb-12 | 9.52 U ug/L | | | | | |
| HW40-P | Nitrophenol-4 | 02-Feb-12 | 10 U ug/L | | | | | |
| HW40 | Nitrosodimethylamine-n | 02-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW40-P | Nitrosodimethylamine-n | 02-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW40 | Nitrosodiphenylamine-n | 02-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW40-P | Nitrosodiphenylamine-n | 02-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW40 | Pentachlorophenol | 02-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-P | Pentachlorophenol | 02-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW40 | Perylene-benzo(ghi) | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Perylene-benzo(ghi) | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Phenanthrene | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW40-P | Phenanthrene | 02-Feb-12 | 60 U ug/L | | | | | |
| HW40 | Phenol | 02-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW40-P | Phenol | 02-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW40 | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW40-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW40 | Phthalate, Dimethyl | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW40-P | Phthalate, Dimethyl | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW40 | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW40-P | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW40 | Phthalate, di-n-octyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW40-P | Phthalate, di-n-octyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW40 | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW40-P | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW40 | Propylamine,n-nitroso di-n- | 02-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW40-P | Propylamine,n-nitroso di-n- | 02-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW40 | Pyrene | 02-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW40-P | Pyrene | 02-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW40 | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW40-P | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW40 | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW40-P | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW40 | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW40-P | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW40 | Trichlorophenol-2,4,5 | 02-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW40-P | Trichlorophenol-2,4,5 | 02-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW40 | Trichlorophenol-2,4,6 | 02-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW40-P | Trichlorophenol-2,4,6 | 02-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW40 | TPH - Diesel Range Organics | 02-Feb-12 | 240 U ug/L | | | | | |
| HW40-P | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |
| HW40 | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW40-P | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | TPH - Oil Range Organics | 02-Feb-12 | 950 U ug/L | | | | | |
| HW40-P | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW40 | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW40-P | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW40 | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW40-P | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW40 | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW40-P | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW40 | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40-P | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40 | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40-P | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40 | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40-P | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40 | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW40-P | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW40 | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40-P | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40 | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW40-P | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW40 | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-P | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW40 | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40-P | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40 | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40-P | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40 | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW40-P | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW40 | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW40-P | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW40 | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW40-P | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW40 | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40-P | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW40 | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW40-P | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW40 | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-P | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW40 | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW40-P | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW40 | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW40-P | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW40 | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW40-P | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW40 | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-P | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW40 | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW40-P | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW40 | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW40-P | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW40 | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40-P | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40 | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW40-P | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW40 | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW40-P | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW40 | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40-P | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40 | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40-P | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40 | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW40-P | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW40 | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40-P | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW40 | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40-P | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40 | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40-P | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW40 | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW40-P | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW40 | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW40-P | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW40 | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40-P | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40 | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW40-P | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW40 | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW40-P | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW40 | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW40-P | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW40 | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW40-P | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW40 | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW40-P | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW40 | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40-P | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW40 | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW40-P | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW40 | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW40-P | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW40 | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW40-P | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW40 | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40-P | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW40 | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW40-P | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW40 | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW40-P | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW40 | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 1.44 mg/L | | 10 mg/L | | 10 mg/L | |
| HW40-P | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 1.45 mg/L | | 10 mg/L | | 10 mg/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW40 | Total Nitrogen | 02-Feb-12 | 1.44 mg/L | | | | | |
| HW40-P | Total Nitrogen | 02-Feb-12 | 1.41 mg/L | | | | | |
| HW40 | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW40-P | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW41 | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW41-P | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW41 | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41-P | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41 | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41-P | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41 | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41-P | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41 | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW41-P | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW41 | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW41-P | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW41 | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW41-P | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW41 | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW41-P | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW41 | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW41-P | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW41 | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW41-P | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW41 | Methane | 02-Feb-12 | 4 J ug/L | 28000 ug/L | | | | |
| HW41-P | Methane | 02-Feb-12 | 3.8 J ug/L | 28000 ug/L | | | | |
| HW41 | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41 | 2-Methoxyethanol | 02-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW41 | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW41-P | 2-Methoxyethanol | 02-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW41-P | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW41 | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW41 | Diethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW41-P | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Diethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW41 | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41-P | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW41 | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW41-P | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW41 | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW41-P | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW41 | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW41-P | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW41 | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW41 | Triethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW41-P | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW41-P | Triethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW41 | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW41-P | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW41 | Chloride | 02-Feb-12 | 0.91 mg/L | | | 250 mg/L | | 250 mg/L |
| HW41-P | Chloride | 02-Feb-12 | 0.925 mg/L | | | 250 mg/L | | 250 mg/L |
| HW41 | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW41-P | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW41 | Sulfate | 02-Feb-12 | 6.96 mg/L | | | 250 mg/L | | 250 mg/L |
| HW41-P | Sulfate | 02-Feb-12 | 7.03 mg/L | | | 250 mg/L | | 250 mg/L |
| HW41 | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-F | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-P | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-PF | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW41 | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW41-F | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW41-P | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW41-PF | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW41 | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW41-F | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW41-P | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW41-PF | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW41 | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW41-F | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW41-PF | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW41 | Barium | 02-Feb-12 | 139 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW41-F | Barium | 02-Feb-12 | 148 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW41-P | Barium | 02-Feb-12 | 148 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW41-PF | Barium | 02-Feb-12 | 140 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW41 | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW41-F | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW41-P | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW41-PF | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW41 | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW41-F | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW41-P | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW41-PF | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW41 | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-F | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-P | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-PF | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW41 | Calcium | 02-Feb-12 | 44500 ug/L | | | | | |
| HW41-F | Calcium | 02-Feb-12 | 45700 ug/L | | | | | |
| HW41-P | Calcium | 02-Feb-12 | 44600 ug/L | | | | | |
| HW41-PF | Calcium | 02-Feb-12 | 45500 ug/L | | | | | |
| HW41 | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW41-F | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW41-P | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW41-PF | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW41 | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW41-F | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW41-P | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW41-PF | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW41 | Copper | 02-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW41-F | Copper | 02-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW41-P | Copper | 02-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW41-PF | Copper | 02-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW41 | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-F | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW41-P | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW41-PF | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW41 | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW41-F | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW41-P | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW41-PF | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW41 | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW41-F | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW41-P | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW41-PF | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW41 | Magnesium | 02-Feb-12 | 9480 ug/L | | | | | |
| HW41-F | Magnesium | 02-Feb-12 | 9640 ug/L | | | | | |
| HW41-P | Magnesium | 02-Feb-12 | 9380 ug/L | | | | | |
| HW41-PF | Magnesium | 02-Feb-12 | 9620 ug/L | | | | | |
| HW41 | Manganese | 02-Feb-12 | 21 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW41-F | Manganese | 02-Feb-12 | 22 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW41-P | Manganese | 02-Feb-12 | 24.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW41-PF | Manganese | 02-Feb-12 | 21.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW41 | Nickel | 02-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW41-F | Nickel | 02-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW41-P | Nickel | 02-Feb-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW41-PF | Nickel | 02-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW41 | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW41-F | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW41-P | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW41-PF | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW41 | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW41-F | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW41-P | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW41-PF | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW41 | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW41-F | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW41-P | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW41-PF | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41 | Sodium | 02-Feb-12 | 23100 ug/L | 20000 ug/L | | | | |
| HW41-F | Sodium | 02-Feb-12 | 23600 ug/L | 20000 ug/L | | | | |
| HW41-P | Sodium | 02-Feb-12 | 23400 ug/L | 20000 ug/L | | | | |
| HW41-PF | Sodium | 02-Feb-12 | 23600 ug/L | 20000 ug/L | | | | |
| HW41 | Strontium | 02-Feb-12 | 319 ug/L | 9300 ug/L | | | | |
| HW41-F | Strontium | 02-Feb-12 | 325 ug/L | 9300 ug/L | | | | |
| HW41-P | Strontium | 02-Feb-12 | 314 ug/L | 9300 ug/L | | | | |
| HW41-PF | Strontium | 02-Feb-12 | 317 ug/L | 9300 ug/L | | | | |
| HW41 | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-F | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-P | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW41-PF | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW41 | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW41-F | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW41-P | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW41-PF | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW41 | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW41-F | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW41-P | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW41-PF | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW41 | Uranium | 02-Feb-12 | 3.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW41-F | Uranium | 02-Feb-12 | 3.5 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW41-P | Uranium | 02-Feb-12 | 3.5 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW41-PF | Uranium | 02-Feb-12 | 3.3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW41 | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW41-F | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW41-P | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW41-PF | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW41 | Zinc | 02-Feb-12 | 2.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW41-F | Zinc | 02-Feb-12 | 2.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW41-P | Zinc | 02-Feb-12 | 3.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW41-PF | Zinc | 02-Feb-12 | 2.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW41 | Oil and Grease | 02-Feb-12 | 5 U mg/L | | | | | |
| HW41-P | Oil and Grease | 02-Feb-12 | 5 U mg/L | | | | | |
| HW41 | Total Dissolved Solids | 02-Feb-12 | 194 mg/L | | | 500 mg/L | | 500 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Total Dissolved Solids | 02-Feb-12 | 195 mg/L | | | 500 mg/L | | 500 mg/L |
| HW41 | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW41-P | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW41 | 1-Methylnaphthalene | 02-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW41-P | 1-Methylnaphthalene | 02-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW41 | Acenaphthene | 02-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW41-P | Acenaphthene | 02-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW41 | Acenaphthylene | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Acenaphthylene | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Acetophenone | 02-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW41-P | Acetophenone | 02-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW41 | Anthracene | 02-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW41-P | Anthracene | 02-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW41 | Atrazine | 02-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW41-P | Atrazine | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW41 | Benzo(a)anthracene | 02-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW41-P | Benzo(a)anthracene | 02-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW41 | Benzo(a)pyrene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW41-P | Benzo(a)pyrene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW41 | Biphenyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Biphenyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 60 U ug/L | | | | | |
| HW41-P | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW41 | Butylbenzyl phthalate | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW41-P | Butylbenzyl phthalate | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW41 | Caprolactam | 02-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW41-P | Caprolactam | 02-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW41 | Carbazole | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Carbazole | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Chlorobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW41-P | Chlorobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW41 | Chloronaphthalene-2 | 02-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW41-P | Chloronaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW41 | Chlorophenol-2 | 02-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW41-P | Chlorophenol-2 | 02-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41 | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Chrysene | 02-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW41-P | Chrysene | 02-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW41 | Cresol, parachloro meta- | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Cresol, parachloro meta- | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 60 U ug/L | | | | | |
| HW41-P | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW41 | Cresol-o | 02-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW41-P | Cresol-o | 02-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW41 | Cresol-p | 02-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW41-P | Cresol-p | 02-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW41 | Dibenz(a,h)anthracene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW41-P | Dibenz(a,h)anthracene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW41 | Dibenzofuran | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Dibenzofuran | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Dichlorobenzidine-3,3' | 02-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW41-P | Dichlorobenzidine-3,3' | 02-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW41 | Dichlorophenol-2,4 | 02-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW41-P | Dichlorophenol-2,4 | 02-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW41 | Dimethylphenol, 2,4- | 02-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW41-P | Dimethylphenol, 2,4- | 02-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW41 | Dinitrophenol-2,4 | 02-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW41-P | Dinitrophenol-2,4 | 02-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW41 | Dinitrotoluene-2,4 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Dinitrotoluene-2,4 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Dinitrotoluene-2,6 | 02-Feb-12 | 60 U ug/L | | | | | |
| HW41-P | Dinitrotoluene-2,6 | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW41 | Ether, bis(2-chloroethyl) | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW41-P | Ether, bis(2-chloroethyl) | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW41 | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 60 U ug/L | | | | | |
| HW41-P | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW41 | Fluoranthene | 02-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW41-P | Fluoranthene | 02-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW41 | Fluoranthene benzo(k) | 02-Feb-12 | 5 U ug/L | 29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Fluoranthene benzo(k) | 02-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW41 | Fluoranthene-benzo(b) | 02-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW41-P | Fluoranthene-benzo(b) | 02-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW41 | Fluorene | 02-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW41-P | Fluorene | 02-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW41 | Hexachlorobenzene | 02-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW41-P | Hexachlorobenzene | 02-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW41 | Hexachlorobutadiene | 02-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW41 | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW41-P | Hexachlorobutadiene | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW41-P | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW41 | Hexachlorocyclopentadiene | 02-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW41-P | Hexachlorocyclopentadiene | 02-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW41 | Hexachloroethane | 02-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW41-P | Hexachloroethane | 02-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW41 | Isophorone | 02-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW41-P | Isophorone | 02-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW41 | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW41-P | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW41 | Methylnaphthalene-2 | 02-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW41-P | Methylnaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW41 | Naphthalene | 02-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW41 | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW41-P | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW41-P | Naphthalene | 02-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW41 | Nitroaniline, ortho | 02-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW41-P | Nitroaniline, ortho | 02-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW41 | Nitroaniline-3 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Nitroaniline-3 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Nitrobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW41-P | Nitrobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW41 | Nitrobenzene | 02-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW41-P | Nitrobenzene | 02-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW41 | Nitrophenol-2 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Nitrophenol-2 | 02-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41 | Nitrophenol-4 | 02-Feb-12 | 10 U ug/L | | | | | |
| HW41-P | Nitrophenol-4 | 02-Feb-12 | 9.52 U ug/L | | | | | |
| HW41 | Nitrosodimethylamine-n | 02-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW41-P | Nitrosodimethylamine-n | 02-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW41 | Nitrosodiphenylamine-n | 02-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW41-P | Nitrosodiphenylamine-n | 02-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW41 | Pentachlorophenol | 02-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW41-P | Pentachlorophenol | 02-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW41 | Perylene-benzo(ghi) | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Perylene-benzo(ghi) | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Phenanthrene | 02-Feb-12 | 60 U ug/L | | | | | |
| HW41-P | Phenanthrene | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW41 | Phenol | 02-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW41-P | Phenol | 02-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW41 | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW41-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW41 | Phthalate, Dimethyl | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW41-P | Phthalate, Dimethyl | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW41 | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW41-P | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW41 | Phthalate, di-n-octyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW41-P | Phthalate, di-n-octyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW41 | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW41-P | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW41 | Propylamine,n-nitroso di-n- | 02-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW41-P | Propylamine,n-nitroso di-n- | 02-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW41 | Pyrene | 02-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW41-P | Pyrene | 02-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW41 | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW41-P | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW41 | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW41-P | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW41 | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW41-P | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW41 | Trichlorophenol-2,4,5 | 02-Feb-12 | 5 U ug/L | 890 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Trichlorophenol-2,4,5 | 02-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW41 | Trichlorophenol-2,4,6 | 02-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW41-P | Trichlorophenol-2,4,6 | 02-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW41 | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |
| HW41-P | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |
| HW41 | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW41-P | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW41 | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW41-P | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW41 | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW41-P | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW41 | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW41-P | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW41 | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW41-P | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW41 | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41-P | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41 | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41-P | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41 | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41-P | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41 | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW41-P | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW41 | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41 | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Chloroform | 02-Feb-12 | 0.05 J ug/L | | 80 ug/L | | 80 ug/L | |
| HW41-P | Chloroform | 02-Feb-12 | 0.06 J ug/L | | 80 ug/L | | 80 ug/L | |
| HW41 | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW41-P | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW41 | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW41-P | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW41 | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41-P | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41 | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41-P | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41 | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW41-P | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW41 | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW41-P | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW41 | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW41-P | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW41 | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41-P | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW41 | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW41-P | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW41 | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-P | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW41 | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW41-P | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW41 | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW41-P | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW41 | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW41 | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-P | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW41 | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW41-P | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW41 | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW41-P | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW41 | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41-P | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41 | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW41-P | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW41 | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW41-P | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW41 | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41-P | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41 | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41-P | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41 | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW41-P | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41 | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41-P | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW41 | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41-P | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41 | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW41-P | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW41 | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW41-P | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW41 | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW41-P | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW41 | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41-P | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41 | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW41-P | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW41 | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW41-P | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW41 | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW41-P | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW41 | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW41-P | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW41 | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW41-P | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW41 | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41-P | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW41 | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41-P | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW41-P | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW41 | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW41-P | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW41 | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW41-P | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW41 | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW41-P | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW41 | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW41-P | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW41 | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW41-P | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW41 | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW41-P | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW41 | Total Nitrogen | 02-Feb-12 | 1 U mg/L | | | | | |
| HW41-P | Total Nitrogen | 02-Feb-12 | 1 U mg/L | | | | | |
| HW41 | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW41-P | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW42 | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW42z | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW42 | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42z | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42 | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42z | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42 | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42z | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42 | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW42z | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW42 | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW42z | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW42 | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW42z | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW42 | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW42z | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW42 | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW42z | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW42 | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW42z | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW42 | Methane | 02-Feb-12 | 6.2 U ug/L | 28000 ug/L | | | | |
| HW42z | Methane | 02-Feb-12 | 18 J ug/L | 28000 ug/L | | | | |
| HW42 | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW42 | 2-Methoxyethanol | 02-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW42z | 2-Methoxyethanol | 02-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW42z | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW42 | Diethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW42 | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW42z | Diethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW42z | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW42 | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42z | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW42 | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW42z | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW42 | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW42z | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW42 | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW42z | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW42 | Triethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW42 | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW42z | Triethylene glycol | 02-Feb-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW42z | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW42 | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW42z | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW42 | Chloride | 02-Feb-12 | 14.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW42z | Chloride | 02-Feb-12 | 14.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW42 | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW42z | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW42 | Sulfate | 02-Feb-12 | 8.92 mg/L | | | 250 mg/L | | 250 mg/L |
| HW42z | Sulfate | 02-Feb-12 | 8.95 mg/L | | | 250 mg/L | | 250 mg/L |
| HW42 | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW42-F | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW42z | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW42z-F | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW42 | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW42-F | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW42z | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z-F | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW42 | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW42-F | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW42z | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW42z-F | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW42 | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW42-F | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW42z | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW42z-F | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW42 | Barium | 02-Feb-12 | 30.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW42-F | Barium | 02-Feb-12 | 29.8 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW42z | Barium | 02-Feb-12 | 29.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW42z-F | Barium | 02-Feb-12 | 29.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW42 | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW42-F | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW42z | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW42z-F | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW42 | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW42-F | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW42z | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW42z-F | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW42 | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW42-F | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW42z | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW42z-F | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW42 | Calcium | 02-Feb-12 | 7970 ug/L | | | | | |
| HW42-F | Calcium | 02-Feb-12 | 7840 ug/L | | | | | |
| HW42z | Calcium | 02-Feb-12 | 8000 ug/L | | | | | |
| HW42z-F | Calcium | 02-Feb-12 | 8140 ug/L | | | | | |
| HW42 | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW42-F | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW42z | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW42z-F | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW42 | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW42-F | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW42z-F | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW42 | Copper | 02-Feb-12 | 40.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW42-F | Copper | 02-Feb-12 | 34.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW42z | Copper | 02-Feb-12 | 31.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW42z-F | Copper | 02-Feb-12 | 29.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW42 | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW42-F | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW42z | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW42z-F | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW42 | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW42-F | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW42z | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW42z-F | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW42 | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW42-F | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW42z | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW42z-F | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW42 | Magnesium | 02-Feb-12 | 1500 ug/L | | | | | |
| HW42-F | Magnesium | 02-Feb-12 | 1470 ug/L | | | | | |
| HW42z | Magnesium | 02-Feb-12 | 1490 ug/L | | | | | |
| HW42z-F | Magnesium | 02-Feb-12 | 1520 ug/L | | | | | |
| HW42 | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW42-F | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW42z | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW42z-F | Manganese | 02-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW42 | Nickel | 02-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW42-F | Nickel | 02-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW42z | Nickel | 02-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW42z-F | Nickel | 02-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW42 | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW42-F | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW42z | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW42z-F | Potassium | 02-Feb-12 | 2000 U ug/L | | | | | |
| HW42 | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42-F | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW42z | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW42z-F | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW42 | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW42-F | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW42z | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW42z-F | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW42 | Sodium | 02-Feb-12 | 11700 ug/L | 20000 ug/L | | | | |
| HW42-F | Sodium | 02-Feb-12 | 11500 ug/L | 20000 ug/L | | | | |
| HW42z | Sodium | 02-Feb-12 | 11700 ug/L | 20000 ug/L | | | | |
| HW42z-F | Sodium | 02-Feb-12 | 11900 ug/L | 20000 ug/L | | | | |
| HW42 | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42-F | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42z | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42z-F | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42 | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW42-F | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW42z | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW42z-F | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW42 | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42-F | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42z | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42z-F | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW42 | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW42-F | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW42z | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW42z-F | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW42 | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW42-F | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW42z | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW42z-F | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW42 | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW42-F | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW42z | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW42z-F | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | Zinc | 02-Feb-12 | 5.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW42-F | Zinc | 02-Feb-12 | 5.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW42z | Zinc | 02-Feb-12 | 5.5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW42z-F | Zinc | 02-Feb-12 | 4.4 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW42 | Oil and Grease | 02-Feb-12 | 5 UJ mg/L | | | | | |
| HW42z | Oil and Grease | 02-Feb-12 | 5 UJ mg/L | | | | | |
| HW42 | Total Dissolved Solids | 02-Feb-12 | 52 mg/L | | | 500 mg/L | | 500 mg/L |
| HW42z | Total Dissolved Solids | 02-Feb-12 | 34 mg/L | | | 500 mg/L | | 500 mg/L |
| HW42 | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW42z | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW42 | 1-Methylnaphthalene | 02-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW42z | 1-Methylnaphthalene | 02-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW42 | Acenaphthene | 02-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW42z | Acenaphthene | 02-Feb-12 | 60 U ug/L | 400 ug/L | | | | |
| HW42 | Acenaphthylene | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Acenaphthylene | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Acetophenone | 02-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW42z | Acetophenone | 02-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW42 | Anthracene | 02-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW42z | Anthracene | 02-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW42 | Atrazine | 02-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW42z | Atrazine | 02-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW42 | Benzo(a)anthracene | 02-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW42z | Benzo(a)anthracene | 02-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW42 | Benzo(a)pyrene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW42z | Benzo(a)pyrene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW42 | Biphenyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Biphenyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42z | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42 | Butylbenzyl phthalate | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW42z | Butylbenzyl phthalate | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW42 | Caprolactam | 02-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW42z | Caprolactam | 02-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW42 | Carbazole | 02-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z | Carbazole | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Chlorobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW42z | Chlorobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW42 | Chloronaphthalene-2 | 02-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW42z | Chloronaphthalene-2 | 02-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW42 | Chlorophenol-2 | 02-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW42z | Chlorophenol-2 | 02-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW42 | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Chrysene | 02-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW42z | Chrysene | 02-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW42 | Cresol, parachloro meta- | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Cresol, parachloro meta- | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42z | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42 | Cresol-o | 02-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW42z | Cresol-o | 02-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW42 | Cresol-p | 02-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW42z | Cresol-p | 02-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW42 | Dibenz(a,h)anthracene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW42z | Dibenz(a,h)anthracene | 02-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW42 | Dibenzofuran | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Dibenzofuran | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Dichlorobenzidine-3,3' | 02-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW42z | Dichlorobenzidine-3,3' | 02-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW42 | Dichlorophenol-2,4 | 02-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW42z | Dichlorophenol-2,4 | 02-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW42 | Dimethylphenol, 2,4- | 02-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW42z | Dimethylphenol, 2,4- | 02-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW42 | Dinitrophenol-2,4 | 02-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW42z | Dinitrophenol-2,4 | 02-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW42 | Dinitrotoluene-2,4 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Dinitrotoluene-2,4 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Dinitrotoluene-2,6 | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42z | Dinitrotoluene-2,6 | 02-Feb-12 | 60 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | Ether, bis(2-chloroethyl) | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW42z | Ether, bis(2-chloroethyl) | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW42 | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42z | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42 | Fluoranthene | 02-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW42z | Fluoranthene | 02-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW42 | Fluoranthene benzo(k) | 02-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW42z | Fluoranthene benzo(k) | 02-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW42 | Fluoranthene-benzo(b) | 02-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW42z | Fluoranthene-benzo(b) | 02-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW42 | Fluorene | 02-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW42z | Fluorene | 02-Feb-12 | 60 U ug/L | 220 ug/L | | | | |
| HW42 | Hexachlorobenzene | 02-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW42z | Hexachlorobenzene | 02-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW42 | Hexachlorobutadiene | 02-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW42 | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW42z | Hexachlorobutadiene | 02-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW42z | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW42 | Hexachlorocyclopentadiene | 02-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW42z | Hexachlorocyclopentadiene | 02-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW42 | Hexachloroethane | 02-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW42z | Hexachloroethane | 02-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW42 | Isophorone | 02-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW42z | Isophorone | 02-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW42 | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW42z | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW42 | Methylnaphthalene-2 | 02-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW42z | Methylnaphthalene-2 | 02-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW42 | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW42 | Naphthalene | 02-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW42z | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW42z | Naphthalene | 02-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW42 | Nitroaniline, ortho | 02-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW42z | Nitroaniline, ortho | 02-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW42 | Nitroaniline-3 | 02-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z | Nitroaniline-3 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Nitrobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW42z | Nitrobenzenamine-4 | 02-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW42 | Nitrobenzene | 02-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW42z | Nitrobenzene | 02-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW42 | Nitrophenol-2 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Nitrophenol-2 | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Nitrophenol-4 | 02-Feb-12 | 10 U ug/L | | | | | |
| HW42z | Nitrophenol-4 | 02-Feb-12 | 10 U ug/L | | | | | |
| HW42 | Nitrosodimethylamine-n | 02-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW42z | Nitrosodimethylamine-n | 02-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW42 | Nitrosodiphenylamine-n | 02-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW42z | Nitrosodiphenylamine-n | 02-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW42 | Pentachlorophenol | 02-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW42z | Pentachlorophenol | 02-Feb-12 | 60 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW42 | Perylene-benzo(ghi) | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Perylene-benzo(ghi) | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Phenanthrene | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42z | Phenanthrene | 02-Feb-12 | 60 U ug/L | | | | | |
| HW42 | Phenol | 02-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW42z | Phenol | 02-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW42 | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW42z | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW42 | Phthalate, Dimethyl | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW42z | Phthalate, Dimethyl | 02-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW42 | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW42z | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW42 | Phthalate, di-n-octyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42z | Phthalate, di-n-octyl | 02-Feb-12 | 5 U ug/L | | | | | |
| HW42 | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW42z | Phthalate-diethyl | 02-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW42 | Propylamine,n-nitroso di-n- | 02-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW42z | Propylamine,n-nitroso di-n- | 02-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW42 | Pyrene | 02-Feb-12 | 60 U ug/L | 87 ug/L | | | | |
| HW42z | Pyrene | 02-Feb-12 | 60 U ug/L | 87 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW42z | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW42 | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW42z | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW42 | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW42z | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW42 | Trichlorophenol-2,4,5 | 02-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW42z | Trichlorophenol-2,4,5 | 02-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW42 | Trichlorophenol-2,4,6 | 02-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW42z | Trichlorophenol-2,4,6 | 02-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW42 | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |
| HW42z | TPH - Diesel Range Organics | 02-Feb-12 | 270 U ug/L | | | | | |
| HW42 | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW42z | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW42 | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW42z | TPH - Oil Range Organics | 02-Feb-12 | 1100 U ug/L | | | | | |
| HW42 | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW42z | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW42 | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW42z | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW42 | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW42z | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW42 | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42z | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42 | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42z | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42 | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42z | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42 | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW42z | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW42 | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42z | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42 | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW42z | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW42 | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW42z | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW42 | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42z | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42 | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42z | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42 | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW42z | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW42 | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW42z | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW42 | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW42z | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW42 | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42z | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW42 | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW42z | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW42z | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW42 | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW42z | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW42 | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW42z | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW42 | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW42z | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW42 | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW42z | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW42 | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW42z | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW42 | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW42z | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW42 | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42z | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42 | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW42z | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW42 | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW42z | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW42 | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42z | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42 | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42z | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42z | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42 | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW42z | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW42 | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42z | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW42 | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42z | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42 | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW42z | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW42 | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW42z | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW42 | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW42z | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW42 | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42z | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42 | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW42z | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW42 | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW42z | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW42 | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW42z | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW42 | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW42z | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW42 | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW42z | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW42 | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42z | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW42 | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW42 | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW42z | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW42 | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW42z | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW42 | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW42z | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW42 | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42z | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW42 | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW42z | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW42 | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW42z | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW42 | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 0.93 mg/L | | 10 mg/L | | 10 mg/L | |
| HW42z | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 0.914 mg/L | | 10 mg/L | | 10 mg/L | |
| HW42 | Total Nitrogen | 02-Feb-12 | 1 U mg/L | | | | | |
| HW42z | Total Nitrogen | 02-Feb-12 | 1 J mg/L | | | | | |
| HW42 | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW42z | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW43 | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW43-P | 1-Butanol | 06-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW43 | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43-P | 1-Propanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43 | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43-P | 2-Butanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43 | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43-P | Ethanol | 06-Feb-12 | 10000 U ug/L | | | | | |
| HW43 | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW43-P | Methanol | 06-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW43 | Anionic Surfactants | 06-Feb-12 | 0.01 U mg/L | | | | | |
| HW43-P | Anionic Surfactants | 06-Feb-12 | 0.01 U mg/L | | | | | |
| HW43 | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW43-P | Heterotrophic Plate Count | 06-Feb-12 | R cfu/1mL | | | | | |
| HW43 | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW43-P | Total Coliform Bacteria | 06-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW43 | Ethane | 06-Feb-12 | 1.2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Ethane | 06-Feb-12 | 1.2 U ug/L | | | | | |
| HW43 | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW43-P | Ethene | 06-Feb-12 | 1.1 U ug/L | | | | | |
| HW43 | Methane | 06-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW43-P | Methane | 06-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW43 | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43-P | 2-Butoxyethanol | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW43 | 2-Methoxyethanol | 06-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW43-P | 2-Methoxyethanol | 06-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW43-P | 2-Methoxyethanol | 06-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW43 | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW43-P | Diethylene Glycol | 06-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW43 | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW43-P | Ethylene Glycol | 06-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW43 | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW43-P | Tetraethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW43 | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW43-P | Triethylene glycol | 06-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW43 | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW43-P | Bromide | 06-Feb-12 | 0.5 U mg/L | | | | | |
| HW43 | Chloride | 06-Feb-12 | 11.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW43-P | Chloride | 06-Feb-12 | 11.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW43 | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW43-P | Fluoride | 06-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW43 | Sulfate | 06-Feb-12 | 11.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW43-P | Sulfate | 06-Feb-12 | 11.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW43 | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-F | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-P | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-PF | Mercury | 06-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW43 | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW43-F | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW43-P | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW43-PF | Aluminum | 06-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43 | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW43-F | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW43-P | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW43-PF | Antimony | 06-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW43 | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW43-F | Arsenic | 06-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW43-P | Arsenic | 06-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW43-PF | Arsenic | 06-Feb-12 | 1.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW43 | Barium | 06-Feb-12 | 213 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW43-F | Barium | 06-Feb-12 | 206 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW43-P | Barium | 06-Feb-12 | 213 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW43-PF | Barium | 06-Feb-12 | 200 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW43 | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW43-F | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW43-P | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW43-PF | Beryllium | 06-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW43 | Boron | 06-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW43-F | Boron | 06-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW43-P | Boron | 06-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW43-PF | Boron | 06-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW43 | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW43-F | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW43-P | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW43-PF | Cadmium | 06-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW43 | Calcium | 06-Feb-12 | 37100 ug/L | | | | | |
| HW43-F | Calcium | 06-Feb-12 | 35500 ug/L | | | | | |
| HW43-P | Calcium | 06-Feb-12 | 36200 ug/L | | | | | |
| HW43-PF | Calcium | 06-Feb-12 | 36000 ug/L | | | | | |
| HW43 | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW43-F | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW43-P | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW43-PF | Chromium | 06-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW43 | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW43-F | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW43-P | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-PF | Cobalt | 06-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW43 | Copper | 06-Feb-12 | 3.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW43-F | Copper | 06-Feb-12 | 2.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW43-P | Copper | 06-Feb-12 | 3.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW43-PF | Copper | 06-Feb-12 | 3.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW43 | Iron | 06-Feb-12 | 240 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW43-F | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW43-P | Iron | 06-Feb-12 | 204 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW43-PF | Iron | 06-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW43 | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW43-F | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW43-P | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW43-PF | Lead | 06-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW43 | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW43-F | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW43-P | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW43-PF | Lithium | 06-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW43 | Magnesium | 06-Feb-12 | 8210 ug/L | | | | | |
| HW43-F | Magnesium | 06-Feb-12 | 7870 ug/L | | | | | |
| HW43-P | Magnesium | 06-Feb-12 | 8010 ug/L | | | | | |
| HW43-PF | Magnesium | 06-Feb-12 | 7920 ug/L | | | | | |
| HW43 | Manganese | 06-Feb-12 | 1.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW43-F | Manganese | 06-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW43-P | Manganese | 06-Feb-12 | 1.6 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW43-PF | Manganese | 06-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW43 | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW43-F | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW43-P | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW43-PF | Nickel | 06-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW43 | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW43-F | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW43-P | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW43-PF | Potassium | 06-Feb-12 | 2000 U ug/L | | | | | |
| HW43 | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW43-F | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW43-PF | Selenium | 06-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW43 | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW43-F | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW43-P | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW43-PF | Silver | 06-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW43 | Sodium | 06-Feb-12 | 10900 ug/L | 20000 ug/L | | | | |
| HW43-F | Sodium | 06-Feb-12 | 10600 ug/L | 20000 ug/L | | | | |
| HW43-P | Sodium | 06-Feb-12 | 10700 ug/L | 20000 ug/L | | | | |
| HW43-PF | Sodium | 06-Feb-12 | 10800 ug/L | 20000 ug/L | | | | |
| HW43 | Strontium | 06-Feb-12 | 484 ug/L | 9300 ug/L | | | | |
| HW43-F | Strontium | 06-Feb-12 | 468 ug/L | 9300 ug/L | | | | |
| HW43-P | Strontium | 06-Feb-12 | 474 ug/L | 9300 ug/L | | | | |
| HW43-PF | Strontium | 06-Feb-12 | 478 ug/L | 9300 ug/L | | | | |
| HW43 | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-F | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-P | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW43-PF | Thallium | 06-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW43 | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW43-F | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW43-P | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW43-PF | Tin | 06-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW43 | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW43-F | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW43-P | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW43-PF | Titanium | 06-Feb-12 | 200 U ug/L | | | | | |
| HW43 | Uranium | 06-Feb-12 | 4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW43-F | Uranium | 06-Feb-12 | 3.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW43-P | Uranium | 06-Feb-12 | 4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW43-PF | Uranium | 06-Feb-12 | 3.8 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW43 | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW43-F | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW43-P | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW43-PF | Vanadium | 06-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW43 | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-F | Zinc | 06-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW43-P | Zinc | 06-Feb-12 | 4.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW43-PF | Zinc | 06-Feb-12 | 3.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW43 | Oil and Grease | 06-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW43-P | Oil and Grease | 06-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW43 | Total Dissolved Solids | 06-Feb-12 | 162 mg/L | | | 500 mg/L | | 500 mg/L |
| HW43-P | Total Dissolved Solids | 06-Feb-12 | 168 mg/L | | | 500 mg/L | | 500 mg/L |
| HW43 | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW43-P | Total Suspended Solids | 06-Feb-12 | 10 U mg/L | | | | | |
| HW43 | 1-Methylnaphthalene | 06-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW43-P | 1-Methylnaphthalene | 06-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW43 | Acenaphthene | 06-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW43-P | Acenaphthene | 06-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW43 | Acenaphthylene | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Acenaphthylene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Acetophenone | 06-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW43-P | Acetophenone | 06-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW43 | Anthracene | 06-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW43-P | Anthracene | 06-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW43 | Atrazine | 06-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW43-P | Atrazine | 06-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW43 | Benzo(a)anthracene | 06-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW43-P | Benzo(a)anthracene | 06-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW43 | Benzo(a)pyrene | 06-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW43-P | Benzo(a)pyrene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW43 | Biphenyl | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Biphenyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Bromophenyl-4 Phenyl Ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Butylbenzyl phthalate | 06-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW43-P | Butylbenzyl phthalate | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW43 | Caprolactam | 06-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW43-P | Caprolactam | 06-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW43 | Carbazole | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Carbazole | 06-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43 | Chlorobenzenamine-4 | 06-Feb-12 | 60 U ug/L | 3.2 ug/L | | | | |
| HW43-P | Chlorobenzenamine-4 | 06-Feb-12 | 60 U ug/L | 3.2 ug/L | | | | |
| HW43 | Chloronaphthalene-2 | 06-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW43-P | Chloronaphthalene-2 | 06-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW43 | Chlorophenol-2 | 06-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW43-P | Chlorophenol-2 | 06-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW43 | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Chlorophenyl-4 phenyl ether | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Chrysene | 06-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW43-P | Chrysene | 06-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW43 | Cresol, parachloro meta- | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Cresol, parachloro meta- | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 9.52 U ug/L | | | | | |
| HW43-P | Cresol-4,6-dinitro-ortho | 06-Feb-12 | 10 U ug/L | | | | | |
| HW43 | Cresol-o | 06-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW43-P | Cresol-o | 06-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW43 | Cresol-p | 06-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW43-P | Cresol-p | 06-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW43 | Dibenz(a,h)anthracene | 06-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW43-P | Dibenz(a,h)anthracene | 06-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW43 | Dibenzofuran | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Dibenzofuran | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Dichlorobenzidine-3,3' | 06-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW43-P | Dichlorobenzidine-3,3' | 06-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW43 | Dichlorophenol-2,4 | 06-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW43-P | Dichlorophenol-2,4 | 06-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW43 | Dimethylphenol, 2,4- | 06-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW43-P | Dimethylphenol, 2,4- | 06-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW43 | Dinitrophenol-2,4 | 06-Feb-12 | 4.76 U ug/L | 30 ug/L | | | | |
| HW43-P | Dinitrophenol-2,4 | 06-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW43 | Dinitrotoluene-2,4 | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Dinitrotoluene-2,4 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Dinitrotoluene-2,6 | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Dinitrotoluene-2,6 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Ether, bis(2-chloroethyl) | 06-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Ether, bis(2-chloroethyl) | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW43 | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Ether-bis(2-chloroisopropyl) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Fluoranthene | 06-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW43-P | Fluoranthene | 06-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW43 | Fluoranthene benzo(k) | 06-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW43-P | Fluoranthene benzo(k) | 06-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW43 | Fluoranthene-benzo(b) | 06-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW43-P | Fluoranthene-benzo(b) | 06-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW43 | Fluorene | 06-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW43-P | Fluorene | 06-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW43 | Hexachlorobenzene | 06-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW43-P | Hexachlorobenzene | 06-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW43 | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW43 | Hexachlorobutadiene | 06-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW43-P | Hexachlorobutadiene | 06-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW43-P | Hexachlorobutadiene | 06-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW43 | Hexachlorocyclopentadiene | 06-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW43-P | Hexachlorocyclopentadiene | 06-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW43 | Hexachloroethane | 06-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW43-P | Hexachloroethane | 06-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW43 | Isophorone | 06-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW43-P | Isophorone | 06-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW43 | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW43-P | Methane, bis(2-chloroethoxy) | 06-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW43 | Methylnaphthalene-2 | 06-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW43-P | Methylnaphthalene-2 | 06-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW43 | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW43 | Naphthalene | 06-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW43-P | Naphthalene | 06-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW43-P | Naphthalene | 06-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW43 | Nitroaniline, ortho | 06-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW43-P | Nitroaniline, ortho | 06-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW43 | Nitroaniline-3 | 06-Feb-12 | 60 U ug/L | | | | | |
| HW43-P | Nitroaniline-3 | 06-Feb-12 | 60 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43 | Nitrobenzenamine-4 | 06-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW43-P | Nitrobenzenamine-4 | 06-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW43 | Nitrobenzene | 06-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW43-P | Nitrobenzene | 06-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW43 | Nitrophenol-2 | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Nitrophenol-2 | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Nitrophenol-4 | 06-Feb-12 | 9.52 U ug/L | | | | | |
| HW43-P | Nitrophenol-4 | 06-Feb-12 | 10 U ug/L | | | | | |
| HW43 | Nitrosodimethylamine-n | 06-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW43-P | Nitrosodimethylamine-n | 06-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW43 | Nitrosodiphenylamine-n | 06-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW43-P | Nitrosodiphenylamine-n | 06-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW43 | Pentachlorophenol | 06-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW43-P | Pentachlorophenol | 06-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW43 | Perylene-benzo(ghi) | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Perylene-benzo(ghi) | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Phenanthrene | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Phenanthrene | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Phenol | 06-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW43-P | Phenol | 06-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW43 | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW43-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 06-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW43 | Phthalate, Dimethyl | 06-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW43-P | Phthalate, Dimethyl | 06-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW43 | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW43-P | Phthalate, di-n-butyl- | 06-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW43 | Phthalate, di-n-octyl | 06-Feb-12 | 4.76 U ug/L | | | | | |
| HW43-P | Phthalate, di-n-octyl | 06-Feb-12 | 5 U ug/L | | | | | |
| HW43 | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW43-P | Phthalate-diethyl | 06-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW43 | Propylamine,n-nitroso di-n- | 06-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW43-P | Propylamine,n-nitroso di-n- | 06-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW43 | Pyrene | 06-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW43-P | Pyrene | 06-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW43 | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Pyrene-indeno(1,2,3-cd) | 06-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW43 | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW43-P | Tetrachlorobenzene, 1,2,4,5- | 06-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW43 | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW43-P | Tetrachlorophenol, 2,3,4,6- | 06-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW43 | Trichlorophenol-2,4,5 | 06-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW43-P | Trichlorophenol-2,4,5 | 06-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW43 | Trichlorophenol-2,4,6 | 06-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW43-P | Trichlorophenol-2,4,6 | 06-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW43 | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW43-P | TPH - Diesel Range Organics | 06-Feb-12 | 250 U ug/L | | | | | |
| HW43 | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW43-P | TPH - Gasoline Range Organics | 06-Feb-12 | 50 U ug/L | | | | | |
| HW43 | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW43-P | TPH - Oil Range Organics | 06-Feb-12 | 1000 U ug/L | | | | | |
| HW43 | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW43-P | 1,2-Dibromo-3-chloropropane (DBCP) | 06-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW43 | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW43-P | 4-Methyl-2-pentanone | 06-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW43 | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW43-P | Acetone | 06-Feb-12 | 2 U ug/L | | | | | |
| HW43 | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43-P | Benzene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43 | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Bromobenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43-P | Bromoform | 06-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43 | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Butylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Butylbenzene, sec- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Butylbenzene, tert- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Carbon disulfide | 06-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43 | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43-P | Carbon Tetrachloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43 | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW43-P | Chlorobenzene | 06-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW43 | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Chlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Chloroethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43-P | Chloroform | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43 | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW43-P | Chlorotoluene | 06-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW43 | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW43-P | Chlorotoluene-p | 06-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW43 | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43-P | Dibromochloromethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43 | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW43-P | Dibromoethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW43 | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dibromomethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW43-P | Dichlorobenzene-1,2 | 06-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW43 | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichlorobenzene-1,3 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW43-P | Dichlorobenzene-1,4 | 06-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW43 | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43-P | Dichlorobromomethane | 06-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW43 | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichlorodifluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW43-P | Dichloroethane-1,1 | 06-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW43 | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Dichloroethane-1,2 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW43 | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW43-P | Dichloroethene-1,2 trans | 06-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW43 | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW43-P | Dichloroethylene-1,1 | 06-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW43 | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW43-P | Dichloroethylene-1,2 cis | 06-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW43 | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW43-P | Dichloropropane, 1,2- | 06-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW43 | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW43-P | Dichloropropane, 1,3- | 06-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW43 | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichloropropane, 2,2- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichloropropene, 1,1- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichloropropene, 1,3 cis- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Dichloropropene, 1,3 trans- | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW43-P | Ethylbenzene | 06-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW43 | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Freon 113 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW43-P | Hexanone, 2- | 06-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW43 | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Isopropylbenzene | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Isopropylbenzene-4,methyl-1 | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW43-P | m,p-Xylene | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW43 | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW43-P | Methyl acetate | 06-Feb-12 | 1 U ug/L | | | | | |
| HW43 | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Methyl bromide | 06-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43 | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Methyl chloride | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Methyl cyclohexane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW43-P | Methyl ethyl ketone | 06-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW43 | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Methyl tertiary butyl ether (MTBE) | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43-P | Methylene chloride | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43 | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Propylbenzene-n | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW43-P | Styrene | 06-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW43 | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW43-P | Tetrachloroethane, 1,1,1,2- | 06-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW43 | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW43-P | Tetrachloroethane, 1,1,2,2- | 06-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW43 | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43-P | Tetrachloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43 | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW43-P | Toluene | 06-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW43 | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW43-P | Trichlorobenzene-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW43 | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW43-P | Trichlorobenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW43 | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW43-P | Trichloroethane-1,1,1 | 06-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW43 | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW43-P | Trichloroethane-1,1,2 | 06-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW43 | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43-P | Trichloroethylene | 06-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW43 | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Trichlorofluoromethane | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW43-P | Trichloropropane-1,2,3 | 06-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW43 | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW43-P | Trimethylbenzene-1,2,4 | 06-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW43 | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW43-P | Trimethylbenzene-1,3,5 | 06-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW43 | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43-P | Vinyl acetate | 06-Feb-12 | 0.5 U ug/L | | | | | |
| HW43 | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW43-P | Vinyl chloride | 06-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW43 | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW43-P | Xylene-o | 06-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW43 | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 1.4 mg/L | | 10 mg/L | | 10 mg/L | |
| HW43-P | Nitrogen, Nitrite + Nitrate | 06-Feb-12 | 1.39 mg/L | | 10 mg/L | | 10 mg/L | |
| HW43 | Total Nitrogen | 06-Feb-12 | 1.11 mg/L | | | | | |
| HW43-P | Total Nitrogen | 06-Feb-12 | 1 U mg/L | | | | | |
| HW43 | Total Phosphorus as P | 06-Feb-12 | 0.079 mg/L | | | | | |
| HW43-P | Total Phosphorus as P | 06-Feb-12 | 0.05 U mg/L | | | | | |
| HW44 | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW44 | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW44 | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW44 | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW44 | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW44 | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW44 | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW44 | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW44 | Ethane | 09-Feb-12 | 1.2 U ug/L | | | | | |
| HW44 | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW44 | Methane | 09-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW44 | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW44 | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW44 | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW44 | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW44 | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW44 | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW44 | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44 | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |
| HW44 | Chloride | 09-Feb-12 | 1.54 mg/L | | | 250 mg/L | | 250 mg/L |
| HW44 | Fluoride | 09-Feb-12 | 0.108 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW44 | Sulfate | 09-Feb-12 | 3.12 mg/L | | | 250 mg/L | | 250 mg/L |
| HW44 | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW44-F | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW44 | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW44-F | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW44 | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW44-F | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW44 | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW44-F | Arsenic | 09-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW44 | Barium | 09-Feb-12 | 18.7 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW44-F | Barium | 09-Feb-12 | 18.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW44 | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW44-F | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW44 | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW44-F | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW44 | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW44-F | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW44 | Calcium | 09-Feb-12 | 21800 ug/L | | | | | |
| HW44-F | Calcium | 09-Feb-12 | 21600 ug/L | | | | | |
| HW44 | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW44-F | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW44 | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW44-F | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW44 | Copper | 09-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW44-F | Copper | 09-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW44 | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW44-F | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW44 | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW44-F | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW44 | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW44-F | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW44 | Magnesium | 09-Feb-12 | 5060 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44-F | Magnesium | 09-Feb-12 | 5040 ug/L | | | | | |
| HW44 | Manganese | 09-Feb-12 | 11.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW44-F | Manganese | 09-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW44 | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW44-F | Nickel | 09-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW44 | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW44-F | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW44 | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW44-F | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW44 | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW44-F | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW44 | Sodium | 09-Feb-12 | 5320 ug/L | 20000 ug/L | | | | |
| HW44-F | Sodium | 09-Feb-12 | 5180 ug/L | 20000 ug/L | | | | |
| HW44 | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW44-F | Strontium | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW44 | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW44-F | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW44 | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW44-F | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW44 | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW44-F | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW44 | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW44-F | Uranium | 09-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW44 | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW44-F | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW44 | Zinc | 09-Feb-12 | 5 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW44-F | Zinc | 09-Feb-12 | 3.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW44 | Oil and Grease | 09-Feb-12 | 5.4 UJ mg/L | | | | | |
| HW44 | Total Dissolved Solids | 09-Feb-12 | 86 mg/L | | | 500 mg/L | | 500 mg/L |
| HW44 | Total Suspended Solids | 09-Feb-12 | 10 U mg/L | | | | | |
| HW44 | 1-Methylnaphthalene | 09-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW44 | Acenaphthene | 09-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW44 | Acenaphthylene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Acetophenone | 09-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW44 | Anthracene | 09-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44 | Atrazine | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW44 | Benzo(a)anthracene | 09-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW44 | Benzo(a)pyrene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW44 | Biphenyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Butylbenzyl phthalate | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW44 | Caprolactam | 09-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW44 | Carbazole | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Chlorobenzenamine-4 | 09-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW44 | Chloronaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW44 | Chlorophenol-2 | 09-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW44 | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Chrysene | 09-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW44 | Cresol, parachloro meta- | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW44 | Cresol-o | 09-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW44 | Cresol-p | 09-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW44 | Dibenz(a,h)anthracene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW44 | Dibenzofuran | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW44 | Dichlorophenol-2,4 | 09-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW44 | Dimethylphenol, 2,4- | 09-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW44 | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW44 | Dinitrotoluene-2,4 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Dinitrotoluene-2,6 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Ether, bis(2-chloroethyl) | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW44 | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Fluoranthene | 09-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW44 | Fluoranthene benzo(k) | 09-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW44 | Fluoranthene-benzo(b) | 09-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW44 | Fluorene | 09-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW44 | Hexachlorobenzene | 09-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW44 | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW44 | Hexachlorobutadiene | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW44 | Hexachlorocyclopentadiene | 09-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44 | Hexachloroethane | 09-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW44 | Isophorone | 09-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW44 | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW44 | Methylnaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW44 | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW44 | Naphthalene | 09-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW44 | Nitroaniline, ortho | 09-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW44 | Nitroaniline-3 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Nitrobenzenamine-4 | 09-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW44 | Nitrobenzene | 09-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW44 | Nitrophenol-2 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Nitrophenol-4 | 09-Feb-12 | 9.52 U ug/L | | | | | |
| HW44 | Nitrosodimethylamine-n | 09-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW44 | Nitrosodiphenylamine-n | 09-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW44 | Pentachlorophenol | 09-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW44 | Perylene-benzo(ghi) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Phenanthrene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Phenol | 09-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW44 | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW44 | Phthalate, Dimethyl | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW44 | Phthalate, di-n-butyl- | 09-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW44 | Phthalate, di-n-octyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW44 | Phthalate-diethyl | 09-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW44 | Propylamine,n-nitroso di-n- | 09-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW44 | Pyrene | 09-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW44 | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW44 | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW44 | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW44 | Trichlorophenol-2,4,5 | 09-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW44 | Trichlorophenol-2,4,6 | 09-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW44 | TPH - Diesel Range Organics | 09-Feb-12 | 250 U ug/L | | | | | |
| HW44 | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW44 | TPH - Oil Range Organics | 09-Feb-12 | 1000 U ug/L | | | | | |
| HW44 | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW44 | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44 | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |
| HW44 | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW44 | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW44 | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW44 | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW44 | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW44 | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW44 | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW44 | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW44 | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW44 | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW44 | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW44 | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW44 | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW44 | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW44 | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW44 | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW44 | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW44 | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW44 | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW44 | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW44 | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW44 | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW44 | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW44 | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Methyl bromide | 09-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW44 | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW44 | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW44 | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW44 | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW44 | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW44 | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW44 | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW44 | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW44 | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW44 | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW44 | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW44 | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW44 | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW44 | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW44 | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW44 | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW44 | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW44 | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW44 | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.459 mg/L | | 10 mg/L | | 10 mg/L | |
| HW44 | Total Nitrogen | 09-Feb-12 | 5.14 J mg/L | | | | | |
| HW44 | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW46 | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | 1-Butanol | 02-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW46 | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46-P | 1-Propanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46 | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46-P | 2-Butanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46 | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46-P | Ethanol | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46 | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW46-P | Methanol | 02-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW46 | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW46-P | Anionic Surfactants | 02-Feb-12 | 0.01 U mg/L | | | | | |
| HW46 | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW46-P | Heterotrophic Plate Count | 02-Feb-12 | R cfu/1mL | | | | | |
| HW46 | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW46-P | Total Coliform Bacteria | 02-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW46 | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW46-P | Ethane | 02-Feb-12 | 1.2 U ug/L | | | | | |
| HW46 | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW46-P | Ethene | 02-Feb-12 | 1.1 U ug/L | | | | | |
| HW46 | Methane | 02-Feb-12 | 6.2 U ug/L | 28000 ug/L | | | | |
| HW46-P | Methane | 02-Feb-12 | 6.2 U ug/L | 28000 ug/L | | | | |
| HW46 | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW46-P | 2-Butoxyethanol | 02-Feb-12 | 5 U ug/L | | | | | |
| HW46 | 2-Methoxyethanol | 02-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW46 | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW46-P | 2-Methoxyethanol | 02-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW46-P | 2-Methoxyethanol | 02-Feb-12 | 57.1 U ug/L | 78 ug/L | | | | |
| HW46 | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW46 | Diethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW46-P | Diethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW46-P | Diethylene Glycol | 02-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW46 | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46-P | Ethanol, 2-ethoxy- | 02-Feb-12 | 10000 U ug/L | | | | | |
| HW46 | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW46-P | Ethanol, 2-methoxy- | 02-Feb-12 | 10000 U ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW46-P | Ethylene glycol | 02-Feb-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW46 | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW46-P | Tetraethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW46 | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW46 | Triethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW46-P | Triethylene glycol | 02-Feb-12 | R ug/L | 8000 ug/L | | | | |
| HW46-P | Triethylene glycol | 02-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW46 | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW46-P | Bromide | 02-Feb-12 | 0.5 U mg/L | | | | | |
| HW46 | Chloride | 02-Feb-12 | 32.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW46-P | Chloride | 02-Feb-12 | 32.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW46 | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW46-P | Fluoride | 02-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW46 | Sulfate | 02-Feb-12 | 17.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW46-P | Sulfate | 02-Feb-12 | 17.7 mg/L | | | 250 mg/L | | 250 mg/L |
| HW46 | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-F | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-P | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-PF | Mercury | 02-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW46 | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW46-F | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW46-P | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW46-PF | Aluminum | 02-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW46 | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW46-F | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW46-P | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW46-PF | Antimony | 02-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW46 | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW46-F | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW46-P | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW46-PF | Arsenic | 02-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW46 | Barium | 02-Feb-12 | 104 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW46-F | Barium | 02-Feb-12 | 98.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW46-P | Barium | 02-Feb-12 | 104 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-PF | Barium | 02-Feb-12 | 95.4 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW46 | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW46-F | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW46-P | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW46-PF | Beryllium | 02-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW46 | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW46-F | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW46-P | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW46-PF | Boron | 02-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW46 | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-F | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-P | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-PF | Cadmium | 02-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW46 | Calcium | 02-Feb-12 | 26100 ug/L | | | | | |
| HW46-F | Calcium | 02-Feb-12 | 26500 ug/L | | | | | |
| HW46-P | Calcium | 02-Feb-12 | 26600 ug/L | | | | | |
| HW46-PF | Calcium | 02-Feb-12 | 25800 ug/L | | | | | |
| HW46 | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW46-F | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW46-P | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW46-PF | Chromium | 02-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW46 | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW46-F | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW46-P | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW46-PF | Cobalt | 02-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW46 | Copper | 02-Feb-12 | 17.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW46-F | Copper | 02-Feb-12 | 17.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW46-P | Copper | 02-Feb-12 | 92.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW46-PF | Copper | 02-Feb-12 | 91.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW46 | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW46-F | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW46-P | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW46-PF | Iron | 02-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW46 | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW46-F | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW46-PF | Lead | 02-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW46 | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW46-F | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW46-P | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW46-PF | Lithium | 02-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW46 | Magnesium | 02-Feb-12 | 4670 ug/L | | | | | |
| HW46-F | Magnesium | 02-Feb-12 | 4730 ug/L | | | | | |
| HW46-P | Magnesium | 02-Feb-12 | 4760 ug/L | | | | | |
| HW46-PF | Magnesium | 02-Feb-12 | 4590 ug/L | | | | | |
| HW46 | Manganese | 02-Feb-12 | 2.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW46-F | Manganese | 02-Feb-12 | 2.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW46-P | Manganese | 02-Feb-12 | 2.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW46-PF | Manganese | 02-Feb-12 | 2.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW46 | Nickel | 02-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW46-F | Nickel | 02-Feb-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW46-P | Nickel | 02-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW46-PF | Nickel | 02-Feb-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW46 | Potassium | 02-Feb-12 | 4220 ug/L | | | | | |
| HW46-F | Potassium | 02-Feb-12 | 4300 ug/L | | | | | |
| HW46-P | Potassium | 02-Feb-12 | 4320 ug/L | | | | | |
| HW46-PF | Potassium | 02-Feb-12 | 4160 ug/L | | | | | |
| HW46 | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW46-F | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW46-P | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW46-PF | Selenium | 02-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW46 | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW46-F | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW46-P | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW46-PF | Silver | 02-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW46 | Sodium | 02-Feb-12 | 14900 ug/L | 20000 ug/L | | | | |
| HW46-F | Sodium | 02-Feb-12 | 15200 ug/L | 20000 ug/L | | | | |
| HW46-P | Sodium | 02-Feb-12 | 15300 ug/L | 20000 ug/L | | | | |
| HW46-PF | Sodium | 02-Feb-12 | 14800 ug/L | 20000 ug/L | | | | |
| HW46 | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-F | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46-P | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46-PF | Strontium | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46 | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-F | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-P | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW46-PF | Thallium | 02-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW46 | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46-F | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46-P | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46-PF | Tin | 02-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW46 | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW46-F | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW46-P | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW46-PF | Titanium | 02-Feb-12 | 200 U ug/L | | | | | |
| HW46 | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW46-F | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW46-P | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW46-PF | Uranium | 02-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW46 | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW46-F | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW46-P | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW46-PF | Vanadium | 02-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW46 | Zinc | 02-Feb-12 | 10.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW46-F | Zinc | 02-Feb-12 | 12.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW46-P | Zinc | 02-Feb-12 | 11.6 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW46-PF | Zinc | 02-Feb-12 | 12.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW46 | Oil and Grease | 02-Feb-12 | 5 UJ mg/L | | | | | |
| HW46-P | Oil and Grease | 02-Feb-12 | 5 UJ mg/L | | | | | |
| HW46 | Total Dissolved Solids | 02-Feb-12 | 97 mg/L | | | 500 mg/L | | 500 mg/L |
| HW46-P | Total Dissolved Solids | 02-Feb-12 | 139 mg/L | | | 500 mg/L | | 500 mg/L |
| HW46 | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW46-P | Total Suspended Solids | 02-Feb-12 | 10 U mg/L | | | | | |
| HW46 | 1-Methylnaphthalene | 02-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW46-P | 1-Methylnaphthalene | 02-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | Acenaphthene | 02-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW46-P | Acenaphthene | 02-Feb-12 | 57.1 U ug/L | 400 ug/L | | | | |
| HW46 | Acenaphthylene | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Acenaphthylene | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Acetophenone | 02-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW46-P | Acetophenone | 02-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW46 | Anthracene | 02-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW46-P | Anthracene | 02-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW46 | Atrazine | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW46-P | Atrazine | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW46 | Benzo(a)anthracene | 02-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW46-P | Benzo(a)anthracene | 02-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW46 | Benzo(a)pyrene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW46-P | Benzo(a)pyrene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW46 | Biphenyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Biphenyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46-P | Bromophenyl-4 Phenyl Ether | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46 | Butylbenzyl phthalate | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW46-P | Butylbenzyl phthalate | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW46 | Caprolactam | 02-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW46-P | Caprolactam | 02-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW46 | Carbazole | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Carbazole | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Chlorobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW46-P | Chlorobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 3.2 ug/L | | | | |
| HW46 | Chloronaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW46-P | Chloronaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW46 | Chlorophenol-2 | 02-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW46-P | Chlorophenol-2 | 02-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW46 | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Chlorophenyl-4 phenyl ether | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Chrysene | 02-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW46-P | Chrysene | 02-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW46 | Cresol, parachloro meta- | 02-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | Cresol, parachloro meta- | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46-P | Cresol-4,6-dinitro-ortho | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46 | Cresol-o | 02-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW46-P | Cresol-o | 02-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW46 | Cresol-p | 02-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW46-P | Cresol-p | 02-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW46 | Dibenz(a,h)anthracene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW46-P | Dibenz(a,h)anthracene | 02-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW46 | Dibenzofuran | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Dibenzofuran | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Dichlorobenzidine-3,3' | 02-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW46-P | Dichlorobenzidine-3,3' | 02-Feb-12 | 4.76 U ug/L | 11 ug/L | | | | |
| HW46 | Dichlorophenol-2,4 | 02-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW46-P | Dichlorophenol-2,4 | 02-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW46 | Dimethylphenol, 2,4- | 02-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW46-P | Dimethylphenol, 2,4- | 02-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW46 | Dinitrophenol-2,4 | 02-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW46-P | Dinitrophenol-2,4 | 02-Feb-12 | 57.1 U ug/L | 30 ug/L | | | | |
| HW46 | Dinitrotoluene-2,4 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Dinitrotoluene-2,4 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Dinitrotoluene-2,6 | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46-P | Dinitrotoluene-2,6 | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46 | Ether, bis(2-chloroethyl) | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW46-P | Ether, bis(2-chloroethyl) | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW46 | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46-P | Ether-bis(2-chloroisopropyl) | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46 | Fluoranthene | 02-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW46-P | Fluoranthene | 02-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW46 | Fluoranthene benzo(k) | 02-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW46-P | Fluoranthene benzo(k) | 02-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW46 | Fluoranthene-benzo(b) | 02-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW46-P | Fluoranthene-benzo(b) | 02-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW46 | Fluorene | 02-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |
| HW46-P | Fluorene | 02-Feb-12 | 57.1 U ug/L | 220 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | Hexachlorobenzene | 02-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW46-P | Hexachlorobenzene | 02-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW46 | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW46 | Hexachlorobutadiene | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW46-P | Hexachlorobutadiene | 02-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW46-P | Hexachlorobutadiene | 02-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW46 | Hexachlorocyclopentadiene | 02-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW46-P | Hexachlorocyclopentadiene | 02-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW46 | Hexachloroethane | 02-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW46-P | Hexachloroethane | 02-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW46 | Isophorone | 02-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW46-P | Isophorone | 02-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW46 | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW46-P | Methane, bis(2-chloroethoxy) | 02-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW46 | Methylnaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW46-P | Methylnaphthalene-2 | 02-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW46 | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW46 | Naphthalene | 02-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW46-P | Naphthalene | 02-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW46-P | Naphthalene | 02-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW46 | Nitroaniline, ortho | 02-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW46-P | Nitroaniline, ortho | 02-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW46 | Nitroaniline-3 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Nitroaniline-3 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Nitrobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW46-P | Nitrobenzenamine-4 | 02-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW46 | Nitrobenzene | 02-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW46-P | Nitrobenzene | 02-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW46 | Nitrophenol-2 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Nitrophenol-2 | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Nitrophenol-4 | 02-Feb-12 | 9.52 U ug/L | | | | | |
| HW46-P | Nitrophenol-4 | 02-Feb-12 | 9.52 U ug/L | | | | | |
| HW46 | Nitrosodimethylamine-n | 02-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW46-P | Nitrosodimethylamine-n | 02-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW46 | Nitrosodiphenylamine-n | 02-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | Nitrosodiphenylamine-n | 02-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW46 | Pentachlorophenol | 02-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW46-P | Pentachlorophenol | 02-Feb-12 | 57.1 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW46 | Perylene-benzo(ghi) | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Perylene-benzo(ghi) | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Phenanthrene | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46-P | Phenanthrene | 02-Feb-12 | 57.1 U ug/L | | | | | |
| HW46 | Phenol | 02-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW46-P | Phenol | 02-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW46 | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW46-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 02-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW46 | Phthalate, Dimethyl | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW46-P | Phthalate, Dimethyl | 02-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW46 | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW46-P | Phthalate, di-n-butyl- | 02-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW46 | Phthalate, di-n-octyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46-P | Phthalate, di-n-octyl | 02-Feb-12 | 4.76 U ug/L | | | | | |
| HW46 | Phthalate-diethyl | 02-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW46-P | Phthalate-diethyl | 02-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW46 | Propylamine,n-nitroso di-n- | 02-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW46-P | Propylamine,n-nitroso di-n- | 02-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW46 | Pyrene | 02-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW46-P | Pyrene | 02-Feb-12 | 57.1 U ug/L | 87 ug/L | | | | |
| HW46 | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW46-P | Pyrene-indeno(1,2,3-cd) | 02-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW46 | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW46-P | Tetrachlorobenzene, 1,2,4,5- | 02-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW46 | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW46-P | Tetrachlorophenol, 2,3,4,6- | 02-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW46 | Trichlorophenol-2,4,5 | 02-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW46-P | Trichlorophenol-2,4,5 | 02-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW46 | Trichlorophenol-2,4,6 | 02-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW46-P | Trichlorophenol-2,4,6 | 02-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW46 | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |
| HW46-P | TPH - Diesel Range Organics | 02-Feb-12 | 250 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW46-P | TPH - Gasoline Range Organics | 02-Feb-12 | 50 U ug/L | | | | | |
| HW46 | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW46-P | TPH - Oil Range Organics | 02-Feb-12 | 1000 U ug/L | | | | | |
| HW46 | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW46-P | 1,2-Dibromo-3-chloropropane (DBCP) | 02-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW46 | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW46-P | 4-Methyl-2-pentanone | 02-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW46 | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW46-P | Acetone | 02-Feb-12 | 2 U ug/L | | | | | |
| HW46 | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46-P | Benzene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46 | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Bromobenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46-P | Bromoform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46 | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Butylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Butylbenzene, sec- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Butylbenzene, tert- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Carbon disulfide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46-P | Carbon Tetrachloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46 | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW46-P | Chlorobenzene | 02-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW46 | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Chlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Chloroethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46-P | Chloroform | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46 | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | Chlorotoluene | 02-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW46 | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW46-P | Chlorotoluene-p | 02-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW46 | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46-P | Cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46 | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46-P | Dibromochloromethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46 | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW46-P | Dibromoethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW46 | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dibromomethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW46-P | Dichlorobenzene-1,2 | 02-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW46 | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichlorobenzene-1,3 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW46-P | Dichlorobenzene-1,4 | 02-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW46 | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46-P | Dichlorobromomethane | 02-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW46 | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichlorodifluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW46-P | Dichloroethane-1,1 | 02-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW46 | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-P | Dichloroethane-1,2 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW46 | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW46-P | Dichloroethene-1,2 trans | 02-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW46 | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW46-P | Dichloroethylene-1,1 | 02-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW46 | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW46-P | Dichloroethylene-1,2 cis | 02-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW46 | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-P | Dichloropropane, 1,2- | 02-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW46 | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW46-P | Dichloropropane, 1,3- | 02-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichloropropane, 2,2- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichloropropene, 1,1- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichloropropene, 1,3 cis- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Dichloropropene, 1,3 trans- | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW46-P | Ethylbenzene | 02-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW46 | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46-P | Freon 113 | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46 | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW46-P | Hexanone, 2- | 02-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW46 | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Isopropylbenzene | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Isopropylbenzene-4,methyl-1 | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW46-P | m,p-Xylene | 02-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW46 | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46-P | Methyl acetate | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46 | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Methyl bromide | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Methyl chloride | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46-P | Methyl cyclohexane | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46 | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW46-P | Methyl ethyl ketone | 02-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW46 | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46-P | Methyl tertiary butyl ether (MTBE) | 02-Feb-12 | 0.5 UJ ug/L | | | | | |
| HW46 | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46-P | Methylene chloride | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46 | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46-P | Propylbenzene-n | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW46-P | Styrene | 02-Feb-12 | 1 UJ ug/L | | 100 ug/L | | 100 ug/L | |
| HW46 | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW46-P | Tetrachloroethane, 1,1,1,2- | 02-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW46 | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW46-P | Tetrachloroethane, 1,1,2,2- | 02-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW46 | Tetrachloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46-P | Tetrachloroethylene | 02-Feb-12 | 0.1 J ug/L | | 5 ug/L | | 5 ug/L | |
| HW46 | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW46-P | Toluene | 02-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW46 | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW46-P | Trichlorobenzene-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW46 | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW46-P | Trichlorobenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW46 | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW46-P | Trichloroethane-1,1,1 | 02-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW46 | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW46-P | Trichloroethane-1,1,2 | 02-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW46 | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46-P | Trichloroethylene | 02-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW46 | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Trichlorofluoromethane | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW46-P | Trichloropropane-1,2,3 | 02-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW46 | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW46-P | Trimethylbenzene-1,2,4 | 02-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW46 | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW46-P | Trimethylbenzene-1,3,5 | 02-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW46 | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46-P | Vinyl acetate | 02-Feb-12 | 0.5 U ug/L | | | | | |
| HW46 | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW46-P | Vinyl chloride | 02-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW46 | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW46-P | Xylene-o | 02-Feb-12 | 1 UJ ug/L | | 10000 ug/L | | 10000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW46 | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 3.66 mg/L | | 10 mg/L | | 10 mg/L | |
| HW46-P | Nitrogen, Nitrite + Nitrate | 02-Feb-12 | 3.64 mg/L | | 10 mg/L | | 10 mg/L | |
| HW46 | Total Nitrogen | 02-Feb-12 | 3.86 mg/L | | | | | |
| HW46-P | Total Nitrogen | 02-Feb-12 | 3.87 mg/L | | | | | |
| HW46 | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW46-P | Total Phosphorus as P | 02-Feb-12 | 0.05 U mg/L | | | | | |
| HW47 | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW47-P | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW47 | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47-P | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47 | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47-P | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47 | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47-P | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW47 | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW47-P | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW47 | Anionic Surfactants | 08-Feb-12 | 0.014 mg/L | | | | | |
| HW47-P | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW47 | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW47-P | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW47 | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW47-P | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW47 | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW47-P | Ethane | 08-Feb-12 | 0.6 J ug/L | | | | | |
| HW47 | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW47-P | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW47 | Methane | 08-Feb-12 | 7900 ug/L | 28000 ug/L | | | | |
| HW47-P | Methane | 08-Feb-12 | 10000 ug/L | 28000 ug/L | | | | |
| HW47 | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | 2-Methoxyethanol | 08-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW47 | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW47-P | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW47-P | 2-Methoxyethanol | 08-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW47 | Diethylene Glycol | 08-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Diethylene Glycol | 08-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW47 | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW47-P | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW47 | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW47-P | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW47 | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW47-P | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW47 | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW47-P | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW47 | Chloride | 08-Feb-12 | 2.04 mg/L | | | 250 mg/L | | 250 mg/L |
| HW47-P | Chloride | 08-Feb-12 | 2.78 mg/L | | | 250 mg/L | | 250 mg/L |
| HW47 | Fluoride | 08-Feb-12 | 0.185 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW47-P | Fluoride | 08-Feb-12 | 0.158 mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW47 | Sulfate | 08-Feb-12 | 2.64 mg/L | | | 250 mg/L | | 250 mg/L |
| HW47-P | Sulfate | 08-Feb-12 | 2.35 mg/L | | | 250 mg/L | | 250 mg/L |
| HW47 | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-F | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-P | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-PF | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW47 | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW47-F | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW47-P | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW47-PF | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW47 | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW47-F | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW47-P | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW47-PF | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW47 | Arsenic | 08-Feb-12 | 90.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW47-F | Arsenic | 08-Feb-12 | 94.2 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW47-P | Arsenic | 08-Feb-12 | 91.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW47-PF | Arsenic | 08-Feb-12 | 90.2 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW47 | Barium | 08-Feb-12 | 485 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW47-F | Barium | 08-Feb-12 | 484 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW47-P | Barium | 08-Feb-12 | 10 U ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW47-PF | Barium | 08-Feb-12 | 10 U ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47 | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW47-F | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW47-P | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW47-PF | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW47 | Boron | 08-Feb-12 | 120 ug/L | 3100 ug/L | | | | |
| HW47-F | Boron | 08-Feb-12 | 140 ug/L | 3100 ug/L | | | | |
| HW47-P | Boron | 08-Feb-12 | 127 ug/L | 3100 ug/L | | | | |
| HW47-PF | Boron | 08-Feb-12 | 119 ug/L | 3100 ug/L | | | | |
| HW47 | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-F | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-P | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-PF | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW47 | Calcium | 08-Feb-12 | 23700 ug/L | | | | | |
| HW47-F | Calcium | 08-Feb-12 | 22700 ug/L | | | | | |
| HW47-P | Calcium | 08-Feb-12 | 500 U ug/L | | | | | |
| HW47-PF | Calcium | 08-Feb-12 | 500 U ug/L | | | | | |
| HW47 | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW47-F | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW47-P | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW47-PF | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW47 | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW47-F | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW47-P | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW47-PF | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW47 | Copper | 08-Feb-12 | 10.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW47-F | Copper | 08-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW47-P | Copper | 08-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW47-PF | Copper | 08-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW47 | Iron | 08-Feb-12 | 4550 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW47-F | Iron | 08-Feb-12 | 3530 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW47-P | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW47-PF | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW47 | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW47-F | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW47-P | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-PF | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW47 | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW47-F | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW47-P | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW47-PF | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW47 | Magnesium | 08-Feb-12 | 3950 ug/L | | | | | |
| HW47-F | Magnesium | 08-Feb-12 | 3830 ug/L | | | | | |
| HW47-P | Magnesium | 08-Feb-12 | 500 U ug/L | | | | | |
| HW47-PF | Magnesium | 08-Feb-12 | 500 U ug/L | | | | | |
| HW47 | Manganese | 08-Feb-12 | 947 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW47-F | Manganese | 08-Feb-12 | 877 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW47-P | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW47-PF | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW47 | Nickel | 08-Feb-12 | 1 ug/L | 300 ug/L | | | | |
| HW47-F | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW47-P | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW47-PF | Nickel | 08-Feb-12 | 1 U ug/L | 300 ug/L | | | | |
| HW47 | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW47-F | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW47-P | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW47-PF | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW47 | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW47-F | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW47-P | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW47-PF | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW47 | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW47-F | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW47-P | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW47-PF | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW47 | Sodium | 08-Feb-12 | 53600 ug/L | 20000 ug/L | | | | |
| HW47-F | Sodium | 08-Feb-12 | 56400 ug/L | 20000 ug/L | | | | |
| HW47-P | Sodium | 08-Feb-12 | 93900 ug/L | 20000 ug/L | | | | |
| HW47-PF | Sodium | 08-Feb-12 | 93600 ug/L | 20000 ug/L | | | | |
| HW47 | Strontium | 08-Feb-12 | 757 ug/L | 9300 ug/L | | | | |
| HW47-F | Strontium | 08-Feb-12 | 748 ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47-PF | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47 | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-F | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-P | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW47-PF | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW47 | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47-F | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47-P | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47-PF | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW47 | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW47-F | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW47-P | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW47-PF | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW47 | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW47-F | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW47-P | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW47-PF | Uranium | 08-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW47 | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW47-F | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW47-P | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW47-PF | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW47 | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW47-F | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW47-P | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW47-PF | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW47 | Oil and Grease | 08-Feb-12 | 5.1 U mg/L | | | | | |
| HW47-P | Oil and Grease | 08-Feb-12 | 5.2 U mg/L | | | | | |
| HW47 | Total Dissolved Solids | 08-Feb-12 | 187 mg/L | | | 500 mg/L | | 500 mg/L |
| HW47-P | Total Dissolved Solids | 08-Feb-12 | 231 mg/L | | | 500 mg/L | | 500 mg/L |
| HW47 | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW47-P | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW47 | 1-Methylnaphthalene | 08-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW47-P | 1-Methylnaphthalene | 08-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW47 | Acenaphthene | 08-Feb-12 | 5 U ug/L | 400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Acenaphthene | 08-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW47 | Acenaphthylene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Acenaphthylene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Acetophenone | 08-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW47-P | Acetophenone | 08-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW47 | Anthracene | 08-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW47-P | Anthracene | 08-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW47 | Atrazine | 08-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW47-P | Atrazine | 08-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW47 | Benzo(a)anthracene | 08-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW47-P | Benzo(a)anthracene | 08-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW47 | Benzo(a)pyrene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW47-P | Benzo(a)pyrene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW47 | Biphenyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Biphenyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Butylbenzyl phthalate | 08-Feb-12 | 0.07 J ug/L | 1400 ug/L | | | | |
| HW47-P | Butylbenzyl phthalate | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW47 | Caprolactam | 08-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW47-P | Caprolactam | 08-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW47 | Carbazole | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Carbazole | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Chlorobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW47-P | Chlorobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW47 | Chloronaphthalene-2 | 08-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW47-P | Chloronaphthalene-2 | 08-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW47 | Chlorophenol-2 | 08-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW47-P | Chlorophenol-2 | 08-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW47 | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Chrysene | 08-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW47-P | Chrysene | 08-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW47 | Cresol, parachloro meta- | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Cresol, parachloro meta- | 08-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47 | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 10 U ug/L | | | | | |
| HW47-P | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 10 U ug/L | | | | | |
| HW47 | Cresol-o | 08-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW47-P | Cresol-o | 08-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW47 | Cresol-p | 08-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW47-P | Cresol-p | 08-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW47 | Dibenz(a,h)anthracene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW47-P | Dibenz(a,h)anthracene | 08-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW47 | Dibenzofuran | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Dibenzofuran | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Dichlorobenzidine-3,3' | 08-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW47-P | Dichlorobenzidine-3,3' | 08-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW47 | Dichlorophenol-2,4 | 08-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW47-P | Dichlorophenol-2,4 | 08-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW47 | Dimethylphenol, 2,4- | 08-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW47-P | Dimethylphenol, 2,4- | 08-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW47 | Dinitrophenol-2,4 | 08-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW47-P | Dinitrophenol-2,4 | 08-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW47 | Dinitrotoluene-2,4 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Dinitrotoluene-2,4 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Dinitrotoluene-2,6 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Dinitrotoluene-2,6 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Ether, bis(2-chloroethyl) | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW47-P | Ether, bis(2-chloroethyl) | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW47 | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Fluoranthene | 08-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW47-P | Fluoranthene | 08-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW47 | Fluoranthene benzo(k) | 08-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW47-P | Fluoranthene benzo(k) | 08-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW47 | Fluoranthene-benzo(b) | 08-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW47-P | Fluoranthene-benzo(b) | 08-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW47 | Fluorene | 08-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW47-P | Fluorene | 08-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW47 | Hexachlorobenzene | 08-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Hexachlorobenzene | 08-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW47 | Hexachlorobutadiene | 08-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW47 | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW47-P | Hexachlorobutadiene | 08-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW47-P | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW47 | Hexachlorocyclopentadiene | 08-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW47-P | Hexachlorocyclopentadiene | 08-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW47 | Hexachloroethane | 08-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW47-P | Hexachloroethane | 08-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW47 | Isophorone | 08-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW47-P | Isophorone | 08-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW47 | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW47-P | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW47 | Methylnaphthalene-2 | 08-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW47-P | Methylnaphthalene-2 | 08-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW47 | Naphthalene | 08-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW47 | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW47-P | Naphthalene | 08-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW47-P | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW47 | Nitroaniline, ortho | 08-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW47-P | Nitroaniline, ortho | 08-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW47 | Nitroaniline-3 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Nitroaniline-3 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Nitrobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW47-P | Nitrobenzenamine-4 | 08-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW47 | Nitrobenzene | 08-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW47-P | Nitrobenzene | 08-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW47 | Nitrophenol-2 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Nitrophenol-2 | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Nitrophenol-4 | 08-Feb-12 | 10 U ug/L | | | | | |
| HW47-P | Nitrophenol-4 | 08-Feb-12 | 10 U ug/L | | | | | |
| HW47 | Nitrosodimethylamine-n | 08-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW47-P | Nitrosodimethylamine-n | 08-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW47 | Nitrosodiphenylamine-n | 08-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW47-P | Nitrosodiphenylamine-n | 08-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47 | Pentachlorophenol | 08-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW47-P | Pentachlorophenol | 08-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW47 | Perylene-benzo(ghi) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Perylene-benzo(ghi) | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Phenanthrene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Phenanthrene | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Phenol | 08-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW47-P | Phenol | 08-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW47 | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW47-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW47 | Phthalate, Dimethyl | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW47-P | Phthalate, Dimethyl | 08-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW47 | Phthalate, di-n-butyl- | 08-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW47-P | Phthalate, di-n-butyl- | 08-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW47 | Phthalate, di-n-octyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47-P | Phthalate, di-n-octyl | 08-Feb-12 | 5 U ug/L | | | | | |
| HW47 | Phthalate-diethyl | 08-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW47-P | Phthalate-diethyl | 08-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW47 | Propylamine,n-nitroso di-n- | 08-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW47-P | Propylamine,n-nitroso di-n- | 08-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW47 | Pyrene | 08-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW47-P | Pyrene | 08-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW47 | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW47-P | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW47 | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW47-P | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW47 | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW47-P | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW47 | Trichlorophenol-2,4,5 | 08-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW47-P | Trichlorophenol-2,4,5 | 08-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW47 | Trichlorophenol-2,4,6 | 08-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW47-P | Trichlorophenol-2,4,6 | 08-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW47 | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW47-P | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW47 | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW47 | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW47-P | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW47 | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW47-P | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW47 | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW47-P | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW47 | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW47-P | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW47 | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47-P | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47 | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Bromoform | 08-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47-P | Bromoform | 08-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47 | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47-P | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47 | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW47-P | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW47 | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47-P | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47 | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW47-P | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47 | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW47-P | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW47 | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47-P | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47 | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW47-P | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW47 | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW47-P | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW47 | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW47-P | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW47 | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47-P | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW47 | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW47-P | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW47 | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-P | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW47 | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW47-P | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW47 | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW47-P | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW47 | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW47-P | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW47 | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-P | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW47 | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW47-P | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW47 | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW47-P | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW47 | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW47-P | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW47 | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW47-P | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW47 | Methyl acetate | 08-Feb-12 | 1 U ug/L | | | | | |
| HW47-P | Methyl acetate | 08-Feb-12 | 1 U ug/L | | | | | |
| HW47 | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW47-P | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW47 | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47-P | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47 | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47 | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW47-P | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW47 | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW47-P | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW47 | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW47-P | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW47 | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47-P | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47 | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW47-P | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW47 | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW47-P | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW47 | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW47-P | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW47 | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW47-P | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW47 | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW47-P | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW47 | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47-P | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW47 | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW47-P | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW47 | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW47-P | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW47 | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW47-P | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW47 | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47-P | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW47 | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW47-P | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW47 | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW47-P | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW47 | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW47-P | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW47 | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW47-P | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW47 | Total Phosphorus as P | 08-Feb-12 | 0.287 mg/L | | | | | |
| HW47-P | Total Phosphorus as P | 08-Feb-12 | 0.329 mg/L | | | | | |
| HW48 | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW48z | 1-Butanol | 08-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW48 | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48z | 1-Propanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48 | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48z | 2-Butanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48 | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48z | Ethanol | 08-Feb-12 | 10000 U ug/L | | | | | |
| HW48 | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW48z | Methanol | 08-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW48 | Anionic Surfactants | 08-Feb-12 | 0.01 U mg/L | | | | | |
| HW48z | Anionic Surfactants | 08-Feb-12 | 0.017 mg/L | | | | | |
| HW48 | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW48z | Heterotrophic Plate Count | 08-Feb-12 | R cfu/1mL | | | | | |
| HW48 | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW48z | Total Coliform Bacteria | 08-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW48 | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW48z | Ethane | 08-Feb-12 | 1.2 U ug/L | | | | | |
| HW48 | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW48z | Ethene | 08-Feb-12 | 1.1 U ug/L | | | | | |
| HW48 | Methane | 08-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW48z | Methane | 08-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW48 | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW48z | 2-Butoxyethanol | 08-Feb-12 | 5 U ug/L | | | | | |
| HW48 | 2-Methoxyethanol | 08-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW48 | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW48z | 2-Methoxyethanol | 08-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW48z | 2-Methoxyethanol | 08-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW48 | Diethylene Glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW48z | Diethylene Glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW48z | Ethylene Glycol | 08-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW48 | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW48z | Tetraethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW48 | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW48z | Triethylene glycol | 08-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW48 | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW48z | Bromide | 08-Feb-12 | 0.5 U mg/L | | | | | |
| HW48 | Chloride | 08-Feb-12 | 1.56 mg/L | | | 250 mg/L | | 250 mg/L |
| HW48z | Chloride | 08-Feb-12 | 1.57 mg/L | | | 250 mg/L | | 250 mg/L |
| HW48 | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW48z | Fluoride | 08-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW48 | Sulfate | 08-Feb-12 | 11.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW48z | Sulfate | 08-Feb-12 | 11.2 mg/L | | | 250 mg/L | | 250 mg/L |
| HW48 | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW48-F | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW48z | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW48z-F | Mercury | 08-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW48 | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW48-F | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW48z | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW48z-F | Aluminum | 08-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW48 | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW48-F | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW48z | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW48z-F | Antimony | 08-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW48 | Arsenic | 08-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW48-F | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW48z | Arsenic | 08-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW48z-F | Arsenic | 08-Feb-12 | 1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW48 | Barium | 08-Feb-12 | 39 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW48-F | Barium | 08-Feb-12 | 39 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW48z | Barium | 08-Feb-12 | 39.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW48z-F | Barium | 08-Feb-12 | 37.4 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW48 | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48-F | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW48z | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW48z-F | Beryllium | 08-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW48 | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW48-F | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW48z | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW48z-F | Boron | 08-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW48 | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW48-F | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW48z | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW48z-F | Cadmium | 08-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW48 | Calcium | 08-Feb-12 | 31700 ug/L | | | | | |
| HW48-F | Calcium | 08-Feb-12 | 31500 ug/L | | | | | |
| HW48z | Calcium | 08-Feb-12 | 31600 ug/L | | | | | |
| HW48z-F | Calcium | 08-Feb-12 | 31800 ug/L | | | | | |
| HW48 | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW48-F | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW48z | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW48z-F | Chromium | 08-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW48 | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW48-F | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW48z | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW48z-F | Cobalt | 08-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW48 | Copper | 08-Feb-12 | 5.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW48-F | Copper | 08-Feb-12 | 4.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW48z | Copper | 08-Feb-12 | 6.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW48z-F | Copper | 08-Feb-12 | 4.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW48 | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW48-F | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW48z | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW48z-F | Iron | 08-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW48 | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW48-F | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW48z | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW48z-F | Lead | 08-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW48-F | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW48z | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW48z-F | Lithium | 08-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW48 | Magnesium | 08-Feb-12 | 4500 ug/L | | | | | |
| HW48-F | Magnesium | 08-Feb-12 | 4470 ug/L | | | | | |
| HW48z | Magnesium | 08-Feb-12 | 4490 ug/L | | | | | |
| HW48z-F | Magnesium | 08-Feb-12 | 4510 ug/L | | | | | |
| HW48 | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW48-F | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW48z | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW48z-F | Manganese | 08-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW48 | Nickel | 08-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW48-F | Nickel | 08-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW48z | Nickel | 08-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW48z-F | Nickel | 08-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW48 | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW48-F | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW48z | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW48z-F | Potassium | 08-Feb-12 | 2000 U ug/L | | | | | |
| HW48 | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW48-F | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW48z | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW48z-F | Selenium | 08-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW48 | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW48-F | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW48z | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW48z-F | Silver | 08-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW48 | Sodium | 08-Feb-12 | 6660 ug/L | 20000 ug/L | | | | |
| HW48-F | Sodium | 08-Feb-12 | 6630 ug/L | 20000 ug/L | | | | |
| HW48z | Sodium | 08-Feb-12 | 6680 ug/L | 20000 ug/L | | | | |
| HW48z-F | Sodium | 08-Feb-12 | 6660 ug/L | 20000 ug/L | | | | |
| HW48 | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48-F | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48z | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48z-F | Strontium | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48 | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW48-F | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW48z | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW48z-F | Thallium | 08-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW48 | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48-F | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48z | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48z-F | Tin | 08-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW48 | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW48-F | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW48z | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW48z-F | Titanium | 08-Feb-12 | 200 U ug/L | | | | | |
| HW48 | Uranium | 08-Feb-12 | 2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW48-F | Uranium | 08-Feb-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW48z | Uranium | 08-Feb-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW48z-F | Uranium | 08-Feb-12 | 1.9 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW48 | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW48-F | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW48z | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW48z-F | Vanadium | 08-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW48 | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW48-F | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW48z | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW48z-F | Zinc | 08-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW48 | Oil and Grease | 08-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW48z | Oil and Grease | 08-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW48 | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW48z | Total Dissolved Solids | 08-Feb-12 | 154 U mg/L | | | 500 mg/L | | 500 mg/L |
| HW48 | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW48z | Total Suspended Solids | 08-Feb-12 | 10 U mg/L | | | | | |
| HW48 | 1-Methylnaphthalene | 08-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW48z | 1-Methylnaphthalene | 08-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW48 | Acenaphthene | 08-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW48z | Acenaphthene | 08-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Acenaphthylene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Acenaphthylene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Acetophenone | 08-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW48z | Acetophenone | 08-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW48 | Anthracene | 08-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW48z | Anthracene | 08-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW48 | Atrazine | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW48z | Atrazine | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW48 | Benzo(a)anthracene | 08-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW48z | Benzo(a)anthracene | 08-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW48 | Benzo(a)pyrene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW48z | Benzo(a)pyrene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW48 | Biphenyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Biphenyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Bromophenyl-4 Phenyl Ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Butylbenzyl phthalate | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW48z | Butylbenzyl phthalate | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW48 | Caprolactam | 08-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW48z | Caprolactam | 08-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW48 | Carbazole | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Carbazole | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Chlorobenzenamine-4 | 08-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW48z | Chlorobenzenamine-4 | 08-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW48 | Chloronaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW48z | Chloronaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW48 | Chlorophenol-2 | 08-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW48z | Chlorophenol-2 | 08-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW48 | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Chlorophenyl-4 phenyl ether | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Chrysene | 08-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW48z | Chrysene | 08-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW48 | Cresol, parachloro meta- | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Cresol, parachloro meta- | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 9.52 UJ ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48z | Cresol-4,6-dinitro-ortho | 08-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW48 | Cresol-o | 08-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW48z | Cresol-o | 08-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW48 | Cresol-p | 08-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW48z | Cresol-p | 08-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW48 | Dibenz(a,h)anthracene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW48z | Dibenz(a,h)anthracene | 08-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW48 | Dibenzofuran | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Dibenzofuran | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Dichlorobenzidine-3,3' | 08-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW48z | Dichlorobenzidine-3,3' | 08-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW48 | Dichlorophenol-2,4 | 08-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW48z | Dichlorophenol-2,4 | 08-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW48 | Dimethylphenol, 2,4- | 08-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW48z | Dimethylphenol, 2,4- | 08-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW48 | Dinitrophenol-2,4 | 08-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW48z | Dinitrophenol-2,4 | 08-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW48 | Dinitrotoluene-2,4 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Dinitrotoluene-2,4 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Dinitrotoluene-2,6 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Dinitrotoluene-2,6 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Ether, bis(2-chloroethyl) | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW48z | Ether, bis(2-chloroethyl) | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW48 | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Ether-bis(2-chloroisopropyl) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Fluoranthene | 08-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW48z | Fluoranthene | 08-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW48 | Fluoranthene benzo(k) | 08-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW48z | Fluoranthene benzo(k) | 08-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW48 | Fluoranthene-benzo(b) | 08-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW48z | Fluoranthene-benzo(b) | 08-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW48 | Fluorene | 08-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW48z | Fluorene | 08-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW48 | Hexachlorobenzene | 08-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW48z | Hexachlorobenzene | 08-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Hexachlorobutadiene | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW48 | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW48z | Hexachlorobutadiene | 08-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW48z | Hexachlorobutadiene | 08-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW48 | Hexachlorocyclopentadiene | 08-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW48z | Hexachlorocyclopentadiene | 08-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW48 | Hexachloroethane | 08-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW48z | Hexachloroethane | 08-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW48 | Isophorone | 08-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW48z | Isophorone | 08-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW48 | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW48z | Methane, bis(2-chloroethoxy) | 08-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW48 | Methylnaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW48z | Methylnaphthalene-2 | 08-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW48 | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW48 | Naphthalene | 08-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW48z | Naphthalene | 08-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW48z | Naphthalene | 08-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW48 | Nitroaniline, ortho | 08-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW48z | Nitroaniline, ortho | 08-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW48 | Nitroaniline-3 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Nitroaniline-3 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Nitrobenzenamine-4 | 08-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW48z | Nitrobenzenamine-4 | 08-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW48 | Nitrobenzene | 08-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW48z | Nitrobenzene | 08-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW48 | Nitrophenol-2 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Nitrophenol-2 | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Nitrophenol-4 | 08-Feb-12 | 9.52 U ug/L | | | | | |
| HW48z | Nitrophenol-4 | 08-Feb-12 | 9.52 U ug/L | | | | | |
| HW48 | Nitrosodimethylamine-n | 08-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW48z | Nitrosodimethylamine-n | 08-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW48 | Nitrosodiphenylamine-n | 08-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW48z | Nitrosodiphenylamine-n | 08-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW48 | Pentachlorophenol | 08-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48z | Pentachlorophenol | 08-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW48 | Perylene-benzo(ghi) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Perylene-benzo(ghi) | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Phenanthrene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Phenanthrene | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Phenol | 08-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW48z | Phenol | 08-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW48 | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW48z | Phthalate, bis(2-ethylhexyl) (DEHP) | 08-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW48 | Phthalate, Dimethyl | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW48z | Phthalate, Dimethyl | 08-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW48 | Phthalate, di-n-butyl- | 08-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW48z | Phthalate, di-n-butyl- | 08-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW48 | Phthalate, di-n-octyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48z | Phthalate, di-n-octyl | 08-Feb-12 | 4.76 U ug/L | | | | | |
| HW48 | Phthalate-diethyl | 08-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW48z | Phthalate-diethyl | 08-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW48 | Propylamine,n-nitroso di-n- | 08-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW48z | Propylamine,n-nitroso di-n- | 08-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW48 | Pyrene | 08-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW48z | Pyrene | 08-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW48 | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW48z | Pyrene-indeno(1,2,3-cd) | 08-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW48 | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW48z | Tetrachlorobenzene, 1,2,4,5- | 08-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW48 | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW48z | Tetrachlorophenol, 2,3,4,6- | 08-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW48 | Trichlorophenol-2,4,5 | 08-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW48z | Trichlorophenol-2,4,5 | 08-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW48 | Trichlorophenol-2,4,6 | 08-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW48z | Trichlorophenol-2,4,6 | 08-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW48 | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW48z | TPH - Diesel Range Organics | 08-Feb-12 | 250 U ug/L | | | | | |
| HW48 | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |
| HW48z | TPH - Gasoline Range Organics | 08-Feb-12 | 50 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW48z | TPH - Oil Range Organics | 08-Feb-12 | 1000 U ug/L | | | | | |
| HW48 | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW48z | 1,2-Dibromo-3-chloropropane (DBCP) | 08-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW48 | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW48z | 4-Methyl-2-pentanone | 08-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW48 | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW48z | Acetone | 08-Feb-12 | 2 U ug/L | | | | | |
| HW48 | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48z | Benzene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48 | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Bromobenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Bromoform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48z | Bromoform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48 | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Butylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Butylbenzene, sec- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Butylbenzene, tert- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Carbon disulfide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48z | Carbon Tetrachloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48 | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW48z | Chlorobenzene | 08-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW48 | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Chlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Chloroethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48z | Chloroform | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48 | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW48z | Chlorotoluene | 08-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW48 | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48z | Chlorotoluene-p | 08-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW48 | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48z | Dibromochloromethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48 | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW48z | Dibromoethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW48 | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dibromomethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW48z | Dichlorobenzene-1,2 | 08-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW48 | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichlorobenzene-1,3 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW48z | Dichlorobenzene-1,4 | 08-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW48 | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48z | Dichlorobromomethane | 08-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW48 | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichlorodifluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW48z | Dichloroethane-1,1 | 08-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW48 | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW48z | Dichloroethane-1,2 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW48 | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW48z | Dichloroethene-1,2 trans | 08-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW48 | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW48z | Dichloroethylene-1,1 | 08-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW48 | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW48z | Dichloroethylene-1,2 cis | 08-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW48 | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW48z | Dichloropropane, 1,2- | 08-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW48 | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW48z | Dichloropropane, 1,3- | 08-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW48 | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichloropropane, 2,2- | 08-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichloropropene, 1,1- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichloropropene, 1,3 cis- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Dichloropropene, 1,3 trans- | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW48z | Ethylbenzene | 08-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW48 | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Freon 113 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW48z | Hexanone, 2- | 08-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW48 | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Isopropylbenzene | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Isopropylbenzene-4,methyl-1 | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW48z | m,p-Xylene | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW48 | Methyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Methyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Methyl bromide | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Methyl chloride | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Methyl cyclohexane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW48z | Methyl ethyl ketone | 08-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW48 | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Methyl tertiary butyl ether (MTBE) | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48z | Methylene chloride | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48 | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Propylbenzene-n | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48z | Styrene | 08-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW48 | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW48z | Tetrachloroethane, 1,1,1,2- | 08-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW48 | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW48z | Tetrachloroethane, 1,1,2,2- | 08-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW48 | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48z | Tetrachloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48 | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW48z | Toluene | 08-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW48 | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW48z | Trichlorobenzene-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW48 | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW48z | Trichlorobenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW48 | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW48z | Trichloroethane-1,1,1 | 08-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW48 | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW48z | Trichloroethane-1,1,2 | 08-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW48 | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48z | Trichloroethylene | 08-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW48 | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Trichlorofluoromethane | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW48z | Trichloropropane-1,2,3 | 08-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW48 | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW48z | Trimethylbenzene-1,2,4 | 08-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW48 | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW48z | Trimethylbenzene-1,3,5 | 08-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW48 | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48z | Vinyl acetate | 08-Feb-12 | 0.5 U ug/L | | | | | |
| HW48 | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW48z | Vinyl chloride | 08-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW48 | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW48z | Xylene-o | 08-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW48 | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.366 mg/L | | 10 mg/L | | 10 mg/L | |
| HW48z | Nitrogen, Nitrite + Nitrate | 08-Feb-12 | 0.368 mg/L | | 10 mg/L | | 10 mg/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW48 | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW48z | Total Nitrogen | 08-Feb-12 | 1 U mg/L | | | | | |
| HW48 | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW48z | Total Phosphorus as P | 08-Feb-12 | 0.05 U mg/L | | | | | |
| HW49 | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW49-P | 1-Butanol | 09-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW49 | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49-P | 1-Propanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49 | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49-P | 2-Butanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49 | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49-P | Ethanol | 09-Feb-12 | 10000 U ug/L | | | | | |
| HW49 | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW49-P | Methanol | 09-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW49 | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW49-P | Anionic Surfactants | 09-Feb-12 | 0.01 U mg/L | | | | | |
| HW49 | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW49-P | Heterotrophic Plate Count | 09-Feb-12 | R cfu/1mL | | | | | |
| HW49 | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW49-P | Total Coliform Bacteria | 09-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW49 | Ethane | 09-Feb-12 | 1.2 U ug/L | | | | | |
| HW49-P | Ethane | 09-Feb-12 | 1.2 U ug/L | | | | | |
| HW49 | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW49-P | Ethene | 09-Feb-12 | 1.1 U ug/L | | | | | |
| HW49 | Methane | 09-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW49-P | Methane | 09-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW49 | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49-P | 2-Butoxyethanol | 09-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW49 | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW49-P | 2-Methoxyethanol | 09-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW49-P | 2-Methoxyethanol | 09-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW49 | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49-P | Diethylene Glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49 | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW49-P | Ethylene Glycol | 09-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW49 | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49-P | Tetraethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49 | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49-P | Triethylene glycol | 09-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW49 | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |
| HW49-P | Bromide | 09-Feb-12 | 0.5 U mg/L | | | | | |
| HW49 | Chloride | 09-Feb-12 | 6.25 mg/L | | | 250 mg/L | | 250 mg/L |
| HW49-P | Chloride | 09-Feb-12 | 6.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW49 | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW49-P | Fluoride | 09-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW49 | Sulfate | 09-Feb-12 | 12.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW49-P | Sulfate | 09-Feb-12 | 12.5 mg/L | | | 250 mg/L | | 250 mg/L |
| HW49 | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-F | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-P | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-PF | Mercury | 09-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW49 | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW49-F | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW49-P | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW49-PF | Aluminum | 09-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW49 | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW49-F | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW49-P | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW49-PF | Antimony | 09-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW49 | Arsenic | 09-Feb-12 | 2.9 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW49-F | Arsenic | 09-Feb-12 | 2.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW49-P | Arsenic | 09-Feb-12 | 2.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-PF | Arsenic | 09-Feb-12 | 1.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW49 | Barium | 09-Feb-12 | 89.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW49-F | Barium | 09-Feb-12 | 92 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW49-P | Barium | 09-Feb-12 | 89.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW49-PF | Barium | 09-Feb-12 | 88.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW49 | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW49-F | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW49-P | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW49-PF | Beryllium | 09-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW49 | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW49-F | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW49-P | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW49-PF | Boron | 09-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW49 | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-F | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-P | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-PF | Cadmium | 09-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW49 | Calcium | 09-Feb-12 | 41100 ug/L | | | | | |
| HW49-F | Calcium | 09-Feb-12 | 42800 ug/L | | | | | |
| HW49-P | Calcium | 09-Feb-12 | 41700 ug/L | | | | | |
| HW49-PF | Calcium | 09-Feb-12 | 40200 ug/L | | | | | |
| HW49 | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW49-F | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW49-P | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW49-PF | Chromium | 09-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW49 | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW49-F | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW49-P | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW49-PF | Cobalt | 09-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW49 | Copper | 09-Feb-12 | 5.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW49-F | Copper | 09-Feb-12 | 3.5 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW49-P | Copper | 09-Feb-12 | 75.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW49-PF | Copper | 09-Feb-12 | 67.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW49 | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW49-F | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-P | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW49-PF | Iron | 09-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW49 | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW49-F | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW49-P | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW49-PF | Lead | 09-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW49 | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW49-F | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW49-P | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW49-PF | Lithium | 09-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW49 | Magnesium | 09-Feb-12 | 5770 ug/L | | | | | |
| HW49-F | Magnesium | 09-Feb-12 | 6010 ug/L | | | | | |
| HW49-P | Magnesium | 09-Feb-12 | 5860 ug/L | | | | | |
| HW49-PF | Magnesium | 09-Feb-12 | 5670 ug/L | | | | | |
| HW49 | Manganese | 09-Feb-12 | 36.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW49-F | Manganese | 09-Feb-12 | 2.3 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW49-P | Manganese | 09-Feb-12 | 2.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW49-PF | Manganese | 09-Feb-12 | 2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW49 | Nickel | 09-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW49-F | Nickel | 09-Feb-12 | 1.9 ug/L | 300 ug/L | | | | |
| HW49-P | Nickel | 09-Feb-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW49-PF | Nickel | 09-Feb-12 | 1.8 ug/L | 300 ug/L | | | | |
| HW49 | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW49-F | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW49-P | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW49-PF | Potassium | 09-Feb-12 | 2000 U ug/L | | | | | |
| HW49 | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW49-F | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW49-P | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW49-PF | Selenium | 09-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW49 | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW49-F | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW49-P | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW49-PF | Silver | 09-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW49 | Sodium | 09-Feb-12 | 12600 ug/L | 20000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-F | Sodium | 09-Feb-12 | 12900 ug/L | 20000 ug/L | | | | |
| HW49-P | Sodium | 09-Feb-12 | 12800 ug/L | 20000 ug/L | | | | |
| HW49-PF | Sodium | 09-Feb-12 | 12000 ug/L | 20000 ug/L | | | | |
| HW49 | Strontium | 09-Feb-12 | 291 ug/L | 9300 ug/L | | | | |
| HW49-F | Strontium | 09-Feb-12 | 299 ug/L | 9300 ug/L | | | | |
| HW49-P | Strontium | 09-Feb-12 | 292 ug/L | 9300 ug/L | | | | |
| HW49-PF | Strontium | 09-Feb-12 | 275 ug/L | 9300 ug/L | | | | |
| HW49 | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-F | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-P | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW49-PF | Thallium | 09-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW49 | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW49-F | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW49-P | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW49-PF | Tin | 09-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW49 | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW49-F | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW49-P | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW49-PF | Titanium | 09-Feb-12 | 200 U ug/L | | | | | |
| HW49 | Uranium | 09-Feb-12 | 2.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW49-F | Uranium | 09-Feb-12 | 2.3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW49-P | Uranium | 09-Feb-12 | 2.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW49-PF | Uranium | 09-Feb-12 | 2.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW49 | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW49-F | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW49-P | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW49-PF | Vanadium | 09-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW49 | Zinc | 09-Feb-12 | 2.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW49-F | Zinc | 09-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW49-P | Zinc | 09-Feb-12 | 4.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW49-PF | Zinc | 09-Feb-12 | 2.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW49 | Oil and Grease | 09-Feb-12 | 5.4 UJ mg/L | | | | | |
| HW49-P | Oil and Grease | 09-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW49 | Total Dissolved Solids | 09-Feb-12 | 155 mg/L | | | 500 mg/L | | 500 mg/L |
| HW49-P | Total Dissolved Solids | 09-Feb-12 | 159 mg/L | | | 500 mg/L | | 500 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | Total Suspended Solids | 09-Feb-12 | 10 U mg/L | | | | | |
| HW49-P | Total Suspended Solids | 09-Feb-12 | 10 U mg/L | | | | | |
| HW49 | 1-Methylnaphthalene | 09-Feb-12 | 4.76 U ug/L | 97 ug/L | | | | |
| HW49-P | 1-Methylnaphthalene | 09-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW49 | Acenaphthene | 09-Feb-12 | 4.76 U ug/L | 400 ug/L | | | | |
| HW49-P | Acenaphthene | 09-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW49 | Acenaphthylene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Acenaphthylene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Acetophenone | 09-Feb-12 | 4.76 U ug/L | 1500 ug/L | | | | |
| HW49-P | Acetophenone | 09-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW49 | Anthracene | 09-Feb-12 | 4.76 U ug/L | 1300 ug/L | | | | |
| HW49-P | Anthracene | 09-Feb-12 | 0.047 J ug/L | 1300 ug/L | | | | |
| HW49 | Atrazine | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW49-P | Atrazine | 09-Feb-12 | 60 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW49 | Benzo(a)anthracene | 09-Feb-12 | 4.76 U ug/L | 2.9 ug/L | | | | |
| HW49-P | Benzo(a)anthracene | 09-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW49 | Benzo(a)pyrene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW49-P | Benzo(a)pyrene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW49 | Biphenyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Biphenyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Bromophenyl-4 Phenyl Ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Butylbenzyl phthalate | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW49-P | Butylbenzyl phthalate | 09-Feb-12 | 0.06 J ug/L | 1400 ug/L | | | | |
| HW49 | Caprolactam | 09-Feb-12 | 4.76 U ug/L | 7700 ug/L | | | | |
| HW49-P | Caprolactam | 09-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW49 | Carbazole | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Carbazole | 09-Feb-12 | 0.057 J ug/L | | | | | |
| HW49 | Chlorobenzenamine-4 | 09-Feb-12 | 4.76 UJ ug/L | 3.2 ug/L | | | | |
| HW49-P | Chlorobenzenamine-4 | 09-Feb-12 | R ug/L | 3.2 ug/L | | | | |
| HW49 | Chloronaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 550 ug/L | | | | |
| HW49-P | Chloronaphthalene-2 | 09-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW49 | Chlorophenol-2 | 09-Feb-12 | 4.76 U ug/L | 71 ug/L | | | | |
| HW49-P | Chlorophenol-2 | 09-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW49 | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 4.76 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-P | Chlorophenyl-4 phenyl ether | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Chrysene | 09-Feb-12 | 4.76 U ug/L | 290 ug/L | | | | |
| HW49-P | Chrysene | 09-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW49 | Cresol, parachloro meta- | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Cresol, parachloro meta- | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 9.52 UJ ug/L | | | | | |
| HW49-P | Cresol-4,6-dinitro-ortho | 09-Feb-12 | 10 UJ ug/L | | | | | |
| HW49 | Cresol-o | 09-Feb-12 | 4.76 U ug/L | 720 ug/L | | | | |
| HW49-P | Cresol-o | 09-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW49 | Cresol-p | 09-Feb-12 | 4.76 U ug/L | 72 ug/L | | | | |
| HW49-P | Cresol-p | 09-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW49 | Dibenz(a,h)anthracene | 09-Feb-12 | 4.76 U ug/L | 0.29 ug/L | | | | |
| HW49-P | Dibenz(a,h)anthracene | 09-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW49 | Dibenzofuran | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Dibenzofuran | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW49-P | Dichlorobenzidine-3,3' | 09-Feb-12 | R ug/L | 11 ug/L | | | | |
| HW49 | Dichlorophenol-2,4 | 09-Feb-12 | 4.76 U ug/L | 35 ug/L | | | | |
| HW49-P | Dichlorophenol-2,4 | 09-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW49 | Dimethylphenol, 2,4- | 09-Feb-12 | 4.76 U ug/L | 270 ug/L | | | | |
| HW49-P | Dimethylphenol, 2,4- | 09-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW49 | Dinitrophenol-2,4 | 09-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW49-P | Dinitrophenol-2,4 | 09-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW49 | Dinitrotoluene-2,4 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Dinitrotoluene-2,4 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Dinitrotoluene-2,6 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Dinitrotoluene-2,6 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Ether, bis(2-chloroethyl) | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW49-P | Ether, bis(2-chloroethyl) | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW49 | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Ether-bis(2-chloroisopropyl) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Fluoranthene | 09-Feb-12 | 4.76 U ug/L | 630 ug/L | | | | |
| HW49-P | Fluoranthene | 09-Feb-12 | 0.061 J ug/L | 630 ug/L | | | | |
| HW49 | Fluoranthene benzo(k) | 09-Feb-12 | 4.76 U ug/L | 29 ug/L | | | | |
| HW49-P | Fluoranthene benzo(k) | 09-Feb-12 | 5 U ug/L | 29 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | Fluoranthene-benzo(b) | 09-Feb-12 | 4.76 U ug/L | 5.6 ug/L | | | | |
| HW49-P | Fluoranthene-benzo(b) | 09-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW49 | Fluorene | 09-Feb-12 | 4.76 U ug/L | 220 ug/L | | | | |
| HW49-P | Fluorene | 09-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW49 | Hexachlorobenzene | 09-Feb-12 | 4.76 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW49-P | Hexachlorobenzene | 09-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW49 | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW49 | Hexachlorobutadiene | 09-Feb-12 | 4.76 U ug/L | 26 ug/L | | | | |
| HW49-P | Hexachlorobutadiene | 09-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW49-P | Hexachlorobutadiene | 09-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW49 | Hexachlorocyclopentadiene | 09-Feb-12 | 4.76 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW49-P | Hexachlorocyclopentadiene | 09-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW49 | Hexachloroethane | 09-Feb-12 | 4.76 U ug/L | 5.1 ug/L | | | | |
| HW49-P | Hexachloroethane | 09-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW49 | Isophorone | 09-Feb-12 | 4.76 U ug/L | 6700 ug/L | | | | |
| HW49-P | Isophorone | 09-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW49 | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 4.76 U ug/L | 47 ug/L | | | | |
| HW49-P | Methane, bis(2-chloroethoxy) | 09-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW49 | Methylnaphthalene-2 | 09-Feb-12 | 4.76 U ug/L | 27 ug/L | | | | |
| HW49-P | Methylnaphthalene-2 | 09-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW49 | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW49 | Naphthalene | 09-Feb-12 | 4.76 U ug/L | 14 ug/L | | | | |
| HW49-P | Naphthalene | 09-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW49-P | Naphthalene | 09-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW49 | Nitroaniline, ortho | 09-Feb-12 | 4.76 U ug/L | 150 ug/L | | | | |
| HW49-P | Nitroaniline, ortho | 09-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW49 | Nitroaniline-3 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Nitroaniline-3 | 09-Feb-12 | R ug/L | | | | | |
| HW49 | Nitrobenzenamine-4 | 09-Feb-12 | 4.76 U ug/L | 61 ug/L | | | | |
| HW49-P | Nitrobenzenamine-4 | 09-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW49 | Nitrobenzene | 09-Feb-12 | 4.76 U ug/L | 12 ug/L | | | | |
| HW49-P | Nitrobenzene | 09-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW49 | Nitrophenol-2 | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Nitrophenol-2 | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Nitrophenol-4 | 09-Feb-12 | 9.52 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-P | Nitrophenol-4 | 09-Feb-12 | 10 U ug/L | | | | | |
| HW49 | Nitrosodimethylamine-n | 09-Feb-12 | 4.76 U ug/L | 0.042 ug/L | | | | |
| HW49-P | Nitrosodimethylamine-n | 09-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW49 | Nitrosodiphenylamine-n | 09-Feb-12 | 4.76 U ug/L | 1000 ug/L | | | | |
| HW49-P | Nitrosodiphenylamine-n | 09-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW49 | Pentachlorophenol | 09-Feb-12 | 4.76 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW49-P | Pentachlorophenol | 09-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW49 | Perylene-benzo(ghi) | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Perylene-benzo(ghi) | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Phenanthrene | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Phenanthrene | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Phenol | 09-Feb-12 | 4.76 U ug/L | 4500 ug/L | | | | |
| HW49-P | Phenol | 09-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW49 | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 4.76 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW49-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 09-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW49 | Phthalate, Dimethyl | 09-Feb-12 | 4.76 U ug/L | 1400 ug/L | | | | |
| HW49-P | Phthalate, Dimethyl | 09-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW49 | Phthalate, di-n-butyl- | 09-Feb-12 | 4.76 U ug/L | 670 ug/L | | | | |
| HW49-P | Phthalate, di-n-butyl- | 09-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW49 | Phthalate, di-n-octyl | 09-Feb-12 | 4.76 U ug/L | | | | | |
| HW49-P | Phthalate, di-n-octyl | 09-Feb-12 | 5 U ug/L | | | | | |
| HW49 | Phthalate-diethyl | 09-Feb-12 | 4.76 U ug/L | 11000 ug/L | | | | |
| HW49-P | Phthalate-diethyl | 09-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW49 | Propylamine,n-nitroso di-n- | 09-Feb-12 | 4.76 U ug/L | 0.93 ug/L | | | | |
| HW49-P | Propylamine,n-nitroso di-n- | 09-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW49 | Pyrene | 09-Feb-12 | 4.76 U ug/L | 87 ug/L | | | | |
| HW49-P | Pyrene | 09-Feb-12 | 0.065 J ug/L | 87 ug/L | | | | |
| HW49 | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 4.76 U ug/L | 3 ug/L | | | | |
| HW49-P | Pyrene-indeno(1,2,3-cd) | 09-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW49 | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 4.76 U ug/L | 1.2 ug/L | | | | |
| HW49-P | Tetrachlorobenzene, 1,2,4,5- | 09-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW49 | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 4.76 U ug/L | 170 ug/L | | | | |
| HW49-P | Tetrachlorophenol, 2,3,4,6- | 09-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW49 | Trichlorophenol-2,4,5 | 09-Feb-12 | 4.76 U ug/L | 890 ug/L | | | | |
| HW49-P | Trichlorophenol-2,4,5 | 09-Feb-12 | 5 U ug/L | 890 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | Trichlorophenol-2,4,6 | 09-Feb-12 | 4.76 U ug/L | 9.04 ug/L | | | | |
| HW49-P | Trichlorophenol-2,4,6 | 09-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW49 | TPH - Diesel Range Organics | 09-Feb-12 | 240 U ug/L | | | | | |
| HW49-P | TPH - Diesel Range Organics | 09-Feb-12 | 240 U ug/L | | | | | |
| HW49 | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW49-P | TPH - Gasoline Range Organics | 09-Feb-12 | 50 U ug/L | | | | | |
| HW49 | TPH - Oil Range Organics | 09-Feb-12 | 950 U ug/L | | | | | |
| HW49-P | TPH - Oil Range Organics | 09-Feb-12 | 950 U ug/L | | | | | |
| HW49 | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW49-P | 1,2-Dibromo-3-chloropropane (DBCP) | 09-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW49 | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW49-P | 4-Methyl-2-pentanone | 09-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW49 | Acetone | 09-Feb-12 | 2 U ug/L | | | | | |
| HW49-P | Acetone | 09-Feb-12 | 0.8 J ug/L | | | | | |
| HW49 | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49-P | Benzene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49 | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Bromobenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49-P | Bromoform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49 | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Butylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Butylbenzene, sec- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Butylbenzene, tert- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Carbon disulfide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49-P | Carbon Tetrachloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49 | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW49-P | Chlorobenzene | 09-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW49 | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Chlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-P | Chloroethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49-P | Chloroform | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49 | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW49-P | Chlorotoluene | 09-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW49 | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW49-P | Chlorotoluene-p | 09-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW49 | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49-P | Dibromochloromethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49 | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW49-P | Dibromoethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW49 | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dibromomethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW49-P | Dichlorobenzene-1,2 | 09-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW49 | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichlorobenzene-1,3 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW49-P | Dichlorobenzene-1,4 | 09-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW49 | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49-P | Dichlorobromomethane | 09-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW49 | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichlorodifluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW49-P | Dichloroethane-1,1 | 09-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW49 | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-P | Dichloroethane-1,2 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW49 | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW49-P | Dichloroethene-1,2 trans | 09-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW49 | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW49-P | Dichloroethylene-1,1 | 09-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW49 | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW49-P | Dichloroethylene-1,2 cis | 09-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-P | Dichloropropane, 1,2- | 09-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW49 | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW49-P | Dichloropropane, 1,3- | 09-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW49 | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichloropropane, 2,2- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichloropropene, 1,1- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichloropropene, 1,3 cis- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Dichloropropene, 1,3 trans- | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW49-P | Ethylbenzene | 09-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW49 | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Freon 113 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW49-P | Hexanone, 2- | 09-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW49 | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Isopropylbenzene | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Isopropylbenzene-4,methyl-1 | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW49-P | m,p-Xylene | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW49 | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Methyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Methyl bromide | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Methyl chloride | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Methyl cyclohexane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW49-P | Methyl ethyl ketone | 09-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW49 | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49-P | Methyl tertiary butyl ether (MTBE) | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49-P | Methylene chloride | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49 | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Propylbenzene-n | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW49-P | Styrene | 09-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW49 | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW49-P | Tetrachloroethane, 1,1,1,2- | 09-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW49 | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW49-P | Tetrachloroethane, 1,1,2,2- | 09-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW49 | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49-P | Tetrachloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49 | Toluene | 09-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW49-P | Toluene | 09-Feb-12 | 0.07 J ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW49 | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW49-P | Trichlorobenzene-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW49 | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW49-P | Trichlorobenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW49 | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW49-P | Trichloroethane-1,1,1 | 09-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW49 | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW49-P | Trichloroethane-1,1,2 | 09-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW49 | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49-P | Trichloroethylene | 09-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW49 | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Trichlorofluoromethane | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49 | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW49-P | Trichloropropane-1,2,3 | 09-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW49 | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW49-P | Trimethylbenzene-1,2,4 | 09-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW49 | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW49-P | Trimethylbenzene-1,3,5 | 09-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW49 | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |
| HW49-P | Vinyl acetate | 09-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW49 | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW49-P | Vinyl chloride | 09-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW49 | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW49-P | Xylene-o | 09-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW49 | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.324 mg/L | | 10 mg/L | | 10 mg/L | |
| HW49-P | Nitrogen, Nitrite + Nitrate | 09-Feb-12 | 0.318 mg/L | | 10 mg/L | | 10 mg/L | |
| HW49 | Total Nitrogen | 09-Feb-12 | 2.25 mg/L | | | | | |
| HW49-P | Total Nitrogen | 09-Feb-12 | 1 U mg/L | | | | | |
| HW49 | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW49-P | Total Phosphorus as P | 09-Feb-12 | 0.05 U mg/L | | | | | |
| HW51 | 1-Butanol | 07-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW51-P | 1-Butanol | 07-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW51 | 1-Propanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51-P | 1-Propanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51 | 2-Butanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51-P | 2-Butanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51 | Ethanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51-P | Ethanol | 07-Feb-12 | 10000 U ug/L | | | | | |
| HW51 | Methanol | 07-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW51-P | Methanol | 07-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW51 | Anionic Surfactants | 07-Feb-12 | 0.01 U mg/L | | | | | |
| HW51-P | Anionic Surfactants | 07-Feb-12 | 0.01 U mg/L | | | | | |
| HW51 | Heterotrophic Plate Count | 07-Feb-12 | R cfu/1mL | | | | | |
| HW51-P | Heterotrophic Plate Count | 07-Feb-12 | R cfu/1mL | | | | | |
| HW51 | Total Coliform Bacteria | 07-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW51-P | Total Coliform Bacteria | 07-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW51 | Ethane | 07-Feb-12 | 75 ug/L | | | | | |
| HW51-P | Ethane | 07-Feb-12 | 100 ug/L | | | | | |
| HW51 | Ethene | 07-Feb-12 | 1.1 U ug/L | | | | | |
| HW51-P | Ethene | 07-Feb-12 | 1.1 U ug/L | | | | | |
| HW51 | Methane | 07-Feb-12 | 3400 ug/L | 28000 ug/L | | | | |
| HW51-P | Methane | 07-Feb-12 | 5600 ug/L | 28000 ug/L | | | | |
| HW51 | 2-Butoxyethanol | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | 2-Butoxyethanol | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | 2-Methoxyethanol | 07-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | 2-Methoxyethanol | 07-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW51-P | 2-Methoxyethanol | 07-Feb-12 | 5 UJ ug/L | 78 ug/L | | | | |
| HW51-P | 2-Methoxyethanol | 07-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW51 | Diethylene Glycol | 07-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW51-P | Diethylene Glycol | 07-Feb-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW51 | Ethylene Glycol | 07-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW51-P | Ethylene Glycol | 07-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW51 | Tetraethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW51-P | Tetraethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW51 | Triethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW51-P | Triethylene glycol | 07-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW51 | Bromide | 07-Feb-12 | 0.5 U mg/L | | | | | |
| HW51-P | Bromide | 07-Feb-12 | 0.5 U mg/L | | | | | |
| HW51 | Chloride | 07-Feb-12 | 5.63 mg/L | | | 250 mg/L | | 250 mg/L |
| HW51-P | Chloride | 07-Feb-12 | 5.36 mg/L | | | 250 mg/L | | 250 mg/L |
| HW51 | Fluoride | 07-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW51-P | Fluoride | 07-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW51 | Sulfate | 07-Feb-12 | 12 mg/L | | | 250 mg/L | | 250 mg/L |
| HW51-P | Sulfate | 07-Feb-12 | 12.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW51 | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-F | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-P | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-PF | Mercury | 07-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW51 | Aluminum | 07-Feb-12 | 46.5 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW51-F | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW51-P | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW51-PF | Aluminum | 07-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW51 | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW51-F | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW51-P | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW51-PF | Antimony | 07-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW51 | Arsenic | 07-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW51-F | Arsenic | 07-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW51-P | Arsenic | 07-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW51-PF | Arsenic | 07-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | Barium | 07-Feb-12 | 69.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW51-F | Barium | 07-Feb-12 | 70.9 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW51-P | Barium | 07-Feb-12 | 70.1 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW51-PF | Barium | 07-Feb-12 | 71.3 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW51 | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW51-F | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW51-P | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW51-PF | Beryllium | 07-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW51 | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW51-F | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW51-P | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW51-PF | Boron | 07-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW51 | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW51-F | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW51-P | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW51-PF | Cadmium | 07-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW51 | Calcium | 07-Feb-12 | 28000 ug/L | | | | | |
| HW51-F | Calcium | 07-Feb-12 | 27700 ug/L | | | | | |
| HW51-P | Calcium | 07-Feb-12 | 27900 ug/L | | | | | |
| HW51-PF | Calcium | 07-Feb-12 | 27400 ug/L | | | | | |
| HW51 | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW51-F | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW51-P | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW51-PF | Chromium | 07-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW51 | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW51-F | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW51-P | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW51-PF | Cobalt | 07-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW51 | Copper | 07-Feb-12 | 34.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW51-F | Copper | 07-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW51-P | Copper | 07-Feb-12 | 11.7 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW51-PF | Copper | 07-Feb-12 | 7.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW51 | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW51-F | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW51-P | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-PF | Iron | 07-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW51 | Lead | 07-Feb-12 | 1.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW51-F | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW51-P | Lead | 07-Feb-12 | 1.1 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW51-PF | Lead | 07-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW51 | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW51-F | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW51-P | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW51-PF | Lithium | 07-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW51 | Magnesium | 07-Feb-12 | 6780 ug/L | | | | | |
| HW51-F | Magnesium | 07-Feb-12 | 6670 ug/L | | | | | |
| HW51-P | Magnesium | 07-Feb-12 | 6730 ug/L | | | | | |
| HW51-PF | Magnesium | 07-Feb-12 | 6650 ug/L | | | | | |
| HW51 | Manganese | 07-Feb-12 | 39.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW51-F | Manganese | 07-Feb-12 | 39.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW51-P | Manganese | 07-Feb-12 | 40.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW51-PF | Manganese | 07-Feb-12 | 40.5 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW51 | Nickel | 07-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW51-F | Nickel | 07-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW51-P | Nickel | 07-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW51-PF | Nickel | 07-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW51 | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW51-F | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW51-P | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW51-PF | Potassium | 07-Feb-12 | 2000 U ug/L | | | | | |
| HW51 | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW51-F | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW51-P | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW51-PF | Selenium | 07-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW51 | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW51-F | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW51-P | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW51-PF | Silver | 07-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW51 | Sodium | 07-Feb-12 | 5230 ug/L | 20000 ug/L | | | | |
| HW51-F | Sodium | 07-Feb-12 | 5180 ug/L | 20000 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Sodium | 07-Feb-12 | 5110 ug/L | 20000 ug/L | | | | |
| HW51-PF | Sodium | 07-Feb-12 | 5080 ug/L | 20000 ug/L | | | | |
| HW51 | Strontium | 07-Feb-12 | 212 ug/L | 9300 ug/L | | | | |
| HW51-F | Strontium | 07-Feb-12 | 213 ug/L | 9300 ug/L | | | | |
| HW51-P | Strontium | 07-Feb-12 | 211 ug/L | 9300 ug/L | | | | |
| HW51-PF | Strontium | 07-Feb-12 | 208 ug/L | 9300 ug/L | | | | |
| HW51 | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-F | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-P | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW51-PF | Thallium | 07-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW51 | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW51-F | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW51-P | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW51-PF | Tin | 07-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW51 | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW51-F | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW51-P | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW51-PF | Titanium | 07-Feb-12 | 200 U ug/L | | | | | |
| HW51 | Uranium | 07-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW51-F | Uranium | 07-Feb-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW51-P | Uranium | 07-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW51-PF | Uranium | 07-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW51 | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW51-F | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW51-P | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW51-PF | Vanadium | 07-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW51 | Zinc | 07-Feb-12 | 2.7 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW51-F | Zinc | 07-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW51-P | Zinc | 07-Feb-12 | 7.2 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW51-PF | Zinc | 07-Feb-12 | 2.3 J ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW51 | Oil and Grease | 07-Feb-12 | 5.2 U mg/L | | | | | |
| HW51-P | Oil and Grease | 07-Feb-12 | 5.1 U mg/L | | | | | |
| HW51 | Total Dissolved Solids | 07-Feb-12 | 117 mg/L | | | 500 mg/L | | 500 mg/L |
| HW51-P | Total Dissolved Solids | 07-Feb-12 | 119 mg/L | | | 500 mg/L | | 500 mg/L |
| HW51 | Total Suspended Solids | 07-Feb-12 | 10 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Total Suspended Solids | 07-Feb-12 | 10 U mg/L | | | | | |
| HW51 | 1-Methylnaphthalene | 07-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW51-P | 1-Methylnaphthalene | 07-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW51 | Acenaphthene | 07-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW51-P | Acenaphthene | 07-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW51 | Acenaphthylene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Acenaphthylene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Acetophenone | 07-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW51-P | Acetophenone | 07-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW51 | Anthracene | 07-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW51-P | Anthracene | 07-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW51 | Atrazine | 07-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW51-P | Atrazine | 07-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW51 | Benzo(a)anthracene | 07-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW51-P | Benzo(a)anthracene | 07-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW51 | Benzo(a)pyrene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW51-P | Benzo(a)pyrene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW51 | Biphenyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Biphenyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Bromophenyl-4 Phenyl Ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Bromophenyl-4 Phenyl Ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Butylbenzyl phthalate | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW51-P | Butylbenzyl phthalate | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW51 | Caprolactam | 07-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW51-P | Caprolactam | 07-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW51 | Carbazole | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Carbazole | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Chlorobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW51-P | Chlorobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW51 | Chloronaphthalene-2 | 07-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW51-P | Chloronaphthalene-2 | 07-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW51 | Chlorophenol-2 | 07-Feb-12 | R ug/L | 71 ug/L | | | | |
| HW51-P | Chlorophenol-2 | 07-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW51 | Chlorophenyl-4 phenyl ether | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Chlorophenyl-4 phenyl ether | 07-Feb-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | Chrysene | 07-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW51-P | Chrysene | 07-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW51 | Cresol, parachloro meta- | 07-Feb-12 | R ug/L | | | | | |
| HW51-P | Cresol, parachloro meta- | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Cresol-4,6-dinitro-ortho | 07-Feb-12 | R ug/L | | | | | |
| HW51-P | Cresol-4,6-dinitro-ortho | 07-Feb-12 | 10 U ug/L | | | | | |
| HW51 | Cresol-o | 07-Feb-12 | R ug/L | 720 ug/L | | | | |
| HW51-P | Cresol-o | 07-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW51 | Cresol-p | 07-Feb-12 | R ug/L | 72 ug/L | | | | |
| HW51-P | Cresol-p | 07-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW51 | Dibenz(a,h)anthracene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW51-P | Dibenz(a,h)anthracene | 07-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW51 | Dibenzofuran | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Dibenzofuran | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Dichlorobenzidine-3,3' | 07-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW51-P | Dichlorobenzidine-3,3' | 07-Feb-12 | 5 U ug/L | 11 ug/L | | | | |
| HW51 | Dichlorophenol-2,4 | 07-Feb-12 | R ug/L | 35 ug/L | | | | |
| HW51-P | Dichlorophenol-2,4 | 07-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW51 | Dimethylphenol, 2,4- | 07-Feb-12 | R ug/L | 270 ug/L | | | | |
| HW51-P | Dimethylphenol, 2,4- | 07-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW51 | Dinitrophenol-2,4 | 07-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW51-P | Dinitrophenol-2,4 | 07-Feb-12 | 5 U ug/L | 30 ug/L | | | | |
| HW51 | Dinitrotoluene-2,4 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Dinitrotoluene-2,4 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Dinitrotoluene-2,6 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Dinitrotoluene-2,6 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Ether, bis(2-chloroethyl) | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW51-P | Ether, bis(2-chloroethyl) | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW51 | Ether-bis(2-chloroisopropyl) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Ether-bis(2-chloroisopropyl) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Fluoranthene | 07-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW51-P | Fluoranthene | 07-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW51 | Fluoranthene benzo(k) | 07-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW51-P | Fluoranthene benzo(k) | 07-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW51 | Fluoranthene-benzo(b) | 07-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Fluoranthene-benzo(b) | 07-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW51 | Fluorene | 07-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW51-P | Fluorene | 07-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW51 | Hexachlorobenzene | 07-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW51-P | Hexachlorobenzene | 07-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW51 | Hexachlorobutadiene | 07-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW51 | Hexachlorobutadiene | 07-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW51-P | Hexachlorobutadiene | 07-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW51-P | Hexachlorobutadiene | 07-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW51 | Hexachlorocyclopentadiene | 07-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW51-P | Hexachlorocyclopentadiene | 07-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW51 | Hexachloroethane | 07-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW51-P | Hexachloroethane | 07-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW51 | Isophorone | 07-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW51-P | Isophorone | 07-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW51 | Methane, bis(2-chloroethoxy) | 07-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW51-P | Methane, bis(2-chloroethoxy) | 07-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW51 | Methylnaphthalene-2 | 07-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW51-P | Methylnaphthalene-2 | 07-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW51 | Naphthalene | 07-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW51 | Naphthalene | 07-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW51-P | Naphthalene | 07-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW51-P | Naphthalene | 07-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW51 | Nitroaniline, ortho | 07-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW51-P | Nitroaniline, ortho | 07-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW51 | Nitroaniline-3 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Nitroaniline-3 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Nitrobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW51-P | Nitrobenzenamine-4 | 07-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW51 | Nitrobenzene | 07-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW51-P | Nitrobenzene | 07-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW51 | Nitrophenol-2 | 07-Feb-12 | R ug/L | | | | | |
| HW51-P | Nitrophenol-2 | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Nitrophenol-4 | 07-Feb-12 | R ug/L | | | | | |
| HW51-P | Nitrophenol-4 | 07-Feb-12 | 10 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | Nitrosodimethylamine-n | 07-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW51-P | Nitrosodimethylamine-n | 07-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW51 | Nitrosodiphenylamine-n | 07-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW51-P | Nitrosodiphenylamine-n | 07-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW51 | Pentachlorophenol | 07-Feb-12 | R ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW51-P | Pentachlorophenol | 07-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW51 | Perylene-benzo(ghi) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Perylene-benzo(ghi) | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Phenanthrene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Phenanthrene | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Phenol | 07-Feb-12 | R ug/L | 4500 ug/L | | | | |
| HW51-P | Phenol | 07-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW51 | Phthalate, bis(2-ethylhexyl) (DEHP) | 07-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW51-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 07-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW51 | Phthalate, Dimethyl | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW51-P | Phthalate, Dimethyl | 07-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW51 | Phthalate, di-n-butyl- | 07-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW51-P | Phthalate, di-n-butyl- | 07-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW51 | Phthalate, di-n-octyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51-P | Phthalate, di-n-octyl | 07-Feb-12 | 5 U ug/L | | | | | |
| HW51 | Phthalate-diethyl | 07-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW51-P | Phthalate-diethyl | 07-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW51 | Propylamine,n-nitroso di-n- | 07-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW51-P | Propylamine,n-nitroso di-n- | 07-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW51 | Pyrene | 07-Feb-12 | 0.01 J ug/L | 87 ug/L | | | | |
| HW51-P | Pyrene | 07-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW51 | Pyrene-indeno(1,2,3-cd) | 07-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW51-P | Pyrene-indeno(1,2,3-cd) | 07-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW51 | Tetrachlorobenzene, 1,2,4,5- | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW51-P | Tetrachlorobenzene, 1,2,4,5- | 07-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW51 | Tetrachlorophenol, 2,3,4,6- | 07-Feb-12 | R ug/L | 170 ug/L | | | | |
| HW51-P | Tetrachlorophenol, 2,3,4,6- | 07-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW51 | Trichlorophenol-2,4,5 | 07-Feb-12 | R ug/L | 890 ug/L | | | | |
| HW51-P | Trichlorophenol-2,4,5 | 07-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW51 | Trichlorophenol-2,4,6 | 07-Feb-12 | R ug/L | 9.04 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Trichlorophenol-2,4,6 | 07-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW51 | TPH - Diesel Range Organics | 07-Feb-12 | 260 U ug/L | | | | | |
| HW51-P | TPH - Diesel Range Organics | 07-Feb-12 | 250 U ug/L | | | | | |
| HW51 | TPH - Gasoline Range Organics | 07-Feb-12 | 50 U ug/L | | | | | |
| HW51-P | TPH - Gasoline Range Organics | 07-Feb-12 | 50 U ug/L | | | | | |
| HW51 | TPH - Oil Range Organics | 07-Feb-12 | 1100 U ug/L | | | | | |
| HW51-P | TPH - Oil Range Organics | 07-Feb-12 | 1000 U ug/L | | | | | |
| HW51 | 1,2-Dibromo-3-chloropropane (DBCP) | 07-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW51-P | 1,2-Dibromo-3-chloropropane (DBCP) | 07-Feb-12 | 2 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW51 | 4-Methyl-2-pentanone | 07-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW51-P | 4-Methyl-2-pentanone | 07-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW51 | Acetone | 07-Feb-12 | 2 U ug/L | | | | | |
| HW51-P | Acetone | 07-Feb-12 | 2 U ug/L | | | | | |
| HW51 | Benzene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51-P | Benzene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51 | Bromobenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Bromobenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Bromoform | 07-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51-P | Bromoform | 07-Feb-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51 | Butylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Butylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Butylbenzene, sec- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Butylbenzene, sec- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Butylbenzene, tert- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Butylbenzene, tert- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Carbon disulfide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Carbon disulfide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Carbon Tetrachloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51-P | Carbon Tetrachloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51 | Chlorobenzene | 07-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW51-P | Chlorobenzene | 07-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW51 | Chlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Chlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Chloroethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Chloroethane | 07-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | Chloroform | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51-P | Chloroform | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51 | Chlorotoluene | 07-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW51-P | Chlorotoluene | 07-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW51 | Chlorotoluene-p | 07-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW51-P | Chlorotoluene-p | 07-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW51 | Cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dibromochloromethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51-P | Dibromochloromethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51 | Dibromoethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW51-P | Dibromoethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW51 | Dibromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dibromomethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichlorobenzene-1,2 | 07-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW51-P | Dichlorobenzene-1,2 | 07-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW51 | Dichlorobenzene-1,3 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichlorobenzene-1,3 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichlorobenzene-1,4 | 07-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW51-P | Dichlorobenzene-1,4 | 07-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW51 | Dichlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51-P | Dichlorobromomethane | 07-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW51 | Dichlorodifluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichlorodifluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichloroethane-1,1 | 07-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW51-P | Dichloroethane-1,1 | 07-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW51 | Dichloroethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW51-P | Dichloroethane-1,2 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW51 | Dichloroethene-1,2 trans | 07-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW51-P | Dichloroethene-1,2 trans | 07-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW51 | Dichloroethylene-1,1 | 07-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW51-P | Dichloroethylene-1,1 | 07-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW51 | Dichloroethylene-1,2 cis | 07-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW51-P | Dichloroethylene-1,2 cis | 07-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW51 | Dichloropropane, 1,2- | 07-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Dichloropropane, 1,2- | 07-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW51 | Dichloropropane, 1,3- | 07-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW51-P | Dichloropropane, 1,3- | 07-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW51 | Dichloropropane, 2,2- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichloropropane, 2,2- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichloropropene, 1,1- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichloropropene, 1,1- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichloropropene, 1,3 cis- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichloropropene, 1,3 cis- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Dichloropropene, 1,3 trans- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Dichloropropene, 1,3 trans- | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Ethylbenzene | 07-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW51-P | Ethylbenzene | 07-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW51 | Freon 113 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Freon 113 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Hexanone, 2- | 07-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW51-P | Hexanone, 2- | 07-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW51 | Isopropylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Isopropylbenzene | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Isopropylbenzene-4,methyl-1 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Isopropylbenzene-4,methyl-1 | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | m,p-Xylene | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW51-P | m,p-Xylene | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW51 | Methyl acetate | 07-Feb-12 | 1 U ug/L | | | | | |
| HW51-P | Methyl acetate | 07-Feb-12 | 1 U ug/L | | | | | |
| HW51 | Methyl bromide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Methyl bromide | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Methyl chloride | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Methyl chloride | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Methyl cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Methyl cyclohexane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Methyl ethyl ketone | 07-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW51-P | Methyl ethyl ketone | 07-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW51 | Methyl tertiary butyl ether (MTBE) | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Methyl tertiary butyl ether (MTBE) | 07-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51 | Methylene chloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51-P | Methylene chloride | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51 | Propylbenzene-n | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Propylbenzene-n | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Styrene | 07-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW51-P | Styrene | 07-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW51 | Tetrachloroethane, 1,1,1,2- | 07-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW51-P | Tetrachloroethane, 1,1,1,2- | 07-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW51 | Tetrachloroethane, 1,1,2,2- | 07-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW51-P | Tetrachloroethane, 1,1,2,2- | 07-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW51 | Tetrachloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51-P | Tetrachloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51 | Toluene | 07-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW51-P | Toluene | 07-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW51 | Trichlorobenzene-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW51-P | Trichlorobenzene-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW51 | Trichlorobenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW51-P | Trichlorobenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW51 | Trichloroethane-1,1,1 | 07-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW51-P | Trichloroethane-1,1,1 | 07-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW51 | Trichloroethane-1,1,2 | 07-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW51-P | Trichloroethane-1,1,2 | 07-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW51 | Trichloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51-P | Trichloroethylene | 07-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW51 | Trichlorofluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Trichlorofluoromethane | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Trichloropropane-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW51-P | Trichloropropane-1,2,3 | 07-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW51 | Trimethylbenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW51-P | Trimethylbenzene-1,2,4 | 07-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW51 | Trimethylbenzene-1,3,5 | 07-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW51-P | Trimethylbenzene-1,3,5 | 07-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW51 | Vinyl acetate | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51-P | Vinyl acetate | 07-Feb-12 | 0.5 U ug/L | | | | | |
| HW51 | Vinyl chloride | 07-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW51-P | Vinyl chloride | 07-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW51 | Xylene-o | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW51-P | Xylene-o | 07-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW51 | Nitrogen, Nitrite + Nitrate | 07-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW51-P | Nitrogen, Nitrite + Nitrate | 07-Feb-12 | 0.05 U mg/L | | 10 mg/L | | 10 mg/L | |
| HW51 | Total Nitrogen | 07-Feb-12 | 1 U mg/L | | | | | |
| HW51-P | Total Nitrogen | 07-Feb-12 | 1 U mg/L | | | | | |
| HW51 | Total Phosphorus as P | 07-Feb-12 | 0.05 U mg/L | | | | | |
| HW51-P | Total Phosphorus as P | 07-Feb-12 | 0.05 U mg/L | | | | | |
| HW52 | 1-Butanol | 31-Jan-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW52 | 1-Propanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW52 | 2-Butanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW52 | Ethanol | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW52 | Methanol | 31-Jan-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW52 | Anionic Surfactants | 31-Jan-12 | 0.01 U mg/L | | | | | |
| HW52 | Heterotrophic Plate Count | 31-Jan-12 | R cfu/1mL | | | | | |
| HW52 | Total Coliform Bacteria | 31-Jan-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW52 | Ethane | 31-Jan-12 | 14 ug/L | | | | | |
| HW52 | Ethene | 31-Jan-12 | 1.1 U ug/L | | | | | |
| HW52 | Methane | 31-Jan-12 | 19000 ug/L | 28000 ug/L | | | | |
| HW52 | 2-Butoxyethanol | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | 2-Methoxyethanol | 31-Jan-12 | 60 U ug/L | 78 ug/L | | | | |
| HW52 | 2-Methoxyethanol | 31-Jan-12 | 10 U ug/L | 78 ug/L | | | | |
| HW52 | Diethylene glycol | 31-Jan-12 | R ug/L | 8000 ug/L | | | | |
| HW52 | Diethylene Glycol | 31-Jan-12 | 50 U ug/L | 8000 ug/L | | | | |
| HW52 | Ethanol, 2-ethoxy- | 31-Jan-12 | 10000 U ug/L | | | | | |
| HW52 | Ethanol, 2-methoxy- | 31-Jan-12 | 10000 U ug/L | 78 ug/L | | | | |
| HW52 | Ethylene glycol | 31-Jan-12 | 10000 U ug/L | 31000 ug/L | | | | |
| HW52 | Tetraethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW52 | Triethylene glycol | 31-Jan-12 | 10000 U ug/L | 8000 ug/L | | | | |
| HW52 | Triethylene glycol | 31-Jan-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW52 | Bromide | 31-Jan-12 | 0.5 U mg/L | | | | | |
| HW52 | Chloride | 31-Jan-12 | 7.41 mg/L | | | 250 mg/L | | 250 mg/L |
| HW52 | Fluoride | 31-Jan-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW52 | Sulfate | 31-Jan-12 | 8.71 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52 | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW52-F | Mercury | 31-Jan-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW52 | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW52-F | Aluminum | 31-Jan-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW52 | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW52-F | Antimony | 31-Jan-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW52 | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW52-F | Arsenic | 31-Jan-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW52 | Barium | 31-Jan-12 | 536 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW52-F | Barium | 31-Jan-12 | 536 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW52 | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW52-F | Beryllium | 31-Jan-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW52 | Boron | 31-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW52-F | Boron | 31-Jan-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW52 | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW52-F | Cadmium | 31-Jan-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW52 | Calcium | 31-Jan-12 | 25500 ug/L | | | | | |
| HW52-F | Calcium | 31-Jan-12 | 25700 ug/L | | | | | |
| HW52 | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW52-F | Chromium | 31-Jan-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW52 | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW52-F | Cobalt | 31-Jan-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW52 | Copper | 31-Jan-12 | 3.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW52-F | Copper | 31-Jan-12 | 2.6 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW52 | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW52-F | Iron | 31-Jan-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW52 | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW52-F | Lead | 31-Jan-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW52 | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW52-F | Lithium | 31-Jan-12 | 200 U ug/L | 31 ug/L | | | | |
| HW52 | Magnesium | 31-Jan-12 | 5140 ug/L | | | | | |
| HW52-F | Magnesium | 31-Jan-12 | 5170 ug/L | | | | | |
| HW52 | Manganese | 31-Jan-12 | 26.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW52-F | Manganese | 31-Jan-12 | 23.9 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW52 | Nickel | 31-Jan-12 | 1 ug/L | 300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52-F | Nickel | 31-Jan-12 | 1 ug/L | 300 ug/L | | | | |
| HW52 | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW52-F | Potassium | 31-Jan-12 | 2000 U ug/L | | | | | |
| HW52 | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW52-F | Selenium | 31-Jan-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW52 | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW52-F | Silver | 31-Jan-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW52 | Sodium | 31-Jan-12 | 11400 ug/L | 20000 ug/L | | | | |
| HW52-F | Sodium | 31-Jan-12 | 11500 ug/L | 20000 ug/L | | | | |
| HW52 | Strontium | 31-Jan-12 | 527 ug/L | 9300 ug/L | | | | |
| HW52-F | Strontium | 31-Jan-12 | 530 ug/L | 9300 ug/L | | | | |
| HW52 | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW52-F | Thallium | 31-Jan-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW52 | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW52-F | Tin | 31-Jan-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW52 | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW52-F | Titanium | 31-Jan-12 | 200 U ug/L | | | | | |
| HW52 | Uranium | 31-Jan-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW52-F | Uranium | 31-Jan-12 | 1.1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW52 | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW52-F | Vanadium | 31-Jan-12 | 5 U ug/L | 78 ug/L | | | | |
| HW52 | Zinc | 31-Jan-12 | 21.3 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW52-F | Zinc | 31-Jan-12 | 23.8 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW52 | Oil and Grease | 31-Jan-12 | 5.6 U mg/L | | | | | |
| HW52 | Total Dissolved Solids | 31-Jan-12 | 113 J mg/L | | | 500 mg/L | | 500 mg/L |
| HW52 | Total Suspended Solids | 31-Jan-12 | 10 U mg/L | | | | | |
| HW52 | 1-Methylnaphthalene | 31-Jan-12 | 5 U ug/L | 97 ug/L | | | | |
| HW52 | Acenaphthene | 31-Jan-12 | 5 U ug/L | 400 ug/L | | | | |
| HW52 | Acenaphthylene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Acetophenone | 31-Jan-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW52 | Anthracene | 31-Jan-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW52 | Atrazine | 31-Jan-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW52 | Benzo(a)anthracene | 31-Jan-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW52 | Benzo(a)pyrene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW52 | Biphenyl | 31-Jan-12 | 5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52 | Bromophenyl-4 Phenyl Ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Butylbenzyl phthalate | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW52 | Caprolactam | 31-Jan-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW52 | Carbazole | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Chlorobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW52 | Chloronaphthalene-2 | 31-Jan-12 | 5 U ug/L | 550 ug/L | | | | |
| HW52 | Chlorophenol-2 | 31-Jan-12 | 5 U ug/L | 71 ug/L | | | | |
| HW52 | Chlorophenyl-4 phenyl ether | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Chrysene | 31-Jan-12 | 5 U ug/L | 290 ug/L | | | | |
| HW52 | Cresol, parachloro meta- | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Cresol-4,6-dinitro-ortho | 31-Jan-12 | 10 U ug/L | | | | | |
| HW52 | Cresol-o | 31-Jan-12 | 5 U ug/L | 720 ug/L | | | | |
| HW52 | Cresol-p | 31-Jan-12 | 5 U ug/L | 72 ug/L | | | | |
| HW52 | Dibenz(a,h)anthracene | 31-Jan-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW52 | Dibenzofuran | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Dichlorobenzidine-3,3' | 31-Jan-12 | 5 U ug/L | 11 ug/L | | | | |
| HW52 | Dichlorophenol-2,4 | 31-Jan-12 | 5 U ug/L | 35 ug/L | | | | |
| HW52 | Dimethylphenol, 2,4- | 31-Jan-12 | 5 U ug/L | 270 ug/L | | | | |
| HW52 | Dinitrophenol-2,4 | 31-Jan-12 | 5 U ug/L | 30 ug/L | | | | |
| HW52 | Dinitrotoluene-2,4 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Dinitrotoluene-2,6 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Ether, bis(2-chloroethyl) | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW52 | Ether-bis(2-chloroisopropyl) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Fluoranthene | 31-Jan-12 | 5 U ug/L | 630 ug/L | | | | |
| HW52 | Fluoranthene benzo(k) | 31-Jan-12 | 5 U ug/L | 29 ug/L | | | | |
| HW52 | Fluoranthene-benzo(b) | 31-Jan-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW52 | Fluorene | 31-Jan-12 | 5 U ug/L | 220 ug/L | | | | |
| HW52 | Hexachlorobenzene | 31-Jan-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW52 | Hexachlorobutadiene | 31-Jan-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW52 | Hexachlorobutadiene | 31-Jan-12 | 5 U ug/L | 26 ug/L | | | | |
| HW52 | Hexachlorocyclopentadiene | 31-Jan-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW52 | Hexachloroethane | 31-Jan-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW52 | Isophorone | 31-Jan-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW52 | Methane, bis(2-chloroethoxy) | 31-Jan-12 | 5 U ug/L | 47 ug/L | | | | |
| HW52 | Methylnaphthalene-2 | 31-Jan-12 | 0.05 J ug/L | 27 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52 | Naphthalene | 31-Jan-12 | 0.06 J ug/L | 14 ug/L | | | | |
| HW52 | Naphthalene | 31-Jan-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW52 | Nitroaniline, ortho | 31-Jan-12 | 5 U ug/L | 150 ug/L | | | | |
| HW52 | Nitroaniline-3 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Nitrobenzenamine-4 | 31-Jan-12 | 5 U ug/L | 61 ug/L | | | | |
| HW52 | Nitrobenzene | 31-Jan-12 | 5 U ug/L | 12 ug/L | | | | |
| HW52 | Nitrophenol-2 | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Nitrophenol-4 | 31-Jan-12 | 10 U ug/L | | | | | |
| HW52 | Nitrosodimethylamine-n | 31-Jan-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW52 | Nitrosodiphenylamine-n | 31-Jan-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW52 | Pentachlorophenol | 31-Jan-12 | 40 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW52 | Perylene-benzo(ghi) | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Phenanthrene | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Phenol | 31-Jan-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW52 | Phthalate, bis(2-ethylhexyl) (DEHP) | 31-Jan-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW52 | Phthalate, Dimethyl | 31-Jan-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW52 | Phthalate, di-n-butyl- | 31-Jan-12 | 5 U ug/L | 670 ug/L | | | | |
| HW52 | Phthalate, di-n-octyl | 31-Jan-12 | 5 U ug/L | | | | | |
| HW52 | Phthalate-diethyl | 31-Jan-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW52 | Propylamine,n-nitroso di-n- | 31-Jan-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW52 | Pyrene | 31-Jan-12 | 5 U ug/L | 87 ug/L | | | | |
| HW52 | Pyrene-indeno(1,2,3-cd) | 31-Jan-12 | 5 U ug/L | 3 ug/L | | | | |
| HW52 | Tetrachlorobenzene, 1,2,4,5- | 31-Jan-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW52 | Tetrachlorophenol, 2,3,4,6- | 31-Jan-12 | 5 U ug/L | 170 ug/L | | | | |
| HW52 | Trichlorophenol-2,4,5 | 31-Jan-12 | 5 U ug/L | 890 ug/L | | | | |
| HW52 | Trichlorophenol-2,4,6 | 31-Jan-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW52 | TPH - Diesel Range Organics | 31-Jan-12 | 250 U ug/L | | | | | |
| HW52 | TPH - Gasoline Range Organics | 31-Jan-12 | 50 U ug/L | | | | | |
| HW52 | TPH - Oil Range Organics | 31-Jan-12 | 1000 U ug/L | | | | | |
| HW52 | 1,2-Dibromo-3-chloropropane (DBCP) | 31-Jan-12 | 2 UJ ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW52 | 4-Methyl-2-pentanone | 31-Jan-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW52 | Acetone | 31-Jan-12 | 2 U ug/L | | | | | |
| HW52 | Benzene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW52 | Bromobenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Bromoform | 31-Jan-12 | 1 U ug/L | | 80 ug/L | | 80 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52 | Butylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Butylbenzene, sec- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Butylbenzene, tert- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Carbon disulfide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Carbon Tetrachloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW52 | Chlorobenzene | 31-Jan-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW52 | Chlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Chloroethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Chloroform | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW52 | Chlorotoluene | 31-Jan-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW52 | Chlorotoluene-p | 31-Jan-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW52 | Cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW52 | Dibromochloromethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW52 | Dibromoethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW52 | Dibromomethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichlorobenzene-1,2 | 31-Jan-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW52 | Dichlorobenzene-1,3 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichlorobenzene-1,4 | 31-Jan-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW52 | Dichlorobromomethane | 31-Jan-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW52 | Dichlorodifluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichloroethane-1,1 | 31-Jan-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW52 | Dichloroethane-1,2 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW52 | Dichloroethene-1,2 trans | 31-Jan-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW52 | Dichloroethylene-1,1 | 31-Jan-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW52 | Dichloroethylene-1,2 cis | 31-Jan-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW52 | Dichloropropane, 1,2- | 31-Jan-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW52 | Dichloropropane, 1,3- | 31-Jan-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW52 | Dichloropropane, 2,2- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichloropropene, 1,1- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichloropropene, 1,3 cis- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Dichloropropene, 1,3 trans- | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Ethylbenzene | 31-Jan-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW52 | Freon 113 | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW52 | Hexanone, 2- | 31-Jan-12 | 2 U ug/L | 34 ug/L | | | | |
| HW52 | Isopropylbenzene | 31-Jan-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW52 | Isopropylbenzene-4,methyl-1 | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | m,p-Xylene | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW52 | Methyl acetate | 31-Jan-12 | 1 UJ ug/L | | | | | |
| HW52 | Methyl bromide | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Methyl chloride | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Methyl cyclohexane | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW52 | Methyl ethyl ketone | 31-Jan-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW52 | Methyl tertiary butyl ether (MTBE) | 31-Jan-12 | 0.5 UJ ug/L | | | | | |
| HW52 | Methylene chloride | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW52 | Propylbenzene-n | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Styrene | 31-Jan-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW52 | Tetrachloroethane, 1,1,1,2- | 31-Jan-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW52 | Tetrachloroethane, 1,1,2,2- | 31-Jan-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW52 | Tetrachloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW52 | Toluene | 31-Jan-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW52 | Trichlorobenzene-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW52 | Trichlorobenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW52 | Trichloroethane-1,1,1 | 31-Jan-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW52 | Trichloroethane-1,1,2 | 31-Jan-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW52 | Trichloroethylene | 31-Jan-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW52 | Trichlorofluoromethane | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Trichloropropane-1,2,3 | 31-Jan-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW52 | Trimethylbenzene-1,2,4 | 31-Jan-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW52 | Trimethylbenzene-1,3,5 | 31-Jan-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW52 | Vinyl acetate | 31-Jan-12 | 0.5 U ug/L | | | | | |
| HW52 | Vinyl chloride | 31-Jan-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW52 | Xylene-o | 31-Jan-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW52 | Nitrogen, Nitrite + Nitrate | 31-Jan-12 | 0.242 mg/L | | 10 mg/L | | 10 mg/L | |
| HW52 | Total Nitrogen | 31-Jan-12 | 1 U mg/L | | | | | |
| HW52 | Total Phosphorus as P | 31-Jan-12 | 0.05 U mg/L | | | | | |
| HW53 | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW53-P | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW53 | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW53-P | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW53 | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW53 | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW53-P | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW53 | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW53-P | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW53 | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW53-P | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW53 | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW53-P | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |
| HW53 | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW53-P | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW53 | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW53-P | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW53 | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW53-P | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW53 | Methane | 13-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW53-P | Methane | 13-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW53 | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW53-P | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW53 | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW53 | 2-Methoxyethanol | 13-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW53-P | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW53-P | 2-Methoxyethanol | 13-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW53 | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53-P | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53 | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW53-P | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW53 | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53-P | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53 | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53-P | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW53 | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW53-P | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW53 | Chloride | 13-Feb-12 | 13.3 mg/L | | | 250 mg/L | | 250 mg/L |
| HW53-P | Chloride | 13-Feb-12 | 13.2 mg/L | | | 250 mg/L | | 250 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53 | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW53-P | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW53 | Sulfate | 13-Feb-12 | 10 mg/L | | | 250 mg/L | | 250 mg/L |
| HW53-P | Sulfate | 13-Feb-12 | 10 mg/L | | | 250 mg/L | | 250 mg/L |
| HW53 | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-F | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-P | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-PF | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW53 | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW53-F | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW53-P | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW53-PF | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW53 | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW53-F | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW53-P | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW53-PF | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW53 | Arsenic | 13-Feb-12 | 1.8 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW53-F | Arsenic | 13-Feb-12 | 1.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW53-P | Arsenic | 13-Feb-12 | 1.5 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW53-PF | Arsenic | 13-Feb-12 | 2 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW53 | Barium | 13-Feb-12 | 110 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW53-F | Barium | 13-Feb-12 | 107 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW53-P | Barium | 13-Feb-12 | 106 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW53-PF | Barium | 13-Feb-12 | 109 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW53 | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW53-F | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW53-P | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW53-PF | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW53 | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW53-F | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW53-P | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW53-PF | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW53 | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW53-F | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW53-P | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-PF | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW53 | Calcium | 13-Feb-12 | 35100 ug/L | | | | | |
| HW53-F | Calcium | 13-Feb-12 | 35400 ug/L | | | | | |
| HW53-P | Calcium | 13-Feb-12 | 34800 ug/L | | | | | |
| HW53-PF | Calcium | 13-Feb-12 | 35600 ug/L | | | | | |
| HW53 | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW53-F | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW53-P | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW53-PF | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW53 | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW53-F | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW53-P | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW53-PF | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW53 | Copper | 13-Feb-12 | 4.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW53-F | Copper | 13-Feb-12 | 3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW53-P | Copper | 13-Feb-12 | 26.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW53-PF | Copper | 13-Feb-12 | 26.9 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW53 | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW53-F | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW53-P | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW53-PF | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW53 | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW53-F | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW53-P | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW53-PF | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW53 | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW53-F | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW53-P | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW53-PF | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW53 | Magnesium | 13-Feb-12 | 5890 ug/L | | | | | |
| HW53-F | Magnesium | 13-Feb-12 | 5930 ug/L | | | | | |
| HW53-P | Magnesium | 13-Feb-12 | 5880 ug/L | | | | | |
| HW53-PF | Magnesium | 13-Feb-12 | 5980 ug/L | | | | | |
| HW53 | Manganese | 13-Feb-12 | 71.1 J ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW53-F | Manganese | 13-Feb-12 | 2.4 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW53-PF | Manganese | 13-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW53 | Nickel | 13-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW53-F | Nickel | 13-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW53-P | Nickel | 13-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW53-PF | Nickel | 13-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW53 | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW53-F | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW53-P | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW53-PF | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW53 | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW53-F | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW53-P | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW53-PF | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW53 | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW53-F | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW53-P | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW53-PF | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW53 | Sodium | 13-Feb-12 | 5940 ug/L | 20000 ug/L | | | | |
| HW53-F | Sodium | 13-Feb-12 | 5960 ug/L | 20000 ug/L | | | | |
| HW53-P | Sodium | 13-Feb-12 | 5910 ug/L | 20000 ug/L | | | | |
| HW53-PF | Sodium | 13-Feb-12 | 5970 ug/L | 20000 ug/L | | | | |
| HW53 | Strontium | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-F | Strontium | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-P | Strontium | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-PF | Strontium | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53 | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-F | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-P | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW53-PF | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW53 | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-F | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-P | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53-PF | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW53 | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-F | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW53-P | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW53-PF | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW53 | Uranium | 13-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW53-F | Uranium | 13-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW53-P | Uranium | 13-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW53-PF | Uranium | 13-Feb-12 | 1 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW53 | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW53-F | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW53-P | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW53-PF | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW53 | Zinc | 13-Feb-12 | 2.2 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW53-F | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW53-P | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW53-PF | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW53 | Oil and Grease | 13-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW53-P | Oil and Grease | 13-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW53 | Total Dissolved Solids | 13-Feb-12 | 138 mg/L | | | 500 mg/L | | 500 mg/L |
| HW53-P | Total Dissolved Solids | 13-Feb-12 | 47 mg/L | | | 500 mg/L | | 500 mg/L |
| HW53 | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW53-P | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW53 | 1-Methylnaphthalene | 13-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW53-P | 1-Methylnaphthalene | 13-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW53 | Acenaphthene | 13-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW53-P | Acenaphthene | 13-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW53 | Acenaphthylene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Acenaphthylene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Acetophenone | 13-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW53-P | Acetophenone | 13-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW53 | Anthracene | 13-Feb-12 | 0.041 J ug/l | 1300 ug/L | | | | |
| HW53-P | Anthracene | 13-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW53 | Atrazine | 13-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW53-P | Atrazine | 13-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW53 | Benzo(a)anthracene | 13-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW53-P | Benzo(a)anthracene | 13-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53 | Benzo(a)pyrene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW53-P | Benzo(a)pyrene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW53 | Biphenyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Biphenyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Butylbenzyl phthalate | 13-Feb-12 | 0.101 J ug/l | 1400 ug/L | | | | |
| HW53-P | Butylbenzyl phthalate | 13-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW53 | Caprolactam | 13-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW53-P | Caprolactam | 13-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW53 | Carbazole | 13-Feb-12 | 0.058 J ug/l | | | | | |
| HW53-P | Carbazole | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Chlorobenzenamine-4 | 13-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW53-P | Chlorobenzenamine-4 | 13-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW53 | Chloronaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW53-P | Chloronaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW53 | Chlorophenol-2 | 13-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW53-P | Chlorophenol-2 | 13-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW53 | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Chrysene | 13-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW53-P | Chrysene | 13-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW53 | Cresol, parachloro meta- | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Cresol, parachloro meta- | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW53-P | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW53 | Cresol-o | 13-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW53-P | Cresol-o | 13-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW53 | Cresol-p | 13-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW53-P | Cresol-p | 13-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW53 | Dibenz(a,h)anthracene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW53-P | Dibenz(a,h)anthracene | 13-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW53 | Dibenzofuran | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Dibenzofuran | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Dichlorobenzidine-3,3' | 13-Feb-12 | R ug/l | 11 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | Dichlorobenzidine-3,3' | 13-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW53 | Dichlorophenol-2,4 | 13-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW53-P | Dichlorophenol-2,4 | 13-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW53 | Dimethylphenol, 2,4- | 13-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW53-P | Dimethylphenol, 2,4- | 13-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW53 | Dinitrophenol-2,4 | 13-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW53-P | Dinitrophenol-2,4 | 13-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW53 | Dinitrotoluene-2,4 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Dinitrotoluene-2,4 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Dinitrotoluene-2,6 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Dinitrotoluene-2,6 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Ether, bis(2-chloroethyl) | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW53-P | Ether, bis(2-chloroethyl) | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW53 | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Fluoranthene | 13-Feb-12 | 0.06 J ug/l | 630 ug/L | | | | |
| HW53-P | Fluoranthene | 13-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW53 | Fluoranthene benzo(k) | 13-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW53-P | Fluoranthene benzo(k) | 13-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW53 | Fluoranthene-benzo(b) | 13-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW53-P | Fluoranthene-benzo(b) | 13-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW53 | Fluorene | 13-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW53-P | Fluorene | 13-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW53 | Hexachlorobenzene | 13-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW53-P | Hexachlorobenzene | 13-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW53 | Hexachlorobutadiene | 13-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW53 | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW53-P | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW53-P | Hexachlorobutadiene | 13-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW53 | Hexachlorocyclopentadiene | 13-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW53-P | Hexachlorocyclopentadiene | 13-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW53 | Hexachloroethane | 13-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW53-P | Hexachloroethane | 13-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW53 | Isophorone | 13-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW53-P | Isophorone | 13-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53 | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW53-P | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW53 | Methylnaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW53-P | Methylnaphthalene-2 | 13-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW53 | Naphthalene | 13-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW53 | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW53-P | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW53-P | Naphthalene | 13-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW53 | Nitroaniline, ortho | 13-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW53-P | Nitroaniline, ortho | 13-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW53 | Nitroaniline-3 | 13-Feb-12 | R ug/l | | | | | |
| HW53-P | Nitroaniline-3 | 13-Feb-12 | R ug/l | | | | | |
| HW53 | Nitrobenzenamine-4 | 13-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW53-P | Nitrobenzenamine-4 | 13-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW53 | Nitrobenzene | 13-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW53-P | Nitrobenzene | 13-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW53 | Nitrophenol-2 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Nitrophenol-2 | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Nitrophenol-4 | 13-Feb-12 | 9.52 U ug/l | | | | | |
| HW53-P | Nitrophenol-4 | 13-Feb-12 | 9.52 U ug/l | | | | | |
| HW53 | Nitrosodimethylamine-n | 13-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW53-P | Nitrosodimethylamine-n | 13-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW53 | Nitrosodiphenylamine-n | 13-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW53-P | Nitrosodiphenylamine-n | 13-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW53 | Pentachlorophenol | 13-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW53-P | Pentachlorophenol | 13-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW53 | Perylene-benzo(ghi) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Perylene-benzo(ghi) | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Phenanthrene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Phenanthrene | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Phenol | 13-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW53-P | Phenol | 13-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW53 | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW53-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW53 | Phthalate, Dimethyl | 13-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | Phthalate, Dimethyl | 13-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW53 | Phthalate, di-n-butyl- | 13-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW53-P | Phthalate, di-n-butyl- | 13-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW53 | Phthalate, di-n-octyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53-P | Phthalate, di-n-octyl | 13-Feb-12 | 4.76 U ug/l | | | | | |
| HW53 | Phthalate-diethyl | 13-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW53-P | Phthalate-diethyl | 13-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW53 | Propylamine,n-nitroso di-n- | 13-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW53-P | Propylamine,n-nitroso di-n- | 13-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW53 | Pyrene | 13-Feb-12 | 0.065 J ug/l | 87 ug/L | | | | |
| HW53-P | Pyrene | 13-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW53 | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |
| HW53-P | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |
| HW53 | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW53-P | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW53 | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW53-P | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW53 | Trichlorophenol-2,4,5 | 13-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW53-P | Trichlorophenol-2,4,5 | 13-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW53 | Trichlorophenol-2,4,6 | 13-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW53-P | Trichlorophenol-2,4,6 | 13-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW53 | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW53-P | TPH - Diesel Range Organics | 13-Feb-12 | 240 U ug/L | | | | | |
| HW53 | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW53-P | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW53 | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW53-P | TPH - Oil Range Organics | 13-Feb-12 | 950 U ug/L | | | | | |
| HW53 | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW53-P | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW53 | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW53-P | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW53 | Acetone | 13-Feb-12 | 2 U ug/l | | | | | |
| HW53-P | Acetone | 13-Feb-12 | 2 U ug/l | | | | | |
| HW53 | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53-P | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53 | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53-P | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53 | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53-P | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53 | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW53-P | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW53 | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53-P | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53 | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW53-P | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW53 | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW53-P | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW53 | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53-P | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53 | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW53-P | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW53 | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW53 | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW53-P | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW53 | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53-P | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW53 | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW53-P | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW53 | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW53-P | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW53 | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW53-P | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW53 | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW53-P | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW53 | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW53-P | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW53 | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW53-P | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW53 | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW53-P | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW53 | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW53-P | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW53 | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53 | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW53-P | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW53 | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW53-P | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW53 | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Methyl bromide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW53-P | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW53 | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53-P | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53 | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW53-P | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW53 | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW53-P | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW53 | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW53-P | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW53 | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53-P | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53 | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW53-P | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW53 | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW53-P | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW53 | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW53-P | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW53 | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW53-P | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW53 | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW53-P | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW53 | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53-P | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW53 | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW53-P | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW53 | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW53-P | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW53 | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW53-P | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW53 | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53-P | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW53 | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW53-P | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW53 | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW53-P | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW53 | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 1.4 mg/L | | 10 mg/L | | 10 mg/L | |
| HW53-P | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 1.39 mg/L | | 10 mg/L | | 10 mg/L | |
| HW53 | Total Nitrogen | 13-Feb-12 | 1.33 mg/L | | | | | |
| HW53-P | Total Nitrogen | 13-Feb-12 | 1.34 mg/L | | | | | |
| HW53 | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW53-P | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW54 | 1-Butanol | 10-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW54-P | 1-Butanol | 10-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW54 | 1-Propanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW54-P | 1-Propanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW54 | 2-Butanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW54-P | 2-Butanol | 10-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Ethanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW54-P | Ethanol | 10-Feb-12 | 10000 U ug/L | | | | | |
| HW54 | Methanol | 10-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW54-P | Methanol | 10-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW54 | Anionic Surfactants | 10-Feb-12 | 0.01 U mg/L | | | | | |
| HW54-P | Anionic Surfactants | 10-Feb-12 | 0.01 U mg/L | | | | | |
| HW54 | Heterotrophic Plate Count | 10-Feb-12 | R cfu/1mL | | | | | |
| HW54-P | Heterotrophic Plate Count | 10-Feb-12 | R cfu/1mL | | | | | |
| HW54 | Total Coliform Bacteria | 10-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW54-P | Total Coliform Bacteria | 10-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW54 | Ethane | 10-Feb-12 | 1.2 U ug/L | | | | | |
| HW54-P | Ethane | 10-Feb-12 | 1.2 U ug/L | | | | | |
| HW54 | Ethene | 10-Feb-12 | 1.1 U ug/L | | | | | |
| HW54-P | Ethene | 10-Feb-12 | 1.1 U ug/L | | | | | |
| HW54 | Methane | 10-Feb-12 | 15 ug/L | 28000 ug/L | | | | |
| HW54-P | Methane | 10-Feb-12 | 4.5 ug/L | 28000 ug/L | | | | |
| HW54 | 2-Butoxyethanol | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | 2-Butoxyethanol | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | 2-Methoxyethanol | 10-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW54 | 2-Methoxyethanol | 10-Feb-12 | 60 U ug/L | 78 ug/L | | | | |
| HW54-P | 2-Methoxyethanol | 10-Feb-12 | R ug/L | 78 ug/L | | | | |
| HW54-P | 2-Methoxyethanol | 10-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW54 | Diethylene Glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54-P | Diethylene Glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54 | Ethylene Glycol | 10-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW54-P | Ethylene Glycol | 10-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW54 | Tetraethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54-P | Tetraethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54 | Triethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54-P | Triethylene glycol | 10-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW54 | Bromide | 10-Feb-12 | 0.5 U mg/L | | | | | |
| HW54-P | Bromide | 10-Feb-12 | 0.5 U mg/L | | | | | |
| HW54 | Chloride | 10-Feb-12 | 18 mg/L | | | 250 mg/L | | 250 mg/L |
| HW54-P | Chloride | 10-Feb-12 | 18.1 mg/L | | | 250 mg/L | | 250 mg/L |
| HW54 | Fluoride | 10-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Fluoride | 10-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW54 | Sulfate | 10-Feb-12 | 13.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW54-P | Sulfate | 10-Feb-12 | 13.4 mg/L | | | 250 mg/L | | 250 mg/L |
| HW54 | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-F | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-P | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-PF | Mercury | 10-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW54 | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW54-F | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW54-P | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW54-PF | Aluminum | 10-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW54 | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW54-F | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW54-P | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW54-PF | Antimony | 10-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW54 | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW54-F | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW54-P | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW54-PF | Arsenic | 10-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW54 | Barium | 10-Feb-12 | 159 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW54-F | Barium | 10-Feb-12 | 160 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW54-P | Barium | 10-Feb-12 | 167 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW54-PF | Barium | 10-Feb-12 | 161 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW54 | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW54-F | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW54-P | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW54-PF | Beryllium | 10-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW54 | Boron | 10-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW54-F | Boron | 10-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW54-P | Boron | 10-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW54-PF | Boron | 10-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW54 | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-F | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-P | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-PF | Cadmium | 10-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Calcium | 10-Feb-12 | 38400 ug/L | | | | | |
| HW54-F | Calcium | 10-Feb-12 | 38500 ug/L | | | | | |
| HW54-P | Calcium | 10-Feb-12 | 39900 ug/L | | | | | |
| HW54-PF | Calcium | 10-Feb-12 | 39200 ug/L | | | | | |
| HW54 | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW54-F | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW54-P | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW54-PF | Chromium | 10-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW54 | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW54-F | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW54-P | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW54-PF | Cobalt | 10-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW54 | Copper | 10-Feb-12 | 2.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW54-F | Copper | 10-Feb-12 | 2.1 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW54-P | Copper | 10-Feb-12 | 10.8 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW54-PF | Copper | 10-Feb-12 | 11.4 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW54 | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW54-F | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW54-P | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW54-PF | Iron | 10-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW54 | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW54-F | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW54-P | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW54-PF | Lead | 10-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW54 | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW54-F | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW54-P | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW54-PF | Lithium | 10-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW54 | Magnesium | 10-Feb-12 | 9540 ug/L | | | | | |
| HW54-F | Magnesium | 10-Feb-12 | 9540 ug/L | | | | | |
| HW54-P | Magnesium | 10-Feb-12 | 9800 ug/L | | | | | |
| HW54-PF | Magnesium | 10-Feb-12 | 9700 ug/L | | | | | |
| HW54 | Manganese | 10-Feb-12 | 1.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW54-F | Manganese | 10-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW54-P | Manganese | 10-Feb-12 | 1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-PF | Manganese | 10-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW54 | Nickel | 10-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW54-F | Nickel | 10-Feb-12 | 1.6 ug/L | 300 ug/L | | | | |
| HW54-P | Nickel | 10-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW54-PF | Nickel | 10-Feb-12 | 1.7 ug/L | 300 ug/L | | | | |
| HW54 | Potassium | 10-Feb-12 | 2000 U ug/L | | | | | |
| HW54-F | Potassium | 10-Feb-12 | 2000 U ug/L | | | | | |
| HW54-P | Potassium | 10-Feb-12 | 2000 U ug/L | | | | | |
| HW54-PF | Potassium | 10-Feb-12 | 2000 U ug/L | | | | | |
| HW54 | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW54-F | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW54-P | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW54-PF | Selenium | 10-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW54 | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW54-F | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW54-P | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW54-PF | Silver | 10-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW54 | Sodium | 10-Feb-12 | 11600 ug/L | 20000 ug/L | | | | |
| HW54-F | Sodium | 10-Feb-12 | 11500 ug/L | 20000 ug/L | | | | |
| HW54-P | Sodium | 10-Feb-12 | 12000 ug/L | 20000 ug/L | | | | |
| HW54-PF | Sodium | 10-Feb-12 | 11700 ug/L | 20000 ug/L | | | | |
| HW54 | Strontium | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-F | Strontium | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-P | Strontium | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-PF | Strontium | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54 | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-F | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-P | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW54-PF | Thallium | 10-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW54 | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-F | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-P | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54-PF | Tin | 10-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW54 | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW54-F | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW54-PF | Titanium | 10-Feb-12 | 200 U ug/L | | | | | |
| HW54 | Uranium | 10-Feb-12 | 2.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW54-F | Uranium | 10-Feb-12 | 2.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW54-P | Uranium | 10-Feb-12 | 2.3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW54-PF | Uranium | 10-Feb-12 | 2.3 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW54 | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW54-F | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW54-P | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW54-PF | Vanadium | 10-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW54 | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW54-F | Zinc | 10-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW54-P | Zinc | 10-Feb-12 | 4.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW54-PF | Zinc | 10-Feb-12 | 5.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW54 | Oil and Grease | 10-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW54-P | Oil and Grease | 10-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW54 | Total Dissolved Solids | 10-Feb-12 | 178 mg/L | | | 500 mg/L | | 500 mg/L |
| HW54-P | Total Dissolved Solids | 10-Feb-12 | 170 mg/L | | | 500 mg/L | | 500 mg/L |
| HW54 | Total Suspended Solids | 10-Feb-12 | 10 U mg/L | | | | | |
| HW54-P | Total Suspended Solids | 10-Feb-12 | 10 U mg/L | | | | | |
| HW54 | 1-Methylnaphthalene | 10-Feb-12 | 5 UJ ug/L | 97 ug/L | | | | |
| HW54-P | 1-Methylnaphthalene | 10-Feb-12 | 5 U ug/L | 97 ug/L | | | | |
| HW54 | Acenaphthene | 10-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW54-P | Acenaphthene | 10-Feb-12 | 5 U ug/L | 400 ug/L | | | | |
| HW54 | Acenaphthylene | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Acenaphthylene | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Acetophenone | 10-Feb-12 | 5 UJ ug/L | 1500 ug/L | | | | |
| HW54-P | Acetophenone | 10-Feb-12 | 5 U ug/L | 1500 ug/L | | | | |
| HW54 | Anthracene | 10-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW54-P | Anthracene | 10-Feb-12 | 5 U ug/L | 1300 ug/L | | | | |
| HW54 | Atrazine | 10-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW54-P | Atrazine | 10-Feb-12 | 5 U ug/L | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW54 | Benzo(a)anthracene | 10-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW54-P | Benzo(a)anthracene | 10-Feb-12 | 5 U ug/L | 2.9 ug/L | | | | |
| HW54 | Benzo(a)pyrene | 10-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Benzo(a)pyrene | 10-Feb-12 | 5 U ug/L | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW54 | Biphenyl | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Biphenyl | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Bromophenyl-4 Phenyl Ether | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Bromophenyl-4 Phenyl Ether | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Butylbenzyl phthalate | 10-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW54-P | Butylbenzyl phthalate | 10-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW54 | Caprolactam | 10-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW54-P | Caprolactam | 10-Feb-12 | 5 U ug/L | 7700 ug/L | | | | |
| HW54 | Carbazole | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Carbazole | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Chlorobenzenamine-4 | 10-Feb-12 | 5 U ug/L | 3.2 ug/L | | | | |
| HW54-P | Chlorobenzenamine-4 | 10-Feb-12 | 5 UJ ug/L | 3.2 ug/L | | | | |
| HW54 | Chloronaphthalene-2 | 10-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW54-P | Chloronaphthalene-2 | 10-Feb-12 | 5 U ug/L | 550 ug/L | | | | |
| HW54 | Chlorophenol-2 | 10-Feb-12 | 5 UJ ug/L | 71 ug/L | | | | |
| HW54-P | Chlorophenol-2 | 10-Feb-12 | 5 U ug/L | 71 ug/L | | | | |
| HW54 | Chlorophenyl-4 phenyl ether | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Chlorophenyl-4 phenyl ether | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Chrysene | 10-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW54-P | Chrysene | 10-Feb-12 | 5 U ug/L | 290 ug/L | | | | |
| HW54 | Cresol, parachloro meta- | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Cresol, parachloro meta- | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Cresol-4,6-dinitro-ortho | 10-Feb-12 | 60 U ug/L | | | | | |
| HW54-P | Cresol-4,6-dinitro-ortho | 10-Feb-12 | 10 UJ ug/L | | | | | |
| HW54 | Cresol-o | 10-Feb-12 | 5 UJ ug/L | 720 ug/L | | | | |
| HW54-P | Cresol-o | 10-Feb-12 | 5 U ug/L | 720 ug/L | | | | |
| HW54 | Cresol-p | 10-Feb-12 | 5 UJ ug/L | 72 ug/L | | | | |
| HW54-P | Cresol-p | 10-Feb-12 | 5 U ug/L | 72 ug/L | | | | |
| HW54 | Dibenz(a,h)anthracene | 10-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW54-P | Dibenz(a,h)anthracene | 10-Feb-12 | 5 U ug/L | 0.29 ug/L | | | | |
| HW54 | Dibenzofuran | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Dibenzofuran | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Dichlorobenzidine-3,3' | 10-Feb-12 | 60 U ug/L | 11 ug/L | | | | |
| HW54-P | Dichlorobenzidine-3,3' | 10-Feb-12 | R ug/L | 11 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Dichlorophenol-2,4 | 10-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW54-P | Dichlorophenol-2,4 | 10-Feb-12 | 5 U ug/L | 35 ug/L | | | | |
| HW54 | Dimethylphenol, 2,4- | 10-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW54-P | Dimethylphenol, 2,4- | 10-Feb-12 | 5 U ug/L | 270 ug/L | | | | |
| HW54 | Dinitrophenol-2,4 | 10-Feb-12 | 60 U ug/L | 30 ug/L | | | | |
| HW54-P | Dinitrophenol-2,4 | 10-Feb-12 | R ug/L | 30 ug/L | | | | |
| HW54 | Dinitrotoluene-2,4 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Dinitrotoluene-2,4 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Dinitrotoluene-2,6 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Dinitrotoluene-2,6 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Ether, bis(2-chloroethyl) | 10-Feb-12 | 5 UJ ug/L | 1.2 ug/L | | | | |
| HW54-P | Ether, bis(2-chloroethyl) | 10-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW54 | Ether-bis(2-chloroisopropyl) | 10-Feb-12 | 5 UJ ug/L | | | | | |
| HW54-P | Ether-bis(2-chloroisopropyl) | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Fluoranthene | 10-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW54-P | Fluoranthene | 10-Feb-12 | 5 U ug/L | 630 ug/L | | | | |
| HW54 | Fluoranthene benzo(k) | 10-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW54-P | Fluoranthene benzo(k) | 10-Feb-12 | 5 U ug/L | 29 ug/L | | | | |
| HW54 | Fluoranthene-benzo(b) | 10-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW54-P | Fluoranthene-benzo(b) | 10-Feb-12 | 5 U ug/L | 5.6 ug/L | | | | |
| HW54 | Fluorene | 10-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW54-P | Fluorene | 10-Feb-12 | 5 U ug/L | 220 ug/L | | | | |
| HW54 | Hexachlorobenzene | 10-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW54-P | Hexachlorobenzene | 10-Feb-12 | 5 U ug/L | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW54 | Hexachlorobutadiene | 10-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW54 | Hexachlorobutadiene | 10-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW54-P | Hexachlorobutadiene | 10-Feb-12 | 0.5 U ug/L | 26 ug/L | | | | |
| HW54-P | Hexachlorobutadiene | 10-Feb-12 | 5 U ug/L | 26 ug/L | | | | |
| HW54 | Hexachlorocyclopentadiene | 10-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW54-P | Hexachlorocyclopentadiene | 10-Feb-12 | 5 U ug/L | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW54 | Hexachloroethane | 10-Feb-12 | 5 UJ ug/L | 5.1 ug/L | | | | |
| HW54-P | Hexachloroethane | 10-Feb-12 | 5 U ug/L | 5.1 ug/L | | | | |
| HW54 | Isophorone | 10-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW54-P | Isophorone | 10-Feb-12 | 5 U ug/L | 6700 ug/L | | | | |
| HW54 | Methane, bis(2-chloroethoxy) | 10-Feb-12 | 5 U ug/L | 47 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Methane, bis(2-chloroethoxy) | 10-Feb-12 | 5 U ug/L | 47 ug/L | | | | |
| HW54 | Methylnaphthalene-2 | 10-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW54-P | Methylnaphthalene-2 | 10-Feb-12 | 5 U ug/L | 27 ug/L | | | | |
| HW54 | Naphthalene | 10-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW54 | Naphthalene | 10-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW54-P | Naphthalene | 10-Feb-12 | 5 U ug/L | 14 ug/L | | | | |
| HW54-P | Naphthalene | 10-Feb-12 | 0.5 U ug/L | 14 ug/L | | | | |
| HW54 | Nitroaniline, ortho | 10-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW54-P | Nitroaniline, ortho | 10-Feb-12 | 5 U ug/L | 150 ug/L | | | | |
| HW54 | Nitroaniline-3 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Nitroaniline-3 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Nitrobenzenamine-4 | 10-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW54-P | Nitrobenzenamine-4 | 10-Feb-12 | 5 U ug/L | 61 ug/L | | | | |
| HW54 | Nitrobenzene | 10-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW54-P | Nitrobenzene | 10-Feb-12 | 5 U ug/L | 12 ug/L | | | | |
| HW54 | Nitrophenol-2 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Nitrophenol-2 | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Nitrophenol-4 | 10-Feb-12 | 10 U ug/L | | | | | |
| HW54-P | Nitrophenol-4 | 10-Feb-12 | 10 U ug/L | | | | | |
| HW54 | Nitrosodimethylamine-n | 10-Feb-12 | 5 UJ ug/L | 0.042 ug/L | | | | |
| HW54-P | Nitrosodimethylamine-n | 10-Feb-12 | 5 U ug/L | 0.042 ug/L | | | | |
| HW54 | Nitrosodiphenylamine-n | 10-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW54-P | Nitrosodiphenylamine-n | 10-Feb-12 | 5 U ug/L | 1000 ug/L | | | | |
| HW54 | Pentachlorophenol | 10-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW54-P | Pentachlorophenol | 10-Feb-12 | 5 U ug/L | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW54 | Perylene-benzo(ghi) | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Perylene-benzo(ghi) | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Phenanthrene | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Phenanthrene | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Phenol | 10-Feb-12 | 5 UJ ug/L | 4500 ug/L | | | | |
| HW54-P | Phenol | 10-Feb-12 | 5 U ug/L | 4500 ug/L | | | | |
| HW54 | Phthalate, bis(2-ethylhexyl) (DEHP) | 10-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW54-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 10-Feb-12 | 5 U ug/L | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW54 | Phthalate, Dimethyl | 10-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |
| HW54-P | Phthalate, Dimethyl | 10-Feb-12 | 5 U ug/L | 1400 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Phthalate, di-n-butyl- | 10-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW54-P | Phthalate, di-n-butyl- | 10-Feb-12 | 5 U ug/L | 670 ug/L | | | | |
| HW54 | Phthalate, di-n-octyl | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54-P | Phthalate, di-n-octyl | 10-Feb-12 | 5 U ug/L | | | | | |
| HW54 | Phthalate-diethyl | 10-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW54-P | Phthalate-diethyl | 10-Feb-12 | 5 U ug/L | 11000 ug/L | | | | |
| HW54 | Propylamine,n-nitroso di-n- | 10-Feb-12 | 5 UJ ug/L | 0.93 ug/L | | | | |
| HW54-P | Propylamine,n-nitroso di-n- | 10-Feb-12 | 5 U ug/L | 0.93 ug/L | | | | |
| HW54 | Pyrene | 10-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW54-P | Pyrene | 10-Feb-12 | 5 U ug/L | 87 ug/L | | | | |
| HW54 | Pyrene-indeno(1,2,3-cd) | 10-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW54-P | Pyrene-indeno(1,2,3-cd) | 10-Feb-12 | 5 U ug/L | 3 ug/L | | | | |
| HW54 | Tetrachlorobenzene, 1,2,4,5- | 10-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW54-P | Tetrachlorobenzene, 1,2,4,5- | 10-Feb-12 | 5 U ug/L | 1.2 ug/L | | | | |
| HW54 | Tetrachlorophenol, 2,3,4,6- | 10-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW54-P | Tetrachlorophenol, 2,3,4,6- | 10-Feb-12 | 5 U ug/L | 170 ug/L | | | | |
| HW54 | Trichlorophenol-2,4,5 | 10-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW54-P | Trichlorophenol-2,4,5 | 10-Feb-12 | 5 U ug/L | 890 ug/L | | | | |
| HW54 | Trichlorophenol-2,4,6 | 10-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW54-P | Trichlorophenol-2,4,6 | 10-Feb-12 | 5 U ug/L | 9.04 ug/L | | | | |
| HW54 | TPH - Diesel Range Organics | 10-Feb-12 | 250 U ug/L | | | | | |
| HW54-P | TPH - Diesel Range Organics | 10-Feb-12 | 250 U ug/L | | | | | |
| HW54 | TPH - Gasoline Range Organics | 10-Feb-12 | 50 U ug/L | | | | | |
| HW54-P | TPH - Gasoline Range Organics | 10-Feb-12 | 50 U ug/L | | | | | |
| HW54 | TPH - Oil Range Organics | 10-Feb-12 | 1000 U ug/L | | | | | |
| HW54-P | TPH - Oil Range Organics | 10-Feb-12 | 1000 U ug/L | | | | | |
| HW54 | 1,2-Dibromo-3-chloropropane (DBCP) | 10-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW54-P | 1,2-Dibromo-3-chloropropane (DBCP) | 10-Feb-12 | 0.5 U ug/L | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW54 | 4-Methyl-2-pentanone | 10-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW54-P | 4-Methyl-2-pentanone | 10-Feb-12 | 2 U ug/L | 1000 ug/L | | | | |
| HW54 | Acetone | 10-Feb-12 | 2 U ug/L | | | | | |
| HW54-P | Acetone | 10-Feb-12 | 2 U ug/L | | | | | |
| HW54 | Benzene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54-P | Benzene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54 | Bromobenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Bromobenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Bromoform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54-P | Bromoform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54 | Butylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Butylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Butylbenzene, sec- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Butylbenzene, sec- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Butylbenzene, tert- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Butylbenzene, tert- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Carbon disulfide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Carbon disulfide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Carbon Tetrachloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54-P | Carbon Tetrachloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54 | Chlorobenzene | 10-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW54-P | Chlorobenzene | 10-Feb-12 | 0.5 U ug/L | | | | 100 ug/L | |
| HW54 | Chlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Chlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Chloroethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Chloroethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Chloroform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54-P | Chloroform | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54 | Chlorotoluene | 10-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW54-P | Chlorotoluene | 10-Feb-12 | 0.5 U ug/L | 180 ug/L | | | | |
| HW54 | Chlorotoluene-p | 10-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW54-P | Chlorotoluene-p | 10-Feb-12 | 0.5 U ug/L | 190 ug/L | | | | |
| HW54 | Cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dibromochloromethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54-P | Dibromochloromethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54 | Dibromoethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW54-P | Dibromoethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW54 | Dibromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dibromomethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichlorobenzene-1,2 | 10-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW54-P | Dichlorobenzene-1,2 | 10-Feb-12 | 0.5 U ug/L | 280 ug/L | 600 ug/L | | 600 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Dichlorobenzene-1,3 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichlorobenzene-1,3 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichlorobenzene-1,4 | 10-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW54-P | Dichlorobenzene-1,4 | 10-Feb-12 | 0.5 U ug/L | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW54 | Dichlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54-P | Dichlorobromomethane | 10-Feb-12 | 0.5 U ug/L | | 80 ug/L | | 80 ug/L | |
| HW54 | Dichlorodifluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichlorodifluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichloroethane-1,1 | 10-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW54-P | Dichloroethane-1,1 | 10-Feb-12 | 0.5 U ug/L | 240 ug/L | | | | |
| HW54 | Dichloroethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-P | Dichloroethane-1,2 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW54 | Dichloroethene-1,2 trans | 10-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW54-P | Dichloroethene-1,2 trans | 10-Feb-12 | 0.5 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW54 | Dichloroethylene-1,1 | 10-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW54-P | Dichloroethylene-1,1 | 10-Feb-12 | 0.5 U ug/L | | 7 ug/L | | 7 ug/L | |
| HW54 | Dichloroethylene-1,2 cis | 10-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW54-P | Dichloroethylene-1,2 cis | 10-Feb-12 | 0.5 U ug/L | | 70 ug/L | | 70 ug/L | |
| HW54 | Dichloropropane, 1,2- | 10-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-P | Dichloropropane, 1,2- | 10-Feb-12 | 0.5 U ug/L | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW54 | Dichloropropane, 1,3- | 10-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW54-P | Dichloropropane, 1,3- | 10-Feb-12 | 0.5 U ug/L | 290 ug/L | | | | |
| HW54 | Dichloropropane, 2,2- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichloropropane, 2,2- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichloropropene, 1,1- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichloropropene, 1,1- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichloropropene, 1,3 cis- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichloropropene, 1,3 cis- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Dichloropropene, 1,3 trans- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Dichloropropene, 1,3 trans- | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Ethylbenzene | 10-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW54-P | Ethylbenzene | 10-Feb-12 | 0.5 U ug/L | | 700 ug/L | | 700 ug/L | |
| HW54 | Freon 113 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Freon 113 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Hexanone, 2- | 10-Feb-12 | 2 U ug/L | 34 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54-P | Hexanone, 2- | 10-Feb-12 | 2 U ug/L | 34 ug/L | | | | |
| HW54 | Isopropylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Isopropylbenzene | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Isopropylbenzene-4,methyl-1 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Isopropylbenzene-4,methyl-1 | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | m,p-Xylene | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW54-P | m,p-Xylene | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW54 | Methyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Methyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Methyl bromide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Methyl bromide | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Methyl chloride | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Methyl chloride | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Methyl cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Methyl cyclohexane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Methyl ethyl ketone | 10-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW54-P | Methyl ethyl ketone | 10-Feb-12 | 2 U ug/L | 4900 ug/L | | | | |
| HW54 | Methyl tertiary butyl ether (MTBE) | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Methyl tertiary butyl ether (MTBE) | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Methylene chloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54-P | Methylene chloride | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54 | Propylbenzene-n | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Propylbenzene-n | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Styrene | 10-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW54-P | Styrene | 10-Feb-12 | 1 U ug/L | | 100 ug/L | | 100 ug/L | |
| HW54 | Tetrachloroethane, 1,1,1,2- | 10-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW54-P | Tetrachloroethane, 1,1,1,2- | 10-Feb-12 | 0.5 U ug/L | 50 ug/L | | | | |
| HW54 | Tetrachloroethane, 1,1,2,2- | 10-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW54-P | Tetrachloroethane, 1,1,2,2- | 10-Feb-12 | 0.5 U ug/L | 6.6 ug/L | | | | |
| HW54 | Tetrachloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54-P | Tetrachloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54 | Toluene | 10-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW54-P | Toluene | 10-Feb-12 | 0.5 U ug/L | | 1000 ug/L | | 1000 ug/L | |
| HW54 | Trichlorobenzene-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |
| HW54-P | Trichlorobenzene-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW54 | Trichlorobenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW54-P | Trichlorobenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW54 | Trichloroethane-1,1,1 | 10-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW54-P | Trichloroethane-1,1,1 | 10-Feb-12 | 0.5 U ug/L | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW54 | Trichloroethane-1,1,2 | 10-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW54-P | Trichloroethane-1,1,2 | 10-Feb-12 | 0.5 U ug/L | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW54 | Trichloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54-P | Trichloroethylene | 10-Feb-12 | 0.5 U ug/L | | 5 ug/L | | 5 ug/L | |
| HW54 | Trichlorofluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Trichlorofluoromethane | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Trichloropropane-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW54-P | Trichloropropane-1,2,3 | 10-Feb-12 | 0.5 U ug/L | 0.065 ug/L | | | | |
| HW54 | Trimethylbenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW54-P | Trimethylbenzene-1,2,4 | 10-Feb-12 | 0.5 U ug/L | 15 ug/L | | | | |
| HW54 | Trimethylbenzene-1,3,5 | 10-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW54-P | Trimethylbenzene-1,3,5 | 10-Feb-12 | 0.5 U ug/L | 87 ug/L | | | | |
| HW54 | Vinyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54-P | Vinyl acetate | 10-Feb-12 | 0.5 U ug/L | | | | | |
| HW54 | Vinyl chloride | 10-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW54-P | Vinyl chloride | 10-Feb-12 | 0.5 U ug/L | | 2 ug/L | | 2 ug/L | |
| HW54 | Xylene-o | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW54-P | Xylene-o | 10-Feb-12 | 1 U ug/L | | 10000 ug/L | | 10000 ug/L | |
| HW54 | Nitrogen, Nitrite + Nitrate | 10-Feb-12 | 1.47 mg/L | | 10 mg/L | | 10 mg/L | |
| HW54-P | Nitrogen, Nitrite + Nitrate | 10-Feb-12 | 1.49 mg/L | | 10 mg/L | | 10 mg/L | |
| HW54 | Total Nitrogen | 10-Feb-12 | 1.47 mg/L | | | | | |
| HW54-P | Total Nitrogen | 10-Feb-12 | 1.43 mg/L | | | | | |
| HW54 | Total Phosphorus as P | 10-Feb-12 | 0.05 U mg/L | | | | | |
| HW54-P | Total Phosphorus as P | 10-Feb-12 | 0.05 U mg/L | | | | | |
| HW55 | 1-Butanol | 13-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW55 | 1-Propanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW55 | 2-Butanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW55 | Ethanol | 13-Feb-12 | 10000 U ug/L | | | | | |
| HW55 | Methanol | 13-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW55 | Anionic Surfactants | 13-Feb-12 | 0.01 U mg/L | | | | | |
| HW55 | Heterotrophic Plate Count | 13-Feb-12 | R cfu/1mL | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Total Coliform Bacteria | 13-Feb-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW55 | Ethane | 13-Feb-12 | 1.2 U ug/L | | | | | |
| HW55 | Ethene | 13-Feb-12 | 1.1 U ug/L | | | | | |
| HW55 | Methane | 13-Feb-12 | 21 ug/L | 28000 ug/L | | | | |
| HW55 | 2-Butoxyethanol | 13-Feb-12 | 5 U ug/L | | | | | |
| HW55 | 2-Methoxyethanol | 13-Feb-12 | 60 UJ ug/l | 78 ug/L | | | | |
| HW55 | 2-Methoxyethanol | 13-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW55 | Diethylene Glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW55 | Ethylene Glycol | 13-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW55 | Tetraethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW55 | Triethylene glycol | 13-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW55 | Bromide | 13-Feb-12 | 0.5 U mg/L | | | | | |
| HW55 | Chloride | 13-Feb-12 | 4.52 mg/L | | | 250 mg/L | | 250 mg/L |
| HW55 | Fluoride | 13-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW55 | Sulfate | 13-Feb-12 | 8.47 mg/L | | | 250 mg/L | | 250 mg/L |
| HW55 | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW55-F | Mercury | 13-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW55 | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW55-F | Aluminum | 13-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW55 | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW55-F | Antimony | 13-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW55 | Arsenic | 13-Feb-12 | 2.1 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW55-F | Arsenic | 13-Feb-12 | 1.6 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW55 | Barium | 13-Feb-12 | 295 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW55-F | Barium | 13-Feb-12 | 291 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW55 | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW55-F | Beryllium | 13-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW55 | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW55-F | Boron | 13-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW55 | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW55-F | Cadmium | 13-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW55 | Calcium | 13-Feb-12 | 34100 ug/L | | | | | |
| HW55-F | Calcium | 13-Feb-12 | 33700 ug/L | | | | | |
| HW55 | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW55-F | Chromium | 13-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW55-F | Cobalt | 13-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW55 | Copper | 13-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW55-F | Copper | 13-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW55 | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW55-F | Iron | 13-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW55 | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW55-F | Lead | 13-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW55 | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW55-F | Lithium | 13-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW55 | Magnesium | 13-Feb-12 | 6040 ug/L | | | | | |
| HW55-F | Magnesium | 13-Feb-12 | 5980 ug/L | | | | | |
| HW55 | Manganese | 13-Feb-12 | 16.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW55-F | Manganese | 13-Feb-12 | 15.8 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW55 | Nickel | 13-Feb-12 | 1.5 ug/L | 300 ug/L | | | | |
| HW55-F | Nickel | 13-Feb-12 | 1.4 ug/L | 300 ug/L | | | | |
| HW55 | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW55-F | Potassium | 13-Feb-12 | 2000 U ug/L | | | | | |
| HW55 | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW55-F | Selenium | 13-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW55 | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW55-F | Silver | 13-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW55 | Sodium | 13-Feb-12 | 12500 ug/L | 20000 ug/L | | | | |
| HW55-F | Sodium | 13-Feb-12 | 12500 ug/L | 20000 ug/L | | | | |
| HW55 | Strontium | 13-Feb-12 | 553 ug/L | 9300 ug/L | | | | |
| HW55-F | Strontium | 13-Feb-12 | 550 ug/L | 9300 ug/L | | | | |
| HW55 | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW55-F | Thallium | 13-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW55 | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW55-F | Tin | 13-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW55 | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW55-F | Titanium | 13-Feb-12 | 200 U ug/L | | | | | |
| HW55 | Uranium | 13-Feb-12 | 8.4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW55-F | Uranium | 13-Feb-12 | 8.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW55 | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55-F | Vanadium | 13-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW55 | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW55-F | Zinc | 13-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW55 | Oil and Grease | 13-Feb-12 | 5.2 UJ mg/L | | | | | |
| HW55 | Total Dissolved Solids | 13-Feb-12 | 102 mg/L | | | 500 mg/L | | 500 mg/L |
| HW55 | Total Suspended Solids | 13-Feb-12 | 10 U mg/L | | | | | |
| HW55 | 1-Methylnaphthalene | 13-Feb-12 | 5 U ug/l | 97 ug/L | | | | |
| HW55 | Acenaphthene | 13-Feb-12 | 5 U ug/l | 400 ug/L | | | | |
| HW55 | Acenaphthylene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Acetophenone | 13-Feb-12 | 5 U ug/l | 1500 ug/L | | | | |
| HW55 | Anthracene | 13-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW55 | Atrazine | 13-Feb-12 | 5 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW55 | Benzo(a)anthracene | 13-Feb-12 | 5 U ug/l | 2.9 ug/L | | | | |
| HW55 | Benzo(a)pyrene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW55 | Biphenyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Bromophenyl-4 Phenyl Ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Butylbenzyl phthalate | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW55 | Caprolactam | 13-Feb-12 | 5 U ug/l | 7700 ug/L | | | | |
| HW55 | Carbazole | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Chlorobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 3.2 ug/L | | | | |
| HW55 | Chloronaphthalene-2 | 13-Feb-12 | 5 U ug/l | 550 ug/L | | | | |
| HW55 | Chlorophenol-2 | 13-Feb-12 | 5 U ug/l | 71 ug/L | | | | |
| HW55 | Chlorophenyl-4 phenyl ether | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Chrysene | 13-Feb-12 | 5 U ug/l | 290 ug/L | | | | |
| HW55 | Cresol, parachloro meta- | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Cresol-4,6-dinitro-ortho | 13-Feb-12 | 60 U ug/l | | | | | |
| HW55 | Cresol-o | 13-Feb-12 | 5 U ug/l | 720 ug/L | | | | |
| HW55 | Cresol-p | 13-Feb-12 | 5 U ug/l | 72 ug/L | | | | |
| HW55 | Dibenz(a,h)anthracene | 13-Feb-12 | 5 U ug/l | 0.29 ug/L | | | | |
| HW55 | Dibenzofuran | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Dichlorobenzidine-3,3' | 13-Feb-12 | 60 U ug/l | 11 ug/L | | | | |
| HW55 | Dichlorophenol-2,4 | 13-Feb-12 | 5 U ug/l | 35 ug/L | | | | |
| HW55 | Dimethylphenol, 2,4- | 13-Feb-12 | 5 U ug/l | 270 ug/L | | | | |
| HW55 | Dinitrophenol-2,4 | 13-Feb-12 | 60 U ug/l | 30 ug/L | | | | |
| HW55 | Dinitrotoluene-2,4 | 13-Feb-12 | 5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Dinitrotoluene-2,6 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Ether, bis(2-chloroethyl) | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW55 | Ether-bis(2-chloroisopropyl) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Fluoranthene | 13-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW55 | Fluoranthene benzo(k) | 13-Feb-12 | 5 U ug/l | 29 ug/L | | | | |
| HW55 | Fluoranthene-benzo(b) | 13-Feb-12 | 5 U ug/l | 5.6 ug/L | | | | |
| HW55 | Fluorene | 13-Feb-12 | 5 U ug/l | 220 ug/L | | | | |
| HW55 | Hexachlorobenzene | 13-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW55 | Hexachlorobutadiene | 13-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW55 | Hexachlorobutadiene | 13-Feb-12 | 5 U ug/l | 26 ug/L | | | | |
| HW55 | Hexachlorocyclopentadiene | 13-Feb-12 | 5 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW55 | Hexachloroethane | 13-Feb-12 | 5 U ug/l | 5.1 ug/L | | | | |
| HW55 | Isophorone | 13-Feb-12 | 5 U ug/l | 6700 ug/L | | | | |
| HW55 | Methane, bis(2-chloroethoxy) | 13-Feb-12 | 5 U ug/l | 47 ug/L | | | | |
| HW55 | Methylnaphthalene-2 | 13-Feb-12 | 5 U ug/l | 27 ug/L | | | | |
| HW55 | Naphthalene | 13-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW55 | Naphthalene | 13-Feb-12 | 5 U ug/l | 14 ug/L | | | | |
| HW55 | Nitroaniline, ortho | 13-Feb-12 | 5 U ug/l | 150 ug/L | | | | |
| HW55 | Nitroaniline-3 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Nitrobenzenamine-4 | 13-Feb-12 | 5 U ug/l | 61 ug/L | | | | |
| HW55 | Nitrobenzene | 13-Feb-12 | 5 U ug/l | 12 ug/L | | | | |
| HW55 | Nitrophenol-2 | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Nitrophenol-4 | 13-Feb-12 | 10 U ug/l | | | | | |
| HW55 | Nitrosodimethylamine-n | 13-Feb-12 | 5 U ug/l | 0.042 ug/L | | | | |
| HW55 | Nitrosodiphenylamine-n | 13-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW55 | Pentachlorophenol | 13-Feb-12 | 60 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW55 | Perylene-benzo(ghi) | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Phenanthrene | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Phenol | 13-Feb-12 | 5 U ug/l | 4500 ug/L | | | | |
| HW55 | Phthalate, bis(2-ethylhexyl) (DEHP) | 13-Feb-12 | 5 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW55 | Phthalate, Dimethyl | 13-Feb-12 | 5 U ug/l | 1400 ug/L | | | | |
| HW55 | Phthalate, di-n-butyl- | 13-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW55 | Phthalate, di-n-octyl | 13-Feb-12 | 5 U ug/l | | | | | |
| HW55 | Phthalate-diethyl | 13-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW55 | Propylamine,n-nitroso di-n- | 13-Feb-12 | 5 U ug/l | 0.93 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Pyrene | 13-Feb-12 | 5 U ug/l | 87 ug/L | | | | |
| HW55 | Pyrene-indeno(1,2,3-cd) | 13-Feb-12 | 5 U ug/l | 3 ug/L | | | | |
| HW55 | Tetrachlorobenzene, 1,2,4,5- | 13-Feb-12 | 5 U ug/l | 1.2 ug/L | | | | |
| HW55 | Tetrachlorophenol, 2,3,4,6- | 13-Feb-12 | 5 U ug/l | 170 ug/L | | | | |
| HW55 | Trichlorophenol-2,4,5 | 13-Feb-12 | 5 U ug/l | 890 ug/L | | | | |
| HW55 | Trichlorophenol-2,4,6 | 13-Feb-12 | 5 U ug/l | 9.04 ug/L | | | | |
| HW55 | TPH - Diesel Range Organics | 13-Feb-12 | 250 U ug/L | | | | | |
| HW55 | TPH - Gasoline Range Organics | 13-Feb-12 | 50 U ug/L | | | | | |
| HW55 | TPH - Oil Range Organics | 13-Feb-12 | 1000 U ug/L | | | | | |
| HW55 | 1,2-Dibromo-3-chloropropane (DBCP) | 13-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW55 | 4-Methyl-2-pentanone | 13-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW55 | Acetone | 13-Feb-12 | 2 UJ ug/l | | | | | |
| HW55 | Benzene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW55 | Bromobenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Bromoform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW55 | Butylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Butylbenzene, sec- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Butylbenzene, tert- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Carbon disulfide | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Carbon Tetrachloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW55 | Chlorobenzene | 13-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW55 | Chlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Chloroethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Chloroform | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW55 | Chlorotoluene | 13-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW55 | Chlorotoluene-p | 13-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW55 | Cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dibromochloromethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW55 | Dibromoethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW55 | Dibromomethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dichlorobenzene-1,2 | 13-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW55 | Dichlorobenzene-1,3 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dichlorobenzene-1,4 | 13-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW55 | Dichlorobromomethane | 13-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW55 | Dichlorodifluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Dichloroethane-1,1 | 13-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW55 | Dichloroethane-1,2 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW55 | Dichloroethene-1,2 trans | 13-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW55 | Dichloroethylene-1,1 | 13-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW55 | Dichloroethylene-1,2 cis | 13-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW55 | Dichloropropane, 1,2- | 13-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW55 | Dichloropropane, 1,3- | 13-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW55 | Dichloropropane, 2,2- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dichloropropene, 1,1- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dichloropropene, 1,3 cis- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Dichloropropene, 1,3 trans- | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Ethylbenzene | 13-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW55 | Freon 113 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Hexanone, 2- | 13-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW55 | Isopropylbenzene | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Isopropylbenzene-4,methyl-1 | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | m,p-Xylene | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW55 | Methyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Methyl bromide | 13-Feb-12 | 0.5 UJ ug/l | | | | | |
| HW55 | Methyl chloride | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Methyl cyclohexane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Methyl ethyl ketone | 13-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW55 | Methyl tertiary butyl ether (MTBE) | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Methylene chloride | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW55 | Propylbenzene-n | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Styrene | 13-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW55 | Tetrachloroethane, 1,1,1,2- | 13-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW55 | Tetrachloroethane, 1,1,2,2- | 13-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW55 | Tetrachloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW55 | Toluene | 13-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW55 | Trichlorobenzene-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW55 | Trichlorobenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW55 | Trichloroethane-1,1,1 | 13-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW55 | Trichloroethane-1,1,2 | 13-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW55 | Trichloroethylene | 13-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW55 | Trichlorofluoromethane | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Trichloropropane-1,2,3 | 13-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW55 | Trimethylbenzene-1,2,4 | 13-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW55 | Trimethylbenzene-1,3,5 | 13-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW55 | Vinyl acetate | 13-Feb-12 | 0.5 U ug/l | | | | | |
| HW55 | Vinyl chloride | 13-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW55 | Xylene-o | 13-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW55 | Nitrogen, Nitrite + Nitrate | 13-Feb-12 | 0.3 mg/L | | 10 mg/L | | 10 mg/L | |
| HW55 | Total Nitrogen | 13-Feb-12 | 1 U mg/L | | | | | |
| HW55 | Total Phosphorus as P | 13-Feb-12 | 0.05 U mg/L | | | | | |
| HW56 | Anionic Surfactants | 05-Mar-12 | 0.01 U mg/L | | | | | |
| HW56 | Heterotrophic Plate Count | 05-Mar-12 | 22 J cfu/1mL | | | | | |
| HW56 | Total Coliform Bacteria | 05-Mar-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW56 | Ethane | 05-Mar-12 | 62 ug/L | | | | | |
| HW56 | Ethene | 05-Mar-12 | 1.1 U ug/L | | | | | |
| HW56 | Methane | 05-Mar-12 | 8700 ug/L | 28000 ug/L | | | | |
| HW56 | TPH - Gasoline Range Organics | 05-Mar-12 | 50 U ug/L | | | | | |
| HW57 | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW57-P | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW57 | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57-P | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57 | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57-P | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57 | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57-P | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW57 | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW57-P | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW57 | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |
| HW57-P | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |
| HW57 | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW57-P | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW57 | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW57-P | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW57 | Ethane | 14-Feb-12 | 1.2 U ug/L | | | | | |
| HW57-P | Ethane | 14-Feb-12 | 1.2 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW57-P | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW57 | Methane | 14-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW57-P | Methane | 14-Feb-12 | 2.7 ug/L | 28000 ug/L | | | | |
| HW57 | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW57-P | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW57 | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW57 | 2-Methoxyethanol | 14-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW57-P | 2-Methoxyethanol | 14-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW57-P | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW57 | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57-P | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57 | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW57-P | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW57 | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57-P | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57 | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57-P | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW57 | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |
| HW57-P | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |
| HW57 | Chloride | 14-Feb-12 | 1.78 mg/L | | | 250 mg/L | | 250 mg/L |
| HW57-P | Chloride | 14-Feb-12 | 1.54 mg/L | | | 250 mg/L | | 250 mg/L |
| HW57 | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW57-P | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW57 | Sulfate | 14-Feb-12 | 7.79 mg/L | | | 250 mg/L | | 250 mg/L |
| HW57-P | Sulfate | 14-Feb-12 | 8.38 mg/L | | | 250 mg/L | | 250 mg/L |
| HW57 | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-F | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-P | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-PF | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW57 | Aluminum | 14-Feb-12 | 1630 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW57-F | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW57-P | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW57-PF | Aluminum | 14-Feb-12 | 85 ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW57 | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-F | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW57-P | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW57-PF | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW57 | Arsenic | 14-Feb-12 | 5.8 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW57-F | Arsenic | 14-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW57-P | Arsenic | 14-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW57-PF | Arsenic | 14-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW57 | Barium | 14-Feb-12 | 123 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW57-F | Barium | 14-Feb-12 | 82.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW57-P | Barium | 14-Feb-12 | 99 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW57-PF | Barium | 14-Feb-12 | 102 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW57 | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW57-F | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW57-P | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW57-PF | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW57 | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW57-F | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW57-P | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW57-PF | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW57 | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-F | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-P | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-PF | Cadmium | 14-Feb-12 | 2.9 ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW57 | Calcium | 14-Feb-12 | 21800 ug/L | | | | | |
| HW57-F | Calcium | 14-Feb-12 | 21300 ug/L | | | | | |
| HW57-P | Calcium | 14-Feb-12 | 27500 ug/L | | | | | |
| HW57-PF | Calcium | 14-Feb-12 | 28000 ug/L | | | | | |
| HW57 | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW57-F | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW57-P | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW57-PF | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW57 | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW57-F | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW57-P | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW57-PF | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Copper | 14-Feb-12 | 19.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW57-F | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW57-P | Copper | 14-Feb-12 | 24.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW57-PF | Copper | 14-Feb-12 | 24.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW57 | Iron | 14-Feb-12 | 11200 ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW57-F | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW57-P | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW57-PF | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW57 | Lead | 14-Feb-12 | 3.5 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW57-F | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW57-P | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW57-PF | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW57 | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW57-F | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW57-P | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW57-PF | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW57 | Magnesium | 14-Feb-12 | 4690 ug/L | | | | | |
| HW57-F | Magnesium | 14-Feb-12 | 4370 ug/L | | | | | |
| HW57-P | Magnesium | 14-Feb-12 | 5590 ug/L | | | | | |
| HW57-PF | Magnesium | 14-Feb-12 | 5710 ug/L | | | | | |
| HW57 | Manganese | 14-Feb-12 | 131 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW57-F | Manganese | 14-Feb-12 | 10.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW57-P | Manganese | 14-Feb-12 | 9.1 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW57-PF | Manganese | 14-Feb-12 | 10.2 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW57 | Nickel | 14-Feb-12 | 3.2 ug/L | 300 ug/L | | | | |
| HW57-F | Nickel | 14-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW57-P | Nickel | 14-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW57-PF | Nickel | 14-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW57 | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW57-F | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW57-P | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW57-PF | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW57 | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW57-F | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW57-P | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-PF | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW57 | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW57-F | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW57-P | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW57-PF | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW57 | Sodium | 14-Feb-12 | 6130 ug/L | 20000 ug/L | | | | |
| HW57-F | Sodium | 14-Feb-12 | 6070 ug/L | 20000 ug/L | | | | |
| HW57-P | Sodium | 14-Feb-12 | 7980 ug/L | 20000 ug/L | | | | |
| HW57-PF | Sodium | 14-Feb-12 | 8100 ug/L | 20000 ug/L | | | | |
| HW57 | Strontium | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57-F | Strontium | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57-P | Strontium | 14-Feb-12 | 200 ug/L | 9300 ug/L | | | | |
| HW57-PF | Strontium | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57 | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-F | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-P | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW57-PF | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW57 | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57-F | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57-P | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57-PF | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW57 | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW57-F | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW57-P | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW57-PF | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW57 | Uranium | 14-Feb-12 | 3.4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW57-F | Uranium | 14-Feb-12 | 1.2 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW57-P | Uranium | 14-Feb-12 | 2.6 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW57-PF | Uranium | 14-Feb-12 | 2.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW57 | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW57-F | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW57-P | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW57-PF | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW57 | Zinc | 14-Feb-12 | 9.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW57-F | Zinc | 14-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-P | Zinc | 14-Feb-12 | 5.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW57-PF | Zinc | 14-Feb-12 | 5.1 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW57 | Oil and Grease | 14-Feb-12 | 5.5 UJ mg/L | | | | | |
| HW57-P | Oil and Grease | 14-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW57 | Total Dissolved Solids | 14-Feb-12 | 97 mg/L | | | 500 mg/L | | 500 mg/L |
| HW57-P | Total Dissolved Solids | 14-Feb-12 | 46 mg/L | | | 500 mg/L | | 500 mg/L |
| HW57 | Total Suspended Solids | 14-Feb-12 | 69 mg/L | | | | | |
| HW57-P | Total Suspended Solids | 14-Feb-12 | 10 U mg/L | | | | | |
| HW57 | 1-Methylnaphthalene | 14-Feb-12 | R ug/l | 97 ug/L | | | | |
| HW57-P | 1-Methylnaphthalene | 14-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW57 | Acenaphthene | 14-Feb-12 | R ug/l | 400 ug/L | | | | |
| HW57-P | Acenaphthene | 14-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW57 | Acenaphthylene | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Acenaphthylene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Acetophenone | 14-Feb-12 | R ug/l | 1500 ug/L | | | | |
| HW57-P | Acetophenone | 14-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW57 | Anthracene | 14-Feb-12 | 5 U ug/l | 1300 ug/L | | | | |
| HW57-P | Anthracene | 14-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW57 | Atrazine | 14-Feb-12 | 60 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW57-P | Atrazine | 14-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW57 | Benzo(a)anthracene | 14-Feb-12 | R ug/l | 2.9 ug/L | | | | |
| HW57-P | Benzo(a)anthracene | 14-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW57 | Benzo(a)pyrene | 14-Feb-12 | R ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW57-P | Benzo(a)pyrene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW57 | Biphenyl | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Biphenyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 5 U ug/l | | | | | |
| HW57-P | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Butylbenzyl phthalate | 14-Feb-12 | R ug/l | 1400 ug/L | | | | |
| HW57-P | Butylbenzyl phthalate | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW57 | Caprolactam | 14-Feb-12 | R ug/l | 7700 ug/L | | | | |
| HW57-P | Caprolactam | 14-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW57 | Carbazole | 14-Feb-12 | 5 U ug/l | | | | | |
| HW57-P | Carbazole | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Chlorobenzenamine-4 | 14-Feb-12 | R ug/l | 3.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-P | Chlorobenzenamine-4 | 14-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW57 | Chloronaphthalene-2 | 14-Feb-12 | R ug/l | 550 ug/L | | | | |
| HW57-P | Chloronaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW57 | Chlorophenol-2 | 14-Feb-12 | R ug/l | 71 ug/L | | | | |
| HW57-P | Chlorophenol-2 | 14-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW57 | Chlorophenyl-4 phenyl ether | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Chlorophenyl-4 phenyl ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Chrysene | 14-Feb-12 | R ug/l | 290 ug/L | | | | |
| HW57-P | Chrysene | 14-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW57 | Cresol, parachloro meta- | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Cresol, parachloro meta- | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 60 UJ ug/l | | | | | |
| HW57-P | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW57 | Cresol-o | 14-Feb-12 | R ug/l | 720 ug/L | | | | |
| HW57-P | Cresol-o | 14-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW57 | Cresol-p | 14-Feb-12 | R ug/l | 72 ug/L | | | | |
| HW57-P | Cresol-p | 14-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW57 | Dibenz(a,h)anthracene | 14-Feb-12 | R ug/l | 0.29 ug/L | | | | |
| HW57-P | Dibenz(a,h)anthracene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW57 | Dibenzofuran | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Dibenzofuran | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Dichlorobenzidine-3,3' | 14-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW57-P | Dichlorobenzidine-3,3' | 14-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW57 | Dichlorophenol-2,4 | 14-Feb-12 | R ug/l | 35 ug/L | | | | |
| HW57-P | Dichlorophenol-2,4 | 14-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW57 | Dimethylphenol, 2,4- | 14-Feb-12 | R ug/l | 270 ug/L | | | | |
| HW57-P | Dimethylphenol, 2,4- | 14-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW57 | Dinitrophenol-2,4 | 14-Feb-12 | R ug/l | 30 ug/L | | | | |
| HW57-P | Dinitrophenol-2,4 | 14-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW57 | Dinitrotoluene-2,4 | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Dinitrotoluene-2,4 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Dinitrotoluene-2,6 | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Dinitrotoluene-2,6 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Ether, bis(2-chloroethyl) | 14-Feb-12 | R ug/l | 1.2 ug/L | | | | |
| HW57-P | Ether, bis(2-chloroethyl) | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Fluoranthene | 14-Feb-12 | 5 U ug/l | 630 ug/L | | | | |
| HW57-P | Fluoranthene | 14-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW57 | Fluoranthene benzo(k) | 14-Feb-12 | R ug/l | 29 ug/L | | | | |
| HW57-P | Fluoranthene benzo(k) | 14-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW57 | Fluoranthene-benzo(b) | 14-Feb-12 | R ug/l | 5.6 ug/L | | | | |
| HW57-P | Fluoranthene-benzo(b) | 14-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW57 | Fluorene | 14-Feb-12 | R ug/l | 220 ug/L | | | | |
| HW57-P | Fluorene | 14-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW57 | Hexachlorobenzene | 14-Feb-12 | 5 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW57-P | Hexachlorobenzene | 14-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW57 | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW57 | Hexachlorobutadiene | 14-Feb-12 | R ug/l | 26 ug/L | | | | |
| HW57-P | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW57-P | Hexachlorobutadiene | 14-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW57 | Hexachlorocyclopentadiene | 14-Feb-12 | R ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW57-P | Hexachlorocyclopentadiene | 14-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW57 | Hexachloroethane | 14-Feb-12 | R ug/l | 5.1 ug/L | | | | |
| HW57-P | Hexachloroethane | 14-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW57 | Isophorone | 14-Feb-12 | R ug/l | 6700 ug/L | | | | |
| HW57-P | Isophorone | 14-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW57 | Methane, bis(2-chloroethoxy) | 14-Feb-12 | R ug/l | 47 ug/L | | | | |
| HW57-P | Methane, bis(2-chloroethoxy) | 14-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW57 | Methylnaphthalene-2 | 14-Feb-12 | R ug/l | 27 ug/L | | | | |
| HW57-P | Methylnaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW57 | Naphthalene | 14-Feb-12 | R ug/l | 14 ug/L | | | | |
| HW57 | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW57-P | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW57-P | Naphthalene | 14-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW57 | Nitroaniline, ortho | 14-Feb-12 | R ug/l | 150 ug/L | | | | |
| HW57-P | Nitroaniline, ortho | 14-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW57 | Nitroaniline-3 | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Nitroaniline-3 | 14-Feb-12 | R ug/l | | | | | |
| HW57 | Nitrobenzenamine-4 | 14-Feb-12 | R ug/l | 61 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-P | Nitrobenzenamine-4 | 14-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW57 | Nitrobenzene | 14-Feb-12 | R ug/l | 12 ug/L | | | | |
| HW57-P | Nitrobenzene | 14-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW57 | Nitrophenol-2 | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Nitrophenol-2 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Nitrophenol-4 | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Nitrophenol-4 | 14-Feb-12 | 9.52 U ug/l | | | | | |
| HW57 | Nitrosodimethylamine-n | 14-Feb-12 | R ug/l | 0.042 ug/L | | | | |
| HW57-P | Nitrosodimethylamine-n | 14-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW57 | Nitrosodiphenylamine-n | 14-Feb-12 | 5 U ug/l | 1000 ug/L | | | | |
| HW57-P | Nitrosodiphenylamine-n | 14-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW57 | Pentachlorophenol | 14-Feb-12 | 5 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW57-P | Pentachlorophenol | 14-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW57 | Perylene-benzo(ghi) | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Perylene-benzo(ghi) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Phenanthrene | 14-Feb-12 | 5 U ug/l | | | | | |
| HW57-P | Phenanthrene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Phenol | 14-Feb-12 | R ug/l | 4500 ug/L | | | | |
| HW57-P | Phenol | 14-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW57 | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 3.45 J ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW57-P | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW57 | Phthalate, Dimethyl | 14-Feb-12 | R ug/l | 1400 ug/L | | | | |
| HW57-P | Phthalate, Dimethyl | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW57 | Phthalate, di-n-butyl- | 14-Feb-12 | 5 U ug/l | 670 ug/L | | | | |
| HW57-P | Phthalate, di-n-butyl- | 14-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW57 | Phthalate, di-n-octyl | 14-Feb-12 | R ug/l | | | | | |
| HW57-P | Phthalate, di-n-octyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW57 | Phthalate-diethyl | 14-Feb-12 | 5 U ug/l | 11000 ug/L | | | | |
| HW57-P | Phthalate-diethyl | 14-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW57 | Propylamine,n-nitroso di-n- | 14-Feb-12 | R ug/l | 0.93 ug/L | | | | |
| HW57-P | Propylamine,n-nitroso di-n- | 14-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW57 | Pyrene | 14-Feb-12 | R ug/l | 87 ug/L | | | | |
| HW57-P | Pyrene | 14-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW57 | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | R ug/l | 3 ug/L | | | | |
| HW57-P | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | R ug/l | 1.2 ug/L | | | | |
| HW57-P | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW57 | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | R ug/l | 170 ug/L | | | | |
| HW57-P | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW57 | Trichlorophenol-2,4,5 | 14-Feb-12 | R ug/l | 890 ug/L | | | | |
| HW57-P | Trichlorophenol-2,4,5 | 14-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW57 | Trichlorophenol-2,4,6 | 14-Feb-12 | R ug/l | 9.04 ug/L | | | | |
| HW57-P | Trichlorophenol-2,4,6 | 14-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW57 | TPH - Diesel Range Organics | 14-Feb-12 | 250 U ug/L | | | | | |
| HW57-P | TPH - Diesel Range Organics | 14-Feb-12 | 250 U ug/L | | | | | |
| HW57 | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW57-P | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW57 | TPH - Oil Range Organics | 14-Feb-12 | 1000 U ug/L | | | | | |
| HW57-P | TPH - Oil Range Organics | 14-Feb-12 | 1000 U ug/L | | | | | |
| HW57 | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW57-P | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW57 | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW57-P | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW57 | Acetone | 14-Feb-12 | 2 U ug/l | | | | | |
| HW57-P | Acetone | 14-Feb-12 | 2 U ug/l | | | | | |
| HW57 | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57-P | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57 | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57-P | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57 | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Carbon disulfide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Carbon disulfide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-P | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57 | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW57-P | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW57 | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57-P | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57 | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW57-P | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW57 | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW57-P | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW57 | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57-P | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57 | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW57-P | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW57 | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW57-P | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW57 | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW57-P | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW57 | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57-P | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW57 | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW57-P | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW57 | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-P | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW57-P | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW57 | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 UJ ug/l | | 7 ug/L | | 7 ug/L | |
| HW57-P | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW57 | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW57-P | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW57 | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-P | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW57 | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW57-P | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW57 | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW57-P | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW57 | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW57-P | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW57 | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW57-P | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW57 | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Methyl bromide | 14-Feb-12 | 0.5 UJ ug/l | | | | | |
| HW57-P | Methyl bromide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57-P | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Methyl ethyl ketone | 14-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW57-P | Methyl ethyl ketone | 14-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW57 | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57-P | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57 | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW57-P | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW57 | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW57-P | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW57 | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW57-P | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW57 | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57-P | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57 | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW57-P | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW57 | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW57-P | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW57 | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW57-P | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW57 | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW57-P | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW57 | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW57-P | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW57 | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57-P | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW57 | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW57-P | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW57 | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW57-P | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW57 | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW57-P | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW57 | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57-P | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW57 | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW57-P | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW57 | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW57-P | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW57 | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 0.349 mg/L | | 10 mg/L | | 10 mg/L | |
| HW57-P | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 0.267 mg/L | | 10 mg/L | | 10 mg/L | |
| HW57 | Total Nitrogen | 14-Feb-12 | 1 U mg/L | | | | | |
| HW57-P | Total Nitrogen | 14-Feb-12 | 1 U mg/L | | | | | |
| HW57 | Total Phosphorus as P | 14-Feb-12 | 0.215 mg/L | | | | | |
| HW57-P | Total Phosphorus as P | 14-Feb-12 | 0.05 U mg/L | | | | | |
| HW58 | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW58 | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW58 | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW58 | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW58 | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW58 | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |
| HW58 | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW58 | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW58 | Ethane | 14-Feb-12 | 1.2 U ug/L | | | | | |
| HW58 | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW58 | Methane | 14-Feb-12 | 77 ug/L | 28000 ug/L | | | | |
| HW58 | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW58 | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW58 | 2-Methoxyethanol | 14-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW58 | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW58 | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW58 | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW58 | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW58 | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Chloride | 14-Feb-12 | 6.53 mg/L | | | 250 mg/L | | 250 mg/L |
| HW58 | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW58 | Sulfate | 14-Feb-12 | 10.6 mg/L | | | 250 mg/L | | 250 mg/L |
| HW58 | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW58-F | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW58 | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW58-F | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW58 | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW58-F | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW58 | Arsenic | 14-Feb-12 | 1.3 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW58-F | Arsenic | 14-Feb-12 | 1.7 ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW58 | Barium | 14-Feb-12 | 192 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW58-F | Barium | 14-Feb-12 | 204 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW58 | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW58-F | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW58 | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW58-F | Boron | 14-Feb-12 | 57.4 ug/L | 3100 ug/L | | | | |
| HW58 | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW58-F | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW58 | Calcium | 14-Feb-12 | 32700 ug/L | | | | | |
| HW58-F | Calcium | 14-Feb-12 | 31700 ug/L | | | | | |
| HW58 | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW58-F | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW58 | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW58-F | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW58 | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW58-F | Copper | 14-Feb-12 | 2 U ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW58 | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW58-F | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW58 | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW58-F | Lead | 14-Feb-12 | 1 U ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW58 | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW58-F | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW58 | Magnesium | 14-Feb-12 | 6540 ug/L | | | | | |
| HW58-F | Magnesium | 14-Feb-12 | 6350 ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Manganese | 14-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW58-F | Manganese | 14-Feb-12 | 1 U ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW58 | Nickel | 14-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW58-F | Nickel | 14-Feb-12 | 1.3 ug/L | 300 ug/L | | | | |
| HW58 | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW58-F | Potassium | 14-Feb-12 | 2000 U ug/L | | | | | |
| HW58 | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW58-F | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW58 | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW58-F | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW58 | Sodium | 14-Feb-12 | 13000 ug/L | 20000 ug/L | | | | |
| HW58-F | Sodium | 14-Feb-12 | 12500 ug/L | 20000 ug/L | | | | |
| HW58 | Strontium | 14-Feb-12 | 954 ug/L | 9300 ug/L | | | | |
| HW58-F | Strontium | 14-Feb-12 | 917 ug/L | 9300 ug/L | | | | |
| HW58 | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW58-F | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW58 | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW58-F | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW58 | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW58-F | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW58 | Uranium | 14-Feb-12 | 3.7 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW58-F | Uranium | 14-Feb-12 | 4 ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW58 | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW58-F | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW58 | Zinc | 14-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW58-F | Zinc | 14-Feb-12 | 2 U ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW58 | Oil and Grease | 14-Feb-12 | 5.3 UJ mg/L | | | | | |
| HW58 | Total Dissolved Solids | 14-Feb-12 | 138 mg/L | | | 500 mg/L | | 500 mg/L |
| HW58 | Total Suspended Solids | 14-Feb-12 | 10 U mg/L | | | | | |
| HW58 | 1-Methylnaphthalene | 14-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW58 | Acenaphthene | 14-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW58 | Acenaphthylene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Acetophenone | 14-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW58 | Anthracene | 14-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW58 | Atrazine | 14-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Benzo(a)anthracene | 14-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW58 | Benzo(a)pyrene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW58 | Biphenyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Butylbenzyl phthalate | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW58 | Caprolactam | 14-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW58 | Carbazole | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Chlorobenzenamine-4 | 14-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW58 | Chloronaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW58 | Chlorophenol-2 | 14-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW58 | Chlorophenyl-4 phenyl ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Chrysene | 14-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW58 | Cresol, parachloro meta- | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW58 | Cresol-o | 14-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW58 | Cresol-p | 14-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW58 | Dibenz(a,h)anthracene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW58 | Dibenzofuran | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Dichlorobenzidine-3,3' | 14-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW58 | Dichlorophenol-2,4 | 14-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW58 | Dimethylphenol, 2,4- | 14-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW58 | Dinitrophenol-2,4 | 14-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW58 | Dinitrotoluene-2,4 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Dinitrotoluene-2,6 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Ether, bis(2-chloroethyl) | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW58 | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Fluoranthene | 14-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW58 | Fluoranthene benzo(k) | 14-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW58 | Fluoranthene-benzo(b) | 14-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW58 | Fluorene | 14-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW58 | Hexachlorobenzene | 14-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW58 | Hexachlorobutadiene | 14-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW58 | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW58 | Hexachlorocyclopentadiene | 14-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW58 | Hexachloroethane | 14-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Isophorone | 14-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW58 | Methane, bis(2-chloroethoxy) | 14-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW58 | Methylnaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW58 | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW58 | Naphthalene | 14-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW58 | Nitroaniline, ortho | 14-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW58 | Nitroaniline-3 | 14-Feb-12 | R ug/l | | | | | |
| HW58 | Nitrobenzenamine-4 | 14-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW58 | Nitrobenzene | 14-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW58 | Nitrophenol-2 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Nitrophenol-4 | 14-Feb-12 | 9.52 U ug/l | | | | | |
| HW58 | Nitrosodimethylamine-n | 14-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW58 | Nitrosodiphenylamine-n | 14-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW58 | Pentachlorophenol | 14-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW58 | Perylene-benzo(ghi) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Phenanthrene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Phenol | 14-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW58 | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |
| HW58 | Phthalate, Dimethyl | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW58 | Phthalate, di-n-butyl- | 14-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW58 | Phthalate, di-n-octyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW58 | Phthalate-diethyl | 14-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW58 | Propylamine,n-nitroso di-n- | 14-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW58 | Pyrene | 14-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW58 | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |
| HW58 | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW58 | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW58 | Trichlorophenol-2,4,5 | 14-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW58 | Trichlorophenol-2,4,6 | 14-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW58 | TPH - Diesel Range Organics | 14-Feb-12 | 270 U ug/L | | | | | |
| HW58 | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW58 | TPH - Oil Range Organics | 14-Feb-12 | 1100 U ug/L | | | | | |
| HW58 | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW58 | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW58 | Acetone | 14-Feb-12 | 2 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW58 | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW58 | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Carbon disulfide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW58 | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW58 | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW58 | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW58 | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW58 | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW58 | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW58 | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW58 | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW58 | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW58 | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW58 | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW58 | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW58 | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW58 | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW58 | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW58 | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW58 | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW58 | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW58 | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW58 | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Methyl bromide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Methyl ethyl ketone | 14-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW58 | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW58 | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW58 | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW58 | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW58 | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW58 | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |
| HW58 | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW58 | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW58 | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW58 | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW58 | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW58 | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW58 | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW58 | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW58 | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW58 | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW58 | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW58 | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 0.75 mg/L | | 10 mg/L | | 10 mg/L | |
| HW58 | Total Nitrogen | 14-Feb-12 | 1 U mg/L | | | | | |
| HW58 | Total Phosphorus as P | 14-Feb-12 | 0.05 U mg/L | | | | | |
| HW59 | 1-Butanol | 14-Feb-12 | 10000 U ug/L | 1500 ug/L | | | | |
| HW59 | 1-Propanol | 14-Feb-12 | 10000 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | 2-Butanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW59 | Ethanol | 14-Feb-12 | 10000 U ug/L | | | | | |
| HW59 | Methanol | 14-Feb-12 | 10000 U ug/L | 7800 ug/L | | | | |
| HW59 | Anionic Surfactants | 14-Feb-12 | 0.01 U mg/L | | | | | |
| HW59 | Heterotrophic Plate Count | 14-Feb-12 | R cfu/1mL | | | | | |
| HW59 | Total Coliform Bacteria | 14-Feb-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW59 | Ethane | 14-Feb-12 | 1.2 U ug/L | | | | | |
| HW59 | Ethene | 14-Feb-12 | 1.1 U ug/L | | | | | |
| HW59 | Methane | 14-Feb-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW59 | 2-Butoxyethanol | 14-Feb-12 | 5 U ug/L | | | | | |
| HW59 | 2-Methoxyethanol | 14-Feb-12 | 10 U ug/L | 78 ug/L | | | | |
| HW59 | 2-Methoxyethanol | 14-Feb-12 | R ug/l | 78 ug/L | | | | |
| HW59 | Diethylene Glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW59 | Ethylene Glycol | 14-Feb-12 | 10 U mg/L | 31000 ug/L | | | | |
| HW59 | Tetraethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW59 | Triethylene glycol | 14-Feb-12 | 25 U ug/L | 8000 ug/L | | | | |
| HW59 | Bromide | 14-Feb-12 | 0.5 U mg/L | | | | | |
| HW59 | Chloride | 14-Feb-12 | 10.9 mg/L | | | 250 mg/L | | 250 mg/L |
| HW59 | Fluoride | 14-Feb-12 | 0.1 U mg/L | 0.62 mg/L | 2 mg/L | | 4 mg/L | 2 mg/L |
| HW59 | Sulfate | 14-Feb-12 | 11 mg/L | | | 250 mg/L | | 250 mg/L |
| HW59 | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW59-F | Mercury | 14-Feb-12 | 0.2 U ug/L | 4.3 ug/L | 2 ug/L | | 2 ug/L | |
| HW59 | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW59-F | Aluminum | 14-Feb-12 | 30 U ug/L | 16000 ug/L | | 200 ug/L | | 200 ug/L |
| HW59 | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW59-F | Antimony | 14-Feb-12 | 2 U ug/L | 6 ug/L | 6 ug/L | | 6 ug/L | |
| HW59 | Arsenic | 14-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW59-F | Arsenic | 14-Feb-12 | 1 U ug/L | 4.5 ug/L | 10 ug/L | | 10 ug/L | |
| HW59 | Barium | 14-Feb-12 | 88.3 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW59-F | Barium | 14-Feb-12 | 91.2 ug/L | 2900 ug/L | 2000 ug/L | | 2000 ug/L | |
| HW59 | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW59-F | Beryllium | 14-Feb-12 | 1 U ug/L | 16 ug/L | 4 ug/L | | 4 ug/L | |
| HW59 | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW59-F | Boron | 14-Feb-12 | 50 U ug/L | 3100 ug/L | | | | |
| HW59 | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59-F | Cadmium | 14-Feb-12 | 1 U ug/L | 6.9 ug/L | 5 ug/L | | 5 ug/L | |
| HW59 | Calcium | 14-Feb-12 | 14500 ug/L | | | | | |
| HW59-F | Calcium | 14-Feb-12 | 15300 ug/L | | | | | |
| HW59 | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW59-F | Chromium | 14-Feb-12 | 2 U ug/L | 3.1 ug/L | 100 ug/L | | 100 ug/L | |
| HW59 | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW59-F | Cobalt | 14-Feb-12 | 1 U ug/L | 4.7 ug/L | | | | |
| HW59 | Copper | 14-Feb-12 | 27.3 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW59-F | Copper | 14-Feb-12 | 25.2 ug/L | 620 ug/L | 1000 ug/L*** | | 1300 ug/L** | 1000 ug/L |
| HW59 | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW59-F | Iron | 14-Feb-12 | 100 U ug/L | 11000 ug/L | | 300 ug/L | | 300 ug/L |
| HW59 | Lead | 14-Feb-12 | 1 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW59-F | Lead | 14-Feb-12 | 1.2 ug/L | 15 ug/L | 5 ug/L*** | | 15 ug/L** | |
| HW59 | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW59-F | Lithium | 14-Feb-12 | 200 U ug/L | 31 ug/L | | | | |
| HW59 | Magnesium | 14-Feb-12 | 2400 ug/L | | | | | |
| HW59-F | Magnesium | 14-Feb-12 | 2540 ug/L | | | | | |
| HW59 | Manganese | 14-Feb-12 | 1.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW59-F | Manganese | 14-Feb-12 | 1.7 ug/L | 320 ug/L | | 50 ug/L | | 50 ug/L |
| HW59 | Nickel | 14-Feb-12 | 1.1 ug/L | 300 ug/L | | | | |
| HW59-F | Nickel | 14-Feb-12 | 1.2 ug/L | 300 ug/L | | | | |
| HW59 | Potassium | 14-Feb-12 | 3270 ug/L | | | | | |
| HW59-F | Potassium | 14-Feb-12 | 3460 ug/L | | | | | |
| HW59 | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW59-F | Selenium | 14-Feb-12 | 5 U ug/L | 78 ug/L | 50 ug/L | | 50 ug/L | |
| HW59 | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW59-F | Silver | 14-Feb-12 | 1 U ug/L | 71 ug/L | | 100 ug/L | | 100 ug/L |
| HW59 | Sodium | 14-Feb-12 | 5710 ug/L | 20000 ug/L | | | | |
| HW59-F | Sodium | 14-Feb-12 | 6010 ug/L | 20000 ug/L | | | | |
| HW59 | Strontium | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW59-F | Strontium | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW59 | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW59-F | Thallium | 14-Feb-12 | 1 U ug/L | 0.16 ug/L | 2 ug/L | | 2 ug/L | |
| HW59 | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |
| HW59-F | Tin | 14-Feb-12 | 200 U ug/L | 9300 ug/L | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW59-F | Titanium | 14-Feb-12 | 200 U ug/L | | | | | |
| HW59 | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW59-F | Uranium | 14-Feb-12 | 1 U ug/L | 47 ug/L | 30 ug/L | | 30 ug/L | |
| HW59 | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW59-F | Vanadium | 14-Feb-12 | 5 U ug/L | 78 ug/L | | | | |
| HW59 | Zinc | 14-Feb-12 | 11.7 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW59-F | Zinc | 14-Feb-12 | 14.9 ug/L | 4700 ug/L | | 5000 ug/L | | 5000 ug/L |
| HW59 | Oil and Grease | 14-Feb-12 | 5.1 UJ mg/L | | | | | |
| HW59 | Total Dissolved Solids | 14-Feb-12 | 77 mg/L | | | 500 mg/L | | 500 mg/L |
| HW59 | Total Suspended Solids | 14-Feb-12 | 10 U mg/L | | | | | |
| HW59 | 1-Methylnaphthalene | 14-Feb-12 | 4.76 U ug/l | 97 ug/L | | | | |
| HW59 | Acenaphthene | 14-Feb-12 | 4.76 U ug/l | 400 ug/L | | | | |
| HW59 | Acenaphthylene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Acetophenone | 14-Feb-12 | 4.76 U ug/l | 1500 ug/L | | | | |
| HW59 | Anthracene | 14-Feb-12 | 4.76 U ug/l | 1300 ug/L | | | | |
| HW59 | Atrazine | 14-Feb-12 | 57.1 U ug/l | 26 ug/L | 3 ug/L | | 3 ug/L | |
| HW59 | Benzo(a)anthracene | 14-Feb-12 | 4.76 U ug/l | 2.9 ug/L | | | | |
| HW59 | Benzo(a)pyrene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW59 | Biphenyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Bromophenyl-4 Phenyl Ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Butylbenzyl phthalate | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW59 | Caprolactam | 14-Feb-12 | 4.76 U ug/l | 7700 ug/L | | | | |
| HW59 | Carbazole | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Chlorobenzenamine-4 | 14-Feb-12 | R ug/l | 3.2 ug/L | | | | |
| HW59 | Chloronaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 550 ug/L | | | | |
| HW59 | Chlorophenol-2 | 14-Feb-12 | 4.76 U ug/l | 71 ug/L | | | | |
| HW59 | Chlorophenyl-4 phenyl ether | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Chrysene | 14-Feb-12 | 4.76 U ug/l | 290 ug/L | | | | |
| HW59 | Cresol, parachloro meta- | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Cresol-4,6-dinitro-ortho | 14-Feb-12 | 57.1 UJ ug/l | | | | | |
| HW59 | Cresol-o | 14-Feb-12 | 4.76 U ug/l | 720 ug/L | | | | |
| HW59 | Cresol-p | 14-Feb-12 | 4.76 U ug/l | 72 ug/L | | | | |
| HW59 | Dibenz(a,h)anthracene | 14-Feb-12 | 4.76 U ug/l | 0.29 ug/L | | | | |
| HW59 | Dibenzofuran | 14-Feb-12 | 4.76 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | Dichlorobenzidine-3,3' | 14-Feb-12 | R ug/l | 11 ug/L | | | | |
| HW59 | Dichlorophenol-2,4 | 14-Feb-12 | 4.76 U ug/l | 35 ug/L | | | | |
| HW59 | Dimethylphenol, 2,4- | 14-Feb-12 | 4.76 U ug/l | 270 ug/L | | | | |
| HW59 | Dinitrophenol-2,4 | 14-Feb-12 | 57.1 U ug/l | 30 ug/L | | | | |
| HW59 | Dinitrotoluene-2,4 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Dinitrotoluene-2,6 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Ether, bis(2-chloroethyl) | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW59 | Ether-bis(2-chloroisopropyl) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Fluoranthene | 14-Feb-12 | 4.76 U ug/l | 630 ug/L | | | | |
| HW59 | Fluoranthene benzo(k) | 14-Feb-12 | 4.76 U ug/l | 29 ug/L | | | | |
| HW59 | Fluoranthene-benzo(b) | 14-Feb-12 | 4.76 U ug/l | 5.6 ug/L | | | | |
| HW59 | Fluorene | 14-Feb-12 | 4.76 U ug/l | 220 ug/L | | | | |
| HW59 | Hexachlorobenzene | 14-Feb-12 | 4.76 U ug/l | 4.2 ug/L | 1 ug/L | | 1 ug/L | |
| HW59 | Hexachlorobutadiene | 14-Feb-12 | 0.5 U ug/l | 26 ug/L | | | | |
| HW59 | Hexachlorobutadiene | 14-Feb-12 | 4.76 U ug/l | 26 ug/L | | | | |
| HW59 | Hexachlorocyclopentadiene | 14-Feb-12 | 4.76 U ug/l | 22 ug/L | 50 ug/L | | 50 ug/L | |
| HW59 | Hexachloroethane | 14-Feb-12 | 4.76 U ug/l | 5.1 ug/L | | | | |
| HW59 | Isophorone | 14-Feb-12 | 4.76 U ug/l | 6700 ug/L | | | | |
| HW59 | Methane, bis(2-chloroethoxy) | 14-Feb-12 | 4.76 U ug/l | 47 ug/L | | | | |
| HW59 | Methylnaphthalene-2 | 14-Feb-12 | 4.76 U ug/l | 27 ug/L | | | | |
| HW59 | Naphthalene | 14-Feb-12 | 0.5 U ug/l | 14 ug/L | | | | |
| HW59 | Naphthalene | 14-Feb-12 | 4.76 U ug/l | 14 ug/L | | | | |
| HW59 | Nitroaniline, ortho | 14-Feb-12 | 4.76 U ug/l | 150 ug/L | | | | |
| HW59 | Nitroaniline-3 | 14-Feb-12 | R ug/l | | | | | |
| HW59 | Nitrobenzenamine-4 | 14-Feb-12 | 4.76 U ug/l | 61 ug/L | | | | |
| HW59 | Nitrobenzene | 14-Feb-12 | 4.76 U ug/l | 12 ug/L | | | | |
| HW59 | Nitrophenol-2 | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Nitrophenol-4 | 14-Feb-12 | 9.52 U ug/l | | | | | |
| HW59 | Nitrosodimethylamine-n | 14-Feb-12 | 4.76 U ug/l | 0.042 ug/L | | | | |
| HW59 | Nitrosodiphenylamine-n | 14-Feb-12 | 4.76 U ug/l | 1000 ug/L | | | | |
| HW59 | Pentachlorophenol | 14-Feb-12 | 4.76 U ug/l | 17 ug/L | 1 ug/L | | 1 ug/L | |
| HW59 | Perylene-benzo(ghi) | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Phenanthrene | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Phenol | 14-Feb-12 | 4.76 U ug/l | 4500 ug/L | | | | |
| HW59 | Phthalate, bis(2-ethylhexyl) (DEHP) | 14-Feb-12 | 4.76 U ug/l | 7.1 ug/L | 6 ug/L | | 6 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | Phthalate, Dimethyl | 14-Feb-12 | 4.76 U ug/l | 1400 ug/L | | | | |
| HW59 | Phthalate, di-n-butyl- | 14-Feb-12 | 4.76 U ug/l | 670 ug/L | | | | |
| HW59 | Phthalate, di-n-octyl | 14-Feb-12 | 4.76 U ug/l | | | | | |
| HW59 | Phthalate-diethyl | 14-Feb-12 | 4.76 U ug/l | 11000 ug/L | | | | |
| HW59 | Propylamine,n-nitroso di-n- | 14-Feb-12 | 4.76 U ug/l | 0.93 ug/L | | | | |
| HW59 | Pyrene | 14-Feb-12 | 4.76 U ug/l | 87 ug/L | | | | |
| HW59 | Pyrene-indeno(1,2,3-cd) | 14-Feb-12 | 4.76 U ug/l | 3 ug/L | | | | |
| HW59 | Tetrachlorobenzene, 1,2,4,5- | 14-Feb-12 | 4.76 U ug/l | 1.2 ug/L | | | | |
| HW59 | Tetrachlorophenol, 2,3,4,6- | 14-Feb-12 | 4.76 U ug/l | 170 ug/L | | | | |
| HW59 | Trichlorophenol-2,4,5 | 14-Feb-12 | 4.76 U ug/l | 890 ug/L | | | | |
| HW59 | Trichlorophenol-2,4,6 | 14-Feb-12 | 4.76 U ug/l | 9.04 ug/L | | | | |
| HW59 | TPH - Diesel Range Organics | 14-Feb-12 | 250 U ug/L | | | | | |
| HW59 | TPH - Gasoline Range Organics | 14-Feb-12 | 50 U ug/L | | | | | |
| HW59 | TPH - Oil Range Organics | 14-Feb-12 | 1000 U ug/L | | | | | |
| HW59 | 1,2-Dibromo-3-chloropropane (DBCP) | 14-Feb-12 | 2 U ug/l | 0.032 ug/L | 0.2 ug/L | | 0.2 ug/L | |
| HW59 | 4-Methyl-2-pentanone | 14-Feb-12 | 2 U ug/l | 1000 ug/L | | | | |
| HW59 | Acetone | 14-Feb-12 | 2 U ug/l | | | | | |
| HW59 | Benzene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW59 | Bromobenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Bromoform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW59 | Butylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Butylbenzene, sec- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Butylbenzene, tert- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Carbon disulfide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Carbon Tetrachloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW59 | Chlorobenzene | 14-Feb-12 | 0.5 U ug/l | | | | 100 ug/L | |
| HW59 | Chlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Chloroethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Chloroform | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW59 | Chlorotoluene | 14-Feb-12 | 0.5 U ug/l | 180 ug/L | | | | |
| HW59 | Chlorotoluene-p | 14-Feb-12 | 0.5 U ug/l | 190 ug/L | | | | |
| HW59 | Cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dibromochloromethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW59 | Dibromoethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 0.65 ug/L | 0.05 ug/L | | 0.05 ug/L | |
| HW59 | Dibromomethane | 14-Feb-12 | 0.5 U ug/l | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | Dichlorobenzene-1,2 | 14-Feb-12 | 0.5 U ug/l | 280 ug/L | 600 ug/L | | 600 ug/L | |
| HW59 | Dichlorobenzene-1,3 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dichlorobenzene-1,4 | 14-Feb-12 | 0.5 U ug/l | 42 ug/L | 75 ug/L | | 75 ug/L | |
| HW59 | Dichlorobromomethane | 14-Feb-12 | 0.5 U ug/l | | 80 ug/L | | 80 ug/L | |
| HW59 | Dichlorodifluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dichloroethane-1,1 | 14-Feb-12 | 0.5 U ug/l | 240 ug/L | | | | |
| HW59 | Dichloroethane-1,2 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | 5 ug/L | | 5 ug/L | |
| HW59 | Dichloroethene-1,2 trans | 14-Feb-12 | 0.5 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW59 | Dichloroethylene-1,1 | 14-Feb-12 | 0.5 U ug/l | | 7 ug/L | | 7 ug/L | |
| HW59 | Dichloroethylene-1,2 cis | 14-Feb-12 | 0.5 U ug/l | | 70 ug/L | | 70 ug/L | |
| HW59 | Dichloropropane, 1,2- | 14-Feb-12 | 0.5 U ug/l | 38 ug/L | 5 ug/L | | 5 ug/L | |
| HW59 | Dichloropropane, 1,3- | 14-Feb-12 | 0.5 U ug/l | 290 ug/L | | | | |
| HW59 | Dichloropropane, 2,2- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dichloropropene, 1,1- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dichloropropene, 1,3 cis- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Dichloropropene, 1,3 trans- | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Ethylbenzene | 14-Feb-12 | 0.5 U ug/l | | 700 ug/L | | 700 ug/L | |
| HW59 | Freon 113 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Hexanone, 2- | 14-Feb-12 | 2 U ug/l | 34 ug/L | | | | |
| HW59 | Isopropylbenzene | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Isopropylbenzene-4,methyl-1 | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | m,p-Xylene | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW59 | Methyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Methyl bromide | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Methyl chloride | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Methyl cyclohexane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Methyl ethyl ketone | 14-Feb-12 | 2 U ug/l | 4900 ug/L | | | | |
| HW59 | Methyl tertiary butyl ether (MTBE) | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Methylene chloride | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW59 | Propylbenzene-n | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Styrene | 14-Feb-12 | 1 U ug/l | | 100 ug/L | | 100 ug/L | |
| HW59 | Tetrachloroethane, 1,1,1,2- | 14-Feb-12 | 0.5 U ug/l | 50 ug/L | | | | |
| HW59 | Tetrachloroethane, 1,1,2,2- | 14-Feb-12 | 0.5 U ug/l | 6.6 ug/L | | | | |
| HW59 | Tetrachloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW59 | Toluene | 14-Feb-12 | 0.5 U ug/l | | 1000 ug/L | | 1000 ug/L | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW59 | Trichlorobenzene-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | | | | |
| HW59 | Trichlorobenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 5.2 ug/L | 70 ug/L | | 70 ug/L | |
| HW59 | Trichloroethane-1,1,1 | 14-Feb-12 | 0.5 U ug/l | 7500 ug/L | 200 ug/L | | 200 ug/L | |
| HW59 | Trichloroethane-1,1,2 | 14-Feb-12 | 0.5 U ug/l | 0.41 ug/L | 5 ug/L | | 5 ug/L | |
| HW59 | Trichloroethylene | 14-Feb-12 | 0.5 U ug/l | | 5 ug/L | | 5 ug/L | |
| HW59 | Trichlorofluoromethane | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Trichloropropane-1,2,3 | 14-Feb-12 | 0.5 U ug/l | 0.065 ug/L | | | | |
| HW59 | Trimethylbenzene-1,2,4 | 14-Feb-12 | 0.5 U ug/l | 15 ug/L | | | | |
| HW59 | Trimethylbenzene-1,3,5 | 14-Feb-12 | 0.5 U ug/l | 87 ug/L | | | | |
| HW59 | Vinyl acetate | 14-Feb-12 | 0.5 U ug/l | | | | | |
| HW59 | Vinyl chloride | 14-Feb-12 | 0.5 U ug/l | | 2 ug/L | | 2 ug/L | |
| HW59 | Xylene-o | 14-Feb-12 | 1 U ug/l | | 10000 ug/L | | 10000 ug/L | |
| HW59 | Nitrogen, Nitrite + Nitrate | 14-Feb-12 | 2.27 mg/L | | 10 mg/L | | 10 mg/L | |
| HW59 | Total Nitrogen | 14-Feb-12 | 2.2 mg/L | | | | | |
| HW59 | Total Phosphorus as P | 14-Feb-12 | 0.05 U mg/L | | | | | |
| HW60 | Anionic Surfactants | 05-Mar-12 | 0.01 U mg/L | | | | | |
| HW60 | Heterotrophic Plate Count | 05-Mar-12 | 14 J cfu/1mL | | | | | |
| HW60 | Total Coliform Bacteria | 05-Mar-12 | 1 UJ cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW60 | Ethane | 05-Mar-12 | 10 ug/L | | | | | |
| HW60 | Ethene | 05-Mar-12 | 1.1 U ug/L | | | | | |
| HW60 | Methane | 05-Mar-12 | 21000 ug/L | 28000 ug/L | | | | |
| HW60 | TPH - Gasoline Range Organics | 05-Mar-12 | 50 U ug/L | | | | | |
| HW61 | Anionic Surfactants | 06-Mar-12 | 0.01 U mg/L | | | | | |
| HW61-P | Anionic Surfactants | 06-Mar-12 | 0.01 U mg/L | | | | | |
| HW61z | Anionic Surfactants | 06-Mar-12 | 0.01 U mg/L | | | | | |
| HW61 | Heterotrophic Plate Count | 06-Mar-12 | 60 J cfu/1mL | | | | | |
| HW61-P | Heterotrophic Plate Count | 06-Mar-12 | 71 J cfu/1mL | | | | | |
| HW61z | Heterotrophic Plate Count | 06-Mar-12 | 60 J cfu/1mL | | | | | |
| HW61 | Total Coliform Bacteria | 06-Mar-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW61-P | Total Coliform Bacteria | 06-Mar-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW61z | Total Coliform Bacteria | 06-Mar-12 | 1 U cfu/100mL | 0 cfu/100mL | | | 5 %* | |
| HW61 | Ethane | 06-Mar-12 | 1.2 U ug/L | | | | | |
| HW61-P | Ethane | 06-Mar-12 | 1.2 U ug/L | | | | | |
| HW61z | Ethane | 06-Mar-12 | 1.2 U ug/L | | | | | |
| HW61 | Ethene | 06-Mar-12 | 1.1 U ug/L | | | | | |

| Dimock Week 1, 2 & 3 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Sample # | Analyte | Sample Date | Result with Qualifier | Trigger Level | EPA Primary MCL | EPA Secondary MCL | DEP Primary MCL | DEP Secondary MCL |
| HW61-P | Ethene | 06-Mar-12 | 1.1 U ug/L | | | | | |
| HW61z | Ethene | 06-Mar-12 | 1.1 U ug/L | | | | | |
| HW61 | Methane | 06-Mar-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW61-P | Methane | 06-Mar-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW61z | Methane | 06-Mar-12 | 1.2 U ug/L | 28000 ug/L | | | | |
| HW61 | TPH - Gasoline Range Organics | 06-Mar-12 | 50 U ug/L | | | | | |
| HW61-P | TPH - Gasoline Range Organics | 06-Mar-12 | 50 U ug/L | | | | | |
| HW61z | TPH - Gasoline Range Organics | 06-Mar-12 | 50 U ug/L | | | | | |

* No more than 5.0% samples total coliform-positive in a month. (For water systems that collect fewer than 40 routine samples per month, no more than one sample can be total coliform-positive per month.) Every sample that has total coliform must be analyzed for either fecal coliforms or E. coli if two consecutive TC-positive samples, and one is also positive for E.coli fecal coliforms, system has an acute MCL violation.

** EPA has not established an MCL for lead or copper. Lead and copper are regulated by a Treatment Technique that requires public drinking water systems to control the corrosiveness of their water. If more than 10% of tap water samples exceed the action level, water system must take additional steps. For lead, the action level is 15 ug/L, and for copper is 1,300 ug/L.

*** The DEP Primary MCLs for lead (5 ug/L) and copper (1,000 ug/L) are applicable only to bottled, vended, retail and bulk water hauling systems, otherwise the DEP uses the federal action levels for lead (15 ug/L), and for copper (1,300 ug/L).

TPH - Total Petroleum Hydrocarbons